Formulas Provided by the Idaho WIC Program – Effective October 1, 2012

Note: Not all formulas in the <u>WIC Formula Handbook</u> are provided by the Idaho WIC Program; please refer to the WIC Works Website. http://wicworks.nal.usda.gov/nal_web/wicworks/formulas/FormulaSearch.php

Contract Formulas

Similac Advance Enfamil ProSobee Similac Sensitive

Similac Sensitive for Spit Up

Non-contract standard infant formulas that are nutritionally comparable to contract brand formulas or low-iron formulas will not be issued and Medical Documentation forms/prescriptions will not be accepted under any circumstances.

Per federal regulation, Medicaid is the primary payer for exempt infant formulas and WIC-eligible medical foods issued to WIC participants who are also Medicaid beneficiaries.

Other – these formulas do not fit into any other category, but are available with a prescription for medical conditions containing a medical diagnosis. Not all formulas available are listed below. Highlighted formulas are available in a food package in the computer system.

Exempt Formulas

BCAD 1

Bright Beginnings Neocare

Calcilo XD Cyclinex 1

EleCare DHA/ARA Enfamil EnfaCare

EHMF (Enfamil Human Milk Fortifier)
Enfamil Human Milk Fortifier Acidified Liquid

Enfamil Premature with Iron
Enfamil Premature High Protein 24

Enfamil Premature 30

Enfaport GA

Gerber Good Start Nourish Gerber Good Start Premature 24

Gerber Good Start Premature High Protein

Glutarex 1 HCY 1 Hominex 1 I Valex 1 Ketonex 1 LMD

MSUD Analog Neocate

Neocate with DHA and ARA

Nutramigen LIPIL

Nutramigen with Enflora LGG

OA 1

Periflex Infant

PFD 1 Phenex 1 Phenyl Free 1 Pregestimil Pregestimil 20/24 Product 3232A Pro-Phree

PurAmino (Nutramigen AA) RCF (Ross Carbohydrate Free) SHMF (Similac Human Milk Fortifier)

Similac PM 60/40

ProViMin

Similac Care Advance 24 with Iron Similac Care Advance 20 with Iron Similac Expert Care Alimentum Similac Expert Care for Diarrhea Similac Expert Care Neosure

Tyrex 1
TYROS 1
WND 1
XLeu Analog
XLys, XTrp Analog
XMet Analog
XMTVI Analog
XPhe, XTyr Analog
XPTM Analog

WIC-Eligible Medical Foods

#0120A L-Arginine #0130G Glycine

#0140I L-Isoleucine #0150I L-Leucine #0160T L-Tyrosine #0170V L-Valine

2% ONEsource Optimal Nutrition Drink

A-Soy Acerflex Add-Ins BCAD 1 BCAD 2 Benecalorie

Beneprotein Instant Protein Powder

Boost

Boost Glucose Control Boost High Protein Boost Kid Essentials Boost Kid Essentials 1.5

Boost Kid Essentials 1.5 Cal with Fiber

Boost Plus Boost Pudding

Boost VHC (Very High Calorie)
B.R.A.T. Feel Better Drink (Organic)
Bright Beginnings Pediatric Drink
Bright Beginnings Pediatric Soy Drink

Carnation Breakfast Essentials No Sugar Added Carnation Breakfast Essentials Ready to Drink Carnation Instant Breakfast (CIB) Juice Drink

Citrulline 1000 Amino Acid Supplement

Compleat

Compleat Pediatric

Compleat Pediatric Reduced Calorie

Complete Amino Acid Mix

Complex Essential MSD Drink Mix Complex Junior MSD Drink Mix Complex MSD Amino Acid Blend Complex MSD Amino Acid Bars

Cyclinex 1 Cyclinex 2

Cystine Amino Acid Supplement

DOC Omega E028 Splash EAA Supplement

EleCare Jr (Unflavored/Vanilla)

Enlive Ensure

Ensure High Protein Ensure Plus

Ensure Powder Ensure Pudding

Essential Amino Acid Mix

f.a.a.

FiberSource HN GA Express 15

GA Gel

Nutren 1.0

Nutren 1.0 with Fiber

Nutren 1.5 Nutren 2.0

Nutren Pulmonary

NutriHep OA 2 ONEsource Optimental Osmolite 1 cal Osmolite 1.2 cal Osmolite 1.5 Cal

Oxepa

PBM Pediatric Drink (ex: Albertson's, Kroger)
PediaSmart Complete Organic Nutrition Beverage
PediaSmart Soy Complete Organic Nutrition Beverage

PediaSure

PediaSure 1.5 Cal

PediaSure 1.5 Cal with Fiber

PediaSure Enteral
PediaSure Sidekicks
PediaSure Sidekicks Clear
PediaSure Peptide 1.0 Cal
PediaSure Peptide 1.5 Cal
Pediasure with Fiber

PediaSure with Fiber Enteral

Pepdite Jr. Peptamen Peptamen 1.5

Peptamen 1.5 with Prebio1

Peptamen AF
Peptamen Junior
Pepatmen Junior 1.5

Peptamen Junior with Fiber
Peptamen Junior with Prebio1
Peptamen with Prebio1

Perative

Periflex Jr

Periflex Advance

PFD 2
Phenex 2
Phenyl Free 2
Phenyl Free 2 HP
PhenylAde 40 Drink Mix
PhenylAde 60 Drink Mix
PhenylAde AA Blend
PhenylAde Amino Acid Bars

PhenylAde Drink Mix

PhenylAde Essential Drink Mix PhenylAde MTE AA Blend Phenylalanine AA Supplement

Phlexy - 10 Capsules Phlexy - 10 Drink Mix Phlexy - 10 tablets PKU Cooler 10 PKU Cooler 15 Glucerna

Glucerna Meal Bars Glucerna Shake Glucerna Snack Bar

GlutarAde GA-1 Amino Acid Blend GlutarAde Junior GA-1 Drink Mix

Glutarex 2 Glytrol **HCU Cooler**

HCU Express Powder HCU Lophlex LQ

HCU Gel HCY 2 Hi-Cal HOM 2 Hominex 1 Hominex 2 I Valex 1 I Valex 2

Isoleucine 1000 Amino Acid Supplement Isoleucine Amino Acid Supplement

Isosource HN Jevity 1 Cal Jevity 1.2 Cal Jevity 1.5

Ketocal 3:1, 4:1, 4:1 Liquid

Ketonex 1 Ketonex 2 Key Omega L-Emental **LEU Free Cooler**

Lipistart Lophlex MCT Oil MCT Pro-Cal

Methionaid

Methionine Amino Acid

Microlipid Milupa OS 2 Milupa PKU 2

Milupa PKU 2 tomato

Milupa PKU 3 Milupa UCD 2 MMA/PA MMA/PA Cooler

MMA/PA Express Powder

MMA/PA Gel Monogen MSUD Aid MSUD Cooler

MSUD Express Powder

MSUD Gel MSUD Lophlex LQ MSUD Maxamaid **MSUD Maxamum** MSUD 2

Neocate Junior

Neocate Junior Prebiotics

PKU Cooler 20 PKU Gel

PKU Lophlex LQ PKU Trio

PKU-Express Polycose Portagen Pro-cal Pro-Phree

ProMod Liquid Pro

Promote

Promote with Fiber

Propimex 1 Propimex 2 ProViMin Pulmocare Renalcal Renastart Replete Replete Fiber Resource 2.0 Resource Breeze Resource Dairy Thick

Resource Nutritious Pudding Resource Thickened Juice ScandiCal Calorie Booster

ScandiShake

S.O.S Solvil

Super Soluble Duocal

Suplena Tolerex Two Cal HN TYR 2 TYR Cooler

TYR Express Powder

TYR Gel TYR Lophlex LQ

Tyrex 1 Tyrex 2 TYROS 2

UCD Anamix Junior

UCD Trio

Valine 1000 Amino Acid Supplement

Valine AA Supplement Vital High Nitrogen Vivonex Pediatric Vivonex Plus Vivonex R.T.F. Vivonex T.E.N.

WND 2

XLeu Maxamaid XLeu Maxamum XLys, XTrp Maxamaid XLys, XTrp Maxamum XMet Maxamaid

XMet Maxamum XMTVI Maxamaid Neocate Nutra Neocate One + Nepro NovaSource Renal Nutren Junior Nutren Junior With Fiber XMTVI Maxamum XPhe Maxamaid XPhe Maxamum XPhe Maxamum Drink XPhe, XTrp Maxamaid

Policy Reminders

Food Package 3 -

Food packages have been created in the computer system for contract brand infant formulas for children over the age of 1, exempt infant formulas and WIC-eligible medical foods. Exempt infant formulas/WIC-eligible medical foods that do not have a food package are ordered through a medical supply company that has a Memorandum of Understanding with the Idaho WIC program using a Direct Bill form. Refer to the Idaho WIC Policy and Procedure manual about using a Direct Bill form.

Participants receiving Food Package 3 can also receive all WIC foods as tolerated. Using the Medical Documentation form, healthcare providers can request to restrict foods.

Infants:

- Exempt infant formula/WIC-eligible medical food, ONLY
 - o Amounts based on age and feeding category (full formula, partial breastfeeding)
- Exempt infant formula/WIC-eligible medical food, ALL INFANT FOODS for infants 6 months and older
 - o Amounts based on age and feeding category (full formula, partial breastfeeding)
- Exempt infant formula/WIC-eligible medical food, ONLY for infants 6 months and older
 - o Same amount as issued to a 4-5 month old infant

Children:

- Contract formula/exempt infant formula/WIC-eligible medical food, ONLY
- Contract formula/exempt infant formula/WIC-eligible medical food, ALL FOODS with the following options:
 - Whole milk option (1 thru 5 years of age)
 - Reduced milk option (> 2 years)
 - o 1 pound cheese
 - o Infant cereal instead of adult cereal
 - o Cheese, no milk
 - o No milk or cheese

The following foods cannot be restricted in a food package but can be handled through counseling:

- Wheat counseling about cereal/whole grain options on food list.
- Eggs Counseling regarding use (i.e. if whites can be tolerated, throw away yolks or vice versa) or not purchasing.
- Fresh fruits/fresh vegetables: Counseling regarding what foods could be purchased, if none void cash value voucher.
- Texture Counseling as appropriate. Infant cereal can be issued in place of adult cereal.

Women:

At this time, no food packages for WIC-eligible medicals foods have been created in the computer system for women. Call the State WIC Office if you need a product for a woman.

Direct Bill and Food Packages:

If product is provided through a direct bill, the following food package 3 can be issued to participants. Otherwise use a standard food package as appropriate:

- Whole milk option (> 2 years)
- Infant cereal instead of adult cereal
- All foods except:
 - o Cheese, no milk
 - o No milk or cheese

Medicaid:

If product is being provided by Medicaid, supplemental foods can be issued using a standard food package.

Contact information related to exempt infant formulas and WIC-eligible medical foods

Medicaid Contact Numbers:

Matt Wimmer Program Manager, Medical Care Unit Division of Medicaid P.O. Box 83720, Boise, ID 83720-0036 Phone: 208-364-1989 Fax: 208-332-7285

wimmerm@dhw.idaho.gov

Jeanne Siroky Program Specialist, Medical Division of Medicaid Phone: 208-364-1897 sirokyj@dhw.idaho.gov

Anna Roy, RN (contact for Medical Supply Companies) Medicaid Care Management Division of Medicaid 208-364-1830 roya@dhw.idaho.gov

Medical Supply Companies: (only ones with MOU's)

Norco – Locations across the state. Robbie Roberts Compliance Officer Corporate Office 1125 W. Amity Boise, ID 83705

Phone: 208-336-1643 Fax: 208-385-7320 Cell: 208-631-1530

robbier@norco-inc.com Web: www.norco-inc.com

Apria Healthcare – Locations across the state Brenda Thompson Patient care Coordinator – Boise 11880 W President Dr. Ste. E Boise, ID 83713

Phone: 208-322-2372 Fax 208-322-2352 Cell: 208-401-5799 or 208-573-8486

Brenda.thompson@apria.com

| Product | WIC Issuance | Size | Nutrient Source |
|------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|-------------------------------------------------------------|--------------------------------------------|
| ACERFLEX (Nutricia North America) | Approved with prescription. | 16 oz (454 g) can powder 6 cans/case | Protein (20% kcals) - Amino acids (without |
| USE: An isoleucine-, leucine- and valine-free <u>medical food</u> (metabolic) for | preseription. | o carris, case | isoleucine, leucine, |
| individuals over the age of 1 with maple syrup urine disease (MSUD). Contains a | | 1 Tbsp powder = 8 g | valine) |
| balanced mixture of all other essential and non-essential amino acids, CHO, fat, | | | , |
| vitamins, minerals and trace elements. | | Reconstituted amount unavailable. | Fat (39% kcals) - Canola oil, high oleic |
| Per 100 g: 395 kcals, 20 g pro, 17 g fat, 40.5 g CHO, 12 mg iron | | Intake dependent on age, body weight and medical condition. | safflower oil, fractionated coconut oil |
| Osmolality: | | Follow Rx as directed by physician | |
| 1 to 5 dilution - 670 mOsm/kg | | , , | CHO (41% kcals) |
| 1 to 4 dilution - 830 mOsm/kg | | | - Corn syrup solids, sucrose |
| Flavors: pineapple | | | |
| CAUTION: For use only under strict medical supervision. Not intended as a sole source of nutrition. Not for parenteral use. | | | |
| ADD-INS (Nutricia North America) | Approved with | 18.2 g (0.64 oz) sachet | Protein - Phenylalanine-free |
| USE: A phenylalanine-free <u>medical food</u> (metabolic) for <u>children over 4 and adults</u> | prescription. | 60 sachets/case | amino acids |
| (including pregnant women) with phenylketonuria (PKU). Contains vitamins and | | Intake dependent on age, body | arrino acias |
| minerals, and essential and non-essential amino acids, fat, and micronutrients. | | weight and medical condition. | Fat |
| Flavorless. | | Follow Rx as directed by physician | - Hydrogenated |
| | | | vegetable oil (palm oil) |
| Per 18.2 g: 86 kcals, 10 g pro, 5.1 g fat, 0 g CHO, 2.6 mg iron | | | , |
| CAUTION: Must only be consumed by individuals with proven phenylketonuria | | | CHO (0%) |
| while under strict medical supervision. Not suitable as a sole source of nutrition. Not | | | |
| for parenteral use. | | | |

| Product | WIC Issuance | Size | Nutrient Source |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------|
| USE: A medical food for older children and adults (wound healing oral supplement/tube feed) with burn injuries, pressure ulcers, venous stasis ulcers or other chronic wounds. Contains supplemental levels of L-Arginine and vitamins C and E. Kosher, lactose-free, sugar-free, may be suitable for gluten-free diets. Per 9.2 g: 35 kcals, 4.5 g pro, 0 g fat, 4 g CHO, 0 mg iron (0.15 kcals/ml when mixed with 237 ml water. Osmolality: 170 mOsm/kg Flavors: orange, cherry CAUTION: For use only under medical supervision. Made in same plant with soy, milk, egg and wheat products. Phenylketonurics: contains phenylalanine. | Not WIC Approved. | 9.2 g (0.32 oz) packet powder 56 packets/case Mix one packet with 6-8 fl oz water. | Protein (53% kcals) - L-Arginine Fat (0% kcals) - None CHO (47% kcals) - Citric acid, malic acid |
| BABY'S ONLY ORGANIC DAIRY FORMULA BABY'S ONLY ORGANIC DARIY WITH DHA & ARA (Nature's One) Use: A nutritionally complete, milk based infant and exempt formula for infants and children up to age 3. Per 100 kcals: 2.6 g pro, 5.3 g fat, 10.8 g CHO, 1.8 mg iron CAUTION: For infants less than 12-months, use as directed by a healthcare professional. | Not WIC approved. | 12.7 oz 1 can = 80 fl oz reconstituted Packets: 1 pkt = 4 fl oz reconstituted | Protein - milk protein concentrate Fat - high oleic sunflower oil, coconut oil, soybean oil CHO - lactose, brown rice syrup |

| Product | WIC Issuance | Size | Nutrient Source |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Use: A nutritionally complete, soy based infant and exempt formula for infants and children up to age 3. Per 100 kcals: 2.1 g pro, 5.4 g fat, 10.7 g CHO, 1.8 mg iron CAUTION: For infants less than 12-months, use as directed by a healthcare professional. | Not WIC approved. | 12.7 oz can 1 can = 80 fl oz reconstituted Packets: 1 pkt = 4 fl oz reconstituted | Protein - milk protein concentrate Fat - high oleic sunflower oil, coconut oil, soybean oil CHO - brown rice syrup |
| BABY'S ONLY ORGANIC SOY FORMULA (Nature's one) Use: A nutritionally complete, soy based infant and exempt formula for infants and children up to age 3. Per 100 kcals: 2.8 g pro, 5.3 g fat, 10.8 g CHO, 1.8 mg iron CAUTION: For infants less than 12-months, use as directed by a healthcare professional. | Not WIC approved. | 12.7 oz can 1 can = 80 fl oz reconstituted | Protein - soy protein concentrate Fat - high oleic sunflower oil, coconut oil, soybean oil CHO - brown rice syrup |
| USE: An isoleucine-, leucine- and valine-free infant formula (metabolic) for infants and toddlers with maple syrup urine disease (MSUD) or other inborn errors of branched chain amino acid metabolism. Contains higher levels of B vitamins (for cofactor production) than standard infant formulas. Iron-fortified. Vanilla scent. Gluten-free, lactose-free, galactose-free. Per 100 g: 500 kcals, 16.2 g pro, 26 g fat, 51 g CHO, 9.6 mg iron Osmolality: 330 mOsm/kg CAUTION: For use only under strict medical supervision. Not intended as a sole source of nutrition. Not for parenteral use. | Approved with prescription. | 16 oz (454 g) can powder 6 cans/case 1 scoop powder = 4.5 g Reconstituted amount unavailable. Intake dependent on age, body weight and medical condition. Follow Rx as directed by physician | Protein (13% kcals) - Amino acids (without isoleucine, leucine, valine) Fat (47% kcals) - Vegetable oil (palm olein, soy, coconut, and high-oleic sunflower oils) CHO (40% kcals) - Corn syrup solids, sucrose, modified corn starch, maltodextrin |

| Product | WIC Issuance | Size | Nutrient Source |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|--------------------------------------------------------------|----------------------------------------|
| BCAD 2 (Mead Johnson) | Approved with | 16 oz (454 g) can powder | Protein (24% kcals) |
| | prescription. | 6 cans/case | - Amino acids (without |
| USE: An isoleucine-, leucine- and valine-free <u>medical food</u> (metabolic) for <u>older</u> | | | isoleucine, leucine, |
| children and adults with maple syrup urine disease (MSUD) or other inborn errors of | | 1 scoop powder = 14.5 g | valine) |
| branched chain amino acid metabolism. Contains higher levels of protein than | | | / / |
| BCAD 1. Fortified with vitamins and minerals. Gluten-free, lactose-free, galactose- | | Reconstituted amount | Fat (19% kcals) |
| free. Vanilla scent. | | unavailable. Intake dependent on age, body | - Soy oil |
| Per 100 g: 410 kcals, 24 g pro, 8.5 g fat, 57 g CHO, 12.2 mg iron | | weight and medical condition. | CHO (57% kcals) |
| 1 Ct 100 g. 410 kcais, 24 g pro, 6.5 g rat, 57 g ct 10, 12.2 mg non | | Follow Rx as directed by physician | - Corn syrup solids, |
| Flavor: vanilla | | Tonow tik as an edica by physician | sucrose, modified corn |
| | | | starch |
| CAUTION: For use only under strict medical supervision. Not intended as a sole | | | |
| source of nutrition. Not for parenteral use. | | | |
| | | | |
| BENECALORIE (Nestle Healthcare Nutrition) | Approved with | 1.5 oz (41.3 g) cup powder | Protein (9% kcals) |
| | prescription. | 24 cups/case | - Calcium caseinate |
| USE: A high-calorie and protein <u>medical food</u> (oral supplement) for <u>older children</u> | | Chin and the of single consists and | (milk) |
| and adults with anorexia, burn injuries, COPD, cancer, failure to thrive, HIV/AIDS or malnutrition, fluid restriction. Designed to combat significant unintended weight | | Stir contents of single serving cup into foods or beverages. | Fat (019/ kapls) |
| loss. Kosher, lactose-free, low-residue, cholesterol-free, gluten-free. | | into roods or beverages. | Fat (91% kcals) - High Oleic Sunflower |
| 1033. Rosher, lactose-free, low-residue, cholesteror-free, gluten-free. | | | Oil, mono and |
| Per 1.5 oz: 330 kcals (7.5 kcals/ml), 7 g pro, 33 g fat, 0 g CHO, 0 mg iron | | | diglycerides |
| 1 | | | 4.6.700.14.00 |
| CAUTION : For use under medical supervision. Not intended as a sole source of | | | CHO (0% kcals) |
| nutrition. Not for individuals with galactosemia. Not for parenteral use. | | | - None |
| BENEPROTEIN INSTANT PROTEIN POWDER (Nestle Healthcare Nutrition) | Approved with | 8 oz powder canister | Protein (100% kcals) |
| | prescription. | 6 canisters/case | - Whey protein isolate |
| USE: A high protein medical food (oral supplement/tube feed) for older children | | | (milk), soy lecithin |
| and adults with protein calorie malnutrition, on dialysis or in need of extra protein | | 7 g powder packet | F-+ (00(-) |
| in their diet. Kosher, lactose-free, may be suitable for a gluten-free diet. | | 75 packets/case | Fat (0% kcals) - None |
| Per 100 g: 357.3 kcals, 85.7 g pro, 0 g at, 0 g CHO | | | - None |
| 1 1 100 6. 337.3 kedis, 03.7 g pro, 0 g dt, 0 g crio | | | CHO (0% kcals) |
| CAUTION: For use under medical supervision. Made in same plant with soy, wheat, | | | - None |
| egg and milk products. | | | |
| | | | |

| Product | WIC Issuance | Size | Nutrient Source |
|--------------------------------------------------------------------------------------------------------------------|-------------------|-----------------------------------|-----------------------------------------|
| BOOST (Nestle Healthcare Nutrition) | Approved with | Institutional: | Protein (17% kcals) |
| | prescription. | 8 fl oz (237 ml) brik pak | - Milk protein |
| USE: A <u>medical food</u> (oral supplement) for <u>older children and adults</u> with | | 27 brik pak/case | concentrate, soy protein |
| malnutrition, anorexia, cancer, failure to thrive or HIV/AIDS. Kosher, lactose-free, | | | isolate |
| low-residue, may be suitable for a gluten-free diet. | | Retail: (orginial) | _ ,,, |
| | | 8 fl oz (237 ml) can RTF | Fat (15% kcals) |
| Per 8 oz: 240 kcals (1 kcal/ml), 10 g pro, 4 g fat, 41 g CHO, 4.5 mg iron | | 24 cans/case (4 – 6 packs) | - Canola oil, high oleic |
| Osmolality: 625 mOsm/kg | | (2-12 packs available for Vanilla | sunflower oil, corn oil |
| Ositiolatity. 023 mostifykg | | and Chocolate) | CHO (68% kcals) |
| Flavors: chocolate, vanilla, strawberry | | and endediate) | - Corn syrup solids, sugar |
| | | | |
| CAUTION: For use only under medical supervision. Not for parenteral use. | | | |
| | | | |
| BOOST CALORIE SMART (Nestle Healthcare Nutrition) | Not WIC Approved. | 8 fl oz (237 ml) can RTF | Protein (33% kcals) |
| | | 24 cans/case (4- 6 packs) | - Milk protein |
| USE: A <u>medical food</u> (oral supplement) for <u>older children and adults</u> with | | | concentrate, soy protein |
| <u>inadequate oral intake, and/or supplement needs.</u> Kosher, lactose-free, cholesterol-restricted, gluten-free. | | | isolate |
| restricted, gluteri-free. | | | Fat (33% kcals) |
| Per 8 oz: 190 kcals, 16 g pro, 7 g fat, 16 g CHO, 4.5 mg iron | | | - Canola oil, high oleic |
| Tel o oti 150 kodis, 10 g pro, 7 g kd.) 10 g orio, 115 mg mon | | | sunflower oil, corn oil |
| Flavors: chocolate, vanilla | | | , , , , , , , , , , , , , , , , , , , , |
| | | | CHO (34% kcals) |
| CAUTION: For use only under medical supervision. | | | - Tapioca dextrin, |
| | | | fructose |
| | | | |

| Product | WIC Issuance | Size | Nutrient Source |
|----------------------------------------------------------------------------------------------------------------------------------------|---------------|-------------------------------------|--------------------------------------------------|
| BOOST GLUCOSE CONTRTOL (Nestle Healthcare Nutrition) | Approved with | 8 fl oz (237 ml) brik RTF | Protein (22% kcals) |
| | prescription. | 27 briks/case | - Sodium and calcium |
| USE: A carbohydrate-controlled <u>medical food</u> (diabetic oral supplement) for <u>older</u> | | | caseinates (milk), L- |
| <u>children and adults</u> with <u>diabetes or glucose intolerance</u> . Kosher, lactose-free, may be suitable for a gluten-free diet. | | | Arginine |
| | | | Fat (43% kcals) |
| Per 8 oz: 250 kcals (1.06 kcal/ml), 14 g pro, 12 g fat, 20 g CHO, 3.6 mg iron | | | - Canola oil |
| Osmolality: 400 mOsm/kg | | | CHO (35% kcals) |
| | | | - Tapioca dextrin, |
| Flavors: vanilla, chocolate, strawberry | | | fructose, corn syrup |
| COUTTON 5 | | | solids, FOS |
| CAUTION: For use only under medical supervision. | | | |
| BOOST HIGH PROTEIN DRINK (Nestle Healthcare Nutrition) | Approved with | Institutional: | Protein (24% kcals) |
| | prescription. | 8 fl oz (237 ml) brik pak | - Milk protein |
| USE: A high-protein <u>medical food</u> (oral supplement) for <u>older children and adults</u> | | 27 cans/case | concentrate, calcium and |
| with anorexia, protein-calorie malnutrition, cancer, failure to thrive or HIV/AIDS. | | | sodium caseinates |
| Kosher, lactose-free, low-residue, gluten-free. | | Retail: | // 1) |
| Day 9 and 240 keels (4 keel (m)) 45 a mag 6 a feet 22 a CHO 4 5 mag inch | | 8 fl oz (237 ml) bottles | Fat (22% kcals) |
| Per 8 oz: 240 kcals (1 kcal/ml), 15 g pro, 6 g fat, 33 g CHO, 4.5 mg iron | | 4 – 6 packs/case or 2-12 packs/case | - Canola oil, high oleic sunflower oil, corn oil |
| Osmolality: 650-690 mOsm/kg | | packs/case | Sufficient off, corff off |
| Ositiolatity. 030-030 filositi/ kg | | Also comes in 17.7 oz powder | CHO (54% kcals) |
| Flavors: vanilla, strawberry, chocolate | | cans (chocolate) – not WIC | - Corn syrup solids, sugar |
| , , , , , , , , , , , , , , , , , , , , | | approved. | 7 17 11 11,000 |
| CAUTION: For use only under medical supervision. | | | |
| | | | |

| Product | WIC Issuance | Size | Nutrient Source |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| USE: A nutritionally complete medical food (pediatric oral supplement) for children ages 1-13 with special health needs, failure to thrive, gluten intolerance, inadequate oral intake, lactose intolerance, decreased appetite, pre-/post-surgery, injury or trauma, or chronic illness. Lactose-free, gluten-free, kosher, low-residue. Per 237 mL: 240 kcals (1 kcal/ml), 7 g pro, 9 g fat, 32 g CHO, 3.3 mg iron Osmolality: 550-600 mOsm/kg Flavors: vanilla, chocolate, strawberry Note: Not recommended for enteral use due to osmolality. Nutren Junior a suitable alternative for an enteral supplement. | Approved with prescription. | Retail: 8.25 fl oz (244 ml) tetra prism RTF 4 tetra prisms/pack (4 packs/case) (with probiotic straw) Institutional: 8 fl oz (237 ml) brik pak 27 brik paks/case | Protein (12% kcals) - sodium and calcium caseinates (milk), whey protein concentrate Fat (34% kcals) - High oleic sunflower oil, soybean oil, MCT CHO (54% kcals) - Sugar, maltodextrin |
| BOOST KID ESSENTIALS 1.5 BOOST KID ESSENTIALS 1.5 with FIBER (Nestle Healthcare Nutrition) USE: A nutritionally complete medical food (pediatric oral/enteral supplement) for children ages 1-13 with Crohn's disease, failure to thrive, cardiac conditions, cancer, cystic fibrosis, fluid and/or volume restrictions, cerebral palsy, and increased caloric requirements. Lactose-free, gluten-free, kosher. Per 237 mL: 360 kcals (1.5 kcal/ml), 10 g pro, 18 g fat, 39 g CHO, 3.3 mg iron Osmolality: 390 mOsm/kg Flavors: chocolate, strawberry, vanilla (only flavor for w/Fiber) CAUTION: Not for parenteral use or for individuals with galactosemia | Approved with prescription. | 8 fl oz (237 ml) brik pak 27 brik paks/case | Protein (11% kcals) - sodium and calcium caseinates (milk), whey protein concentrate Fat (45% kcals) - High oleic sunflower oil, soybean oil, MCT CHO (44% kcals) - Sugar, maltodextrin |

| Product | WIC Issuance | Size | Nutrient Source |
|--------------------------------------------------------------------------------------------------------|---------------|----------------------------------|-----------------------------------------|
| BOOST PLUS (Nestle Healthcare Nutrition) | Approved with | Institutional: | Protein (15% kcals) |
| | prescription. | 8 fl oz (237 ml) brik pak | - Milk protein |
| USE: A high-calorie and protein <u>medical food</u> (oral supplement) for <u>older children</u> | | 27 brik paks/case | concentrate, calcium and |
| and adults with anorexia, cancer, failure to thrive, HIV/AIDS or fluid restrictions. | | | sodium caseinates |
| Kosher, lactose-free, low-residue. May be suitable for a gluten-free diet. | | Retail: | |
| | | 8 fl oz (237 ml) can RTF | Fat (35% kcals) |
| Per 8 oz: 360 kcals (1.5 kcal/ml), 14 g pro, 14 g fat, 45 g CHO, 4.5 mg iron | | 24 cans/case (4 - 6 packs) | - Canola oil, high oleic |
| | | | sunflower oil, corn oil |
| Osmolality: 670 mOsm/kg | | 2-12 packs available for Vanilla | |
| | | and Chocolate | CHO (50% kcals) |
| Flavors: vanilla, chocolate, strawberry | | | - Corn syrup solids, sugar |
| | | | |
| CAUTION: For use only under medical supervision. Not for individuals with | | | |
| galactosemia. Not for Pareneral use. | | | |
| BOOST PUDDING (Nestle Clinical Nutrition) | Approved with | 5 oz can | Protein (11% kcals) |
| BOOST PODDING (Nestie Clinical Nutrition) | prescription. | 48 cans/case | - Milk protein |
| USE: A high-calorie medical food (oral supplement) for older children and adults | prescription. | 48 Calls/Case | concentrate, sodium and |
| with protein-calorie malnutrition, fluid restriction, dysphagia. Kosher, lactose-free, | | | calcium caseinates |
| low-residue, gluten-free. | | | calcium casemates |
| low-residue, gluten-nee. | | | Fat (34% kcals) |
| Per 5 oz: 240 kcals, 7 g pro, 9 g fat, 33 g CHO, 2.7 mg iron | | | - Canola oil, high oleic |
| 7 Cl 3 02. 240 kcdis, 7 g pro, 3 g late, 33 g cl 10, 2.7 mg mon | | | sunflower oil, corn oil |
| Flavors: vanilla, chocolate | | | Jannower on, com on |
| | | | CHO (55% kcals) |
| CAUTION: For use only under medical supervision. Not for individuals with | | | - Sugar, maltodextrin, |
| galactosemia. | | | modified corn starch, |
| | | | corn syrup solids |
| | | | (chocolate only) |
| | 1 | _1 | , , , , , , , , , , , , , , , , , , , , |

| Product | WIC Issuance | Size | Nutrient Source |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|-----------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------|
| BOOST VHC (Nestle Healthcare Nutrition) USE: A very high-calorie medical food (oral supplement) for older children and adults with anorexia, cachexia, cancer, HIV/AIDS, dysphagia, congestive heart failure or fluid restrictions. Vitamin and mineral fortified. Kosher, lactose-free, gluten-free, low-residue, low-cholesterol, fluid-restricted. Per 8 oz: 530 kcals (2.25 kcal/ml), 22 g pro, 30 g fat, 46 g CHO, 6.3 mg iron Osmolality: 950 mOsm/kg Flavors: vanilla CAUTION: For use only under medical supervision. Not for individuals with galactosemia. Not for parenteral use. | Approved with prescription. | 8 fl oz (237 ml) brik pak 27 brik pak/case | Protein (16% kcals) - Calcium-potassium caseinate, isolated soy protein Fat (50% kcals) - Canola oil, corn oil CHO (34% kcals) - Corn syrup, sugar |
| BRIGHT BEGINNINGS GENTLE INFANT FORMULA (PBM Products) USE: A nutritionally complete, milk-based infant formula for infants up to age 1 year with fussiness and gas. Per 100kcals: 2.3 g pro, 5.3 g fat, 10.8 g CHO, 1.8 mg iron CAUTION: For use only under medical supervision. | Not WIC Approved. | 24 oz can powder | Protein (9% kcals) - nonfat milk, whey protein hydrolysate Fat (48% kcals) - vegetable oils CHO (43% kcals) - corn syrup |
| USE: A nutritionally complete, milk-based infant formula for infants up to age 1 year with no special nutritional need. Per 100kcals: 2.2 g pro, 5.3 g fat, 10.6 g CHO, 1.8 mg iron CAUTION: For use only under medical supervision. | Not WIC Approved. | 25.75 oz can powder | Protein (9% kcals) - organic nonfat milk Fat (48% kcals) - organic vegetable oils CHO (43% kcals) - organic glucose syrup solids, organic maltodextrin |

| Product | WIC Issuance | Size | Nutrient Source |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| USE: A nutritionally complete, milk-based infant formula for infants up to age 1 year with no special nutritional need. Per 100kcals: 2.1 g pro, 5.3 g fat, 11 g CHO, 1.8 mg iron CAUTION: For use only under medical supervision. | Not Idaho WIC Approved. | 23.4 oz can powder | Protein (8% kcals) - nonfat milk, whey protein concentrate Fat (48% kcals) - vegetable oils CHO (44% kcals) - lactose |
| USE: A nutritionally complete, soy-based infant formula for infants up to age 1 year with milk allergy. Lactose-free. Per 100kcals: 2.5 g pro, 5.3 g fat, 10.6 g CHO, 1.8 mg iron CAUTION: For use only under medical supervision. | Not Idaho WIC Approved. | 25.75 oz can powder | Protein (10% kcals) - nonfat milk, soy protein isolate Fat (48% kcals) - coconut oil, soy oil, high oleic oil CHO (42% kcals) - corn syrup |
| USE: A nutritionally complete, soy-based medical food (pediatric oral supplement/tube feed) for children ages 1-10 with lactose intolerance or an allergy to cow's milk protein. Kosher, lactose-free, milk protein-free, gluten-free. Contains prebiotics and DHA. Per 8 oz: 240 kcals, 7 g pro, 12 g fat, 26 g CHO, 3 g fiber Flavors: vanilla CAUTION: For use only under medical supervision. Not for individuals with galactosemia. | Approved with prescription. | 8 fl oz (237 ml) can RTF 24 cans/case | Protein (12% kcals) - Soy protein isolate Fat (45% kcals) - High oleic safflower oil, soy oil, MCT oil, DHA, omega-3 CHO (44% kcals) - Sucrose, maltodextrin, scFos |

| Product | WIC Issuance | Size | Nutrient Source |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------|
| USE: A nutritionally complete, low-calcium, vitamin-D free infant formula (metabolic) for infants with hypercalcemia (as may occur with Williams syndrome, osteoporosis, primary neonatal hyperparathyroidism or when a low-calcium, vitamin D-free formula is needed). Supplemented with L-carnitine and taurine. Eliminates the need to prepare a modular formula. Iron-fortified. Per 100 g: 513 kcals, 11.4 g pro, 28.7 g fat, 52.3 g CHO, 9.2 mg iron Osmolality: 190 mOsm/kg CAUTION: For use only under strict medical supervision. Must only be given to infants whose calcium and/or Vitamin D intake must be severely restricted. Not for parenteral use. | Approved with prescription. | 13.2 oz (375 g) can powder 6 cans/case Reconstituted: 96 fl oz Standard dilution = 20 kcals/oz: 1 scoop powder to 2 fl oz water. 1 Tbsp powder = 7 g | Protein (9% kcals) - Whey protein concentrate, sodium caseinate Fat (50% kcals) - Corn oil, coconut oil CHO (41% kcals) - Corn syrup |
| CARNATION INSTANT BREAKFAST ESSENTIALS (Nestle Healthcare Nutrition) USE: A milk-based medical food (oral supplement) for older children and adults with malnutrition, anorexia, cachexia, or need to augment their diet. Rich in vitamins and minerals. Kosher. Per 11 fl oz: 250 kcals (0.8 kcals/ml), 14 g pro, 5 g fat, 34 g CHO, 4.5 mg iron Flavors: classic french vanilla, rich milk chocolate CAUTION: For use only under medical supervision. Not for tube feeding. Not for parenteral use. | Approved with prescription. | 11 fl oz bottle RTF 12 bottle/case 3 – 4 packs/case | Protein (24% kcals) - Nonfat milk, complete milk protein Fat (19% kcals) - Corn oil CHO (57% kcals) - Sugar, maltodextrin |

| Product | WIC Issuance | Size | Nutrient Source |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|---------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------|
| CARNATION INSTANT BREAKFAST ESSENTIALS NO SUGAR ADDED (Nestle Healthcare Nutrition) USE: A milk-based medical food (oral supplement) for older children and adults for the management of diabetes, bariatric surgery, or weight management. Rich in vitamins and minerals. Kosher, low-residue. Per 11 fl oz: 150 kcals (0.5 kcals/ml), 13 g pro, 5 g fat, 16 g CHO, 4.5 mg iron Flavors: rich milk chocolate CAUTION: For use only under medical supervision. Not for tube feeding. Not for parenteral use. | Approved with prescription. | 11 fl oz bottle RTF 12 bottle/case 3-4 packs/case | Protein (32% kcals) - Nonfat milk, complete milk protein Fat (28% kcals) - Corn oil CHO (40% kcals) - Inulin |
| CARNATION INSTANT BREAKFAST ESSENTIALS NO SUGAR ADDED POWDER (Nestle Healthcare Nutrition) USE: A milk-based medical food (oral supplement) for older children and adults for the management of diabetes, bariatric surgery, or weight management. Rich in vitamins and minerals. Kosher. Per 9 fl oz (1 packet + 8 fl oz nonfat milk): 150 kcals (0.6 kcals/ml), 13 g pro, 0.5 g fat, 24 g CHO, 4.5 mg iron Flavors: rich milk chocolate, classic french vanilla, variety (strawberry) CAUTION: For use only under medical supervision. Not for tube feeding. Not for parenteral use. | Approved with prescription. | 1 packet (20 g) 8 packets/box 8 boxes/case Chocolate – 7.05 oz cans 12 cans/case 10 servings/can | Protein (34% kcals) - Nonfat milk Fat (4% kcals) - CHO (62% kcals) - Inulin, maltodextrin |

| Product | WIC Issuance | Size | Nutrient Source |
|--------------------------------------------------------------------------------------------------------------|---------------|------------------------------------------|-------------------------|
| CARNATION INSTANT BREAKFAST ESSENTIALS POWDER | Approved with | 1 packet (36 gm) | Protein (23% kcals) |
| (Nestle Healthcare Nutrition) | prescription. | 10 packets/box | - Nonfat milk |
| | | 6 boxes/case | |
| USE: A milk-based <u>medical food</u> (oral supplement) for <u>older children and adults</u> | | Di LANII CL. L. | Fat (3% kcals) |
| with malnutrition, anorexia, cachexia, or need to augment their diet. Rich in vitamins and minerals. Kosher. | | Rich Milk Chocolate only: 17.7 oz can | - |
| Vitamins and minerals. Rosner. | | 6 cans/case | CHO (74% kcals) |
| Per 9 fl oz (1 packet + 8 fl oz nonfat milk): 220 kcals (0.8 kcals/ml), 13 g pro, 0.5 g | | o carrs, case | - Sugar, maltodextrin, |
| fat, 39 g CHO, 4.5 mg iron | | | lactose |
| | | | |
| Flavors: classic french vanilla, rich milk chocolate, dark chocolate, classic chocolate | | | |
| malt, strawberry sensation | | | |
| | | | |
| CAUTION: For use only under medical supervision. Not for tube feeding. Not for | | | |
| parenteral use. | | | |
| | | | |
| COMPLEAT (Nestle Healthcare Nutrition) | Approved with | 8.45 fl oz (250 ml) can RTF | Protein (18% kcals) |
| | prescription. | 24 cans/case | - Sodium caseinate |
| USE: A medical food (blenderized tube feed) for older children and adults with | | | (milk), chicken |
| abnormal bowel function, developmental disabilities, GI impairment or with semi- | | 1000 ml closed system container | F 1/240() |
| synthetic formula related intolerance, Formulated with chicken, peas, carrots, | | 6 containers/case | Fat (34% kcals) |
| tomatoes and cranberry juice. Lactose-free, gluten-free. | | 1500 ml closed system container | - Canola oil, chicken |
| Per 250 ml: 265 kcals (1.07 kcals/ml), 12 g pro, 10.1 g fat, 32 g CHO, 3.4 mg iron | | 4 containers/case | CHO (48% kcals) |
| 1 C. 250 H. 255 KGG/5 (1.07 KGG/5/HI), 12 g pro, 10.1 g ldt, 52 g crio, 5.4 Hig iion | | . containers, case | - Corn syrup, |
| Osmolality: 340 mOsm/kg | | | maltodextrin, |
| | | | vegetables, fruits |
| CAUTION: For use only under medical supervision. | | | |
| | | | |

| Product | WIC Issuance | Size | Nutrient Source |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|---------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| USE: A medical food (pediatric blenderized tube feed) for children ages 1-13 with abnormal bowel function, children with special health needs, developmental disabilities, GI impairment or with semi-synthetic formula related intolerance. Formulated with traditional foods, including chicken, fruit, vegetables and cranberry juice. Lactose-free, gluten-free. Per 250 ml: 250 kcals (1 kcal/ml), 9.5 g pro, 9.7 g fat, 33 g CHO, 3.5 mg iron Osmolality: 380 mOsm/kg CAUTION: For use only under medical supervision. Not for individuals with galactosemia. Not for parenteral use. | Approved with prescription. | 8.45 fl oz (250 ml) can RTF 24 cans/case | Protein (15% kcals) - Chicken, sodium caseinate (milk), pea puree Fat (34% kcals) - Canola oil, MCT oil, chicken CHO (51% kcals) - Corn syrup solids, cranberry juice, fruits, vegetables |
| COMPLEAT PEDIATRIC REDUCED CALORIE (Nestle Healthcare Nutrition) USE: A medical food (pediatric blenderized tube feed) for children ages 1-13 with abnormal bowel function, children with special health needs, developmental disabilities. Formulated with traditional foods, including chicken, fruit, vegetables and cranberry juice. Lactose-free, gluten-free. Per 250 ml: 150 kcals (0.6 kcal/ml), 7.5 g pro, 5 g fat, 18.8 g CHO, 3.3 mg iron Osmolality: 300 mOsm/kg CAUTION: For use only under medical supervision. Not for individuals with galactosemia. Not for parenteral use. | Approved with prescription. | 8.45 fl oz (250 ml) can RTF 24 cans/case | Protein (20% kcals) - Chicken, sodium caseinate (milk), pea puree Fat (30% kcals) - coconut oil, palm oil CHO (50% kcals) - Corn syrup solids, cranberry juice, fruits, vegetables |

| Product | WIC Issuance | Size | Nutrient Source |
|------------------------------------------------------------------------------------------------------------|-----------------------------|----------------------------------------|-------------------------------------------|
| COMPLETE AMINO ACID MIX (Nutricia North America) | Approved with prescription. | 7 oz (200 g) can powder 2 cans/case | Protein (100% kcals) - Amino acids |
| USE: A medical food (metabolic) for children and adults with intractable | presentation. | 2 cans, case | 7 timilo delas |
| malabsorption, feeding difficulties in post-operative conditions, chronic intestinal | | Recommended dilution: 5 g | Fat (0% kcals) |
| diseases, short bowel syndrome following intestinal resection, conditions in which a | | powder to 100 ml (~3 fl oz) water, | - None |
| nutritionally complete feed is not suitable or a modular approach is required and | | fruit juice or other formula. | |
| conditions where an oligoallergenic diet is indicated. Contains a balanced mixture of | | | CHO (0% kcals) |
| essential and non-essential amino acids. May be used in enteral formulas to | | 1 Tbsp powder = 9.5 g | - None |
| supplement increased protein needs. Best served as a chilled drink or added to soft, moist foods. | | Reconstituted amount | |
| moist roods. | | unavailable. | |
| Per 100 g: 328 kcals, 82 g pro, 0 g fat, 0 g CHO | | Intake dependent on age, body | |
| 1 ct 100 g. 320 keels, 62 g pt 6, 6 g tat, 6 g et 10 | | weight and medical condition. | |
| Osmolality: 360 mOsm/kg | | Follow Rx as directed by physician | |
| CAUTION: For use only under strict medical supervision. Not intended as a sole | | | |
| source of nutrition. Not for parenteral use. | | | |
| COMPLEX ESSENTIAL MSD DRINK MIX (Applied Nutrition Corp) | Approved with | 16 oz (454 g) can powder | Protein (26% kcals) |
| , | prescription. | 4 cans/case | - L-Amino acids |
| USE: A <u>medical food</u> (metabolic) for <u>children and adults</u> with <u>maple syrup urine</u> | | | |
| disease (MSUD). Fortified with vitamins and minerals, omega-3 fatty acids, and | | Standard dilution: 1 scoop | Fat (27% kcals) |
| soluble fiber. Intended as the primary source of protein nutrition and a significant | | powder to 7 fl oz water. | - Safflower oil, canola oil, |
| source of calories in the management of MSUD. | | | soybean oil, coconut oil |
| | | 1 scoop powder = 40 g | |
| Per 40 g: 152 kcals, 10 g pro, 5 g fat, 19 g CHO | | | CHO (47% kcals) |
| Flavors: vanilla | | | - Sugar, corn syrup solids, modified food |
| Tiavois. vaiilila | | | starch |
| CAUTION: For use only under strict medical supervision. Not intended as a sole | | | 560.5.1 |
| source of nutrition. | | | |
| | | | |

| Product | WIC Issuance | Size | Nutrient Source |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|-------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------|
| COMPLEX MSD AMINO ACID BARS (Applied Nutrition Corp) | Approved with prescription. | 47 g bar 12 bars/case | Protein (15% kcals) - Amino acids |
| USE: A medical food (metabolic) for children and adults with maple syrup urine disease (MSUD). Provides an alternative source of protein, fat, and CHO. Can supplement all or part of the protein prescription when traditional liquid formula is insufficient or not tolerated. A vitamin/mineral supplement may be necessary. Per 47 g: 262 kcals, 10 g pro, 18 g fat, 16 g CHO Flavors: chocolate CAUTION: For use only under strict medical supervision. Not intended as a sole source of nutrition. | prescription. | 12 bars/case | Fat (60% kcals) - Cocoa butter CHO (25% kcals) - Sucrose |
| COMPLEX MSD AMINO ACID BLEND (Applied Nutrition Corp) USE: A medical food (metabolic) for children and adults with maple syrup urine disease (MSUD). A vitamin/mineral supplement may be necessary. Can be added to foods and drinks normally consumed or to traditional MSUD formula to increase protein content. Per 12.4 g: 40 kcals, 10 g pro, 0 g fat, 0 g carbohydrate CAUTION: For use only under strict medical supervision. Not intended as a sole source of nutrition. | Approved with prescription. | 16 oz (454 g) can powder 4 cans/case | Protein (100% kcals) - Amino acids Fat (0% kcals) - None CHO (0% kcals) - None |
| USE: A medical food (metabolic) for children with maple syrup urine disease (MSUD). Fortified with vitamins and minerals. Intended as the primary source of protein nutrition and a significant source of calories in the management of MSUD. Per 100 g: 496 kcals, 13 g pro, 29 g fat, 46 g CHO CAUTION: For use only under strict medical supervision. Not intended as a sole source of nutrition. | Approved with prescription. | 14.1 oz (400 g) can powder 4 cans/case Standard dilution: 1 scoop powder to 2 fl oz water 1 scoop powder = 40 g | Protein (10% kcals) - L-Amino acids Fat (53% kcals) - Partially hydrogenated coconut oil CHO (37% kcals) - Sucrose, corn syrup solids, modified food starch |

| Product | WIC Issuance | Size | Nutrient Source |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|-------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------|
| USE: A nonessential amino-acid free infant formula and medical food (metabolic) for infants and toddlers with urea cycle disorders, gyrate atrophy of the choroid and retina, or HHH syndrome. Supplemented with L-carnitine and taurine. Contains additional vitamins and minerals to compensate for nutrient losses due to nitrogenscavenger medications. Per 100 g: 510 kcals, 7.5 g pro, 24.6 g fat, 57 g CHO, 10 mg iron Osmolality: 275 mOsm/kg at 20 kcal/fl oz CAUTION: For use only under strict medical supervision. Not intended as a sole source of nutrition. Not for parenteral use. | Approved with prescription. | 14.1 oz (400 g) can powder 6 cans/case Standard dilution = 20 kcals/oz: Follow Rx as directed by physician. 1Tbsp powder = 8 g | Protein (6% kcals) - Amino acids Fat (43% kcals) - High oleic safflower oil, coconut oil, soy oil CHO (45% kcals) - Corn syrup solids |
| USE: A nonessential amino-acid free medical food (metabolic) for children and adults with urea cycle disorders, gyrate atrophy of the choroid and retina, or HHH syndrome. Supplemented with L-carnitine and taurine. Contains additional vitamins and minerals to compensate for nutrient losses due to nitrogen-scavenger medications. Per 100 g: 440 kcals, 15 g pro, 17 g fat, 45 g CHO, 17 mg iron Osmolality: 1015 mOsm/kg at 30 kcal/fl oz CAUTION: For use only under strict medical supervision. Not intended as a sole source of nutrition. Not for parenteral use. | Approved with prescription. | 14.1 oz (400 g) can powder 6 cans/case Standard dilution = 30 kcals/oz: Follow Rx as directed by physician. 1Tbsp powder = 8 g | Protein (14% kcals) - Amino acids Fat (35% kcals) - High oleic safflower oil, coconut oil, soy oil CHO (41% kcals) - Corn syrup solids |

| Product | WIC Issuance | Size | Nutrient Source |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| USE: A medical food (diabetic tube feed) for older children and adults with diabetes, glucose intolerance or stress induced hyperglycemia. May help improve insulin sensitivity and reduce diabetes-associated tissue damage. Kosher, lactose-free, may be suitable for a gluten-free diet. Per 250 ml: 300 kcals, 15 g pro, 14.7 g fat, 25.2 g CHO, 3.6 mg iron Osmolality: 450 mOsm/kg CAUTION: For use only under medical supervision. | Not WIC Approved. | 8.45 fl oz (250 ml) can RTF 24 cans/case 1000 ml closed system container 6 containers/case 1500 ml closed system container 6 containers/case | Protein (20% kcals) - Soy protein, L-arginine Fat (44% kcals) - Canola oil, menhaden oil CHO (36% kcals) - Corn syrup, fructose, tapioca dextrin, vegetables, fruits |
| E028 SPLASH (Nutricia North America) (RTF form of Neocate One +) | Approved with prescription. | 8 fl oz (237 ml) tetra pak RTF 27 tetra paks/case | Protein (10% kcals) - Free amino acids |
| USE: A nutritionally complete medical food (pediatric elemental, hypoallergenic oral supplement/tube feed) for children ages 1-10 with gastrointestinal tract impairment, eosinophilic esophagitis, gastroesophageal reflux, short bowel syndrome or other medical conditions that require an amino-acid based diet. 100% synthetic free amino acids. Gluten and casein-free. Per 8 oz: 237 kcals, 5.9 g pro, 8.3 g fat, 34.6 g CHO, 1.8 mg iron Osmolality: 820 mOsm/kg | | Standard dilution = 30 kcals/oz | Fat (32% kcals) - Fractionated coconut oil, canola oil, high oleic safflower oil, palm kernel oil CHO (58% kcals) - Maltodextrin, sugar |
| Flavors: orange-pineapple, grape, tropical fruit | | | |
| CAUTION: For use only under medical supervision. | | | |

| Product | WIC Issuance | Size | Nutrient Source |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------|
| USE: A nutritionally complete infant formula and medical food (elemental, hypoallergenic oral supplement/tube feed) for infants with protein maldigestion, malabsorption, severe food allergies, short-bowel syndrome, eosinophilic GI disorders, GI-tract impairment, or other conditions in which an amino acid-based diet is required. Lactose-free, galactose-free, fructose-free, milk protein-free, soy protein-free, gluten-free. Contains DHA and ARA in an unflavored form. Per 100 g: 475 kcals, 14.5 g pro, 23 g fat, 51 g CHO, 8.4 mg iron Osmolality: 350 mOsm/kg Flavors: unflavored CAUTION: For use only under strict medical supervision. Do not heat Elecare unflavored mixture. Not for parenteral use. | Approved with prescription. | 14.1 oz (400 g) can powder 6 cans/case Reconstituted: 95 fl oz (20 kcal/oz) 64 fl oz (30 kcal/oz) Standard dilution = 20 kcals/oz (infants): 1 scoop (9.4 g) powder to 2 fl oz water. Standard dilution = 30 kcals/oz (children): 4 scoops (37.6 g) powder to 5 fl oz water. | Protein (15% kcals) - Amino acids Fat (43% kcals) - High oleic safflower oil, MCT, soy oil CHO (42% kcals) - Corn syrup solids |
| USE: A nutritionally complete infant formula and medical food (elemental, hypoallergenic oral supplement/tube feed) for children over 1 year with protein maldigestion, malabsorption, severe food allergies, short-bowel syndrome, eosinophilic GI disorders, GI-tract impairment, or other conditions in which an amino acid-based diet is required. Lactose-free, galactose-free, fructose-free, milk protein-free, soy protein-free, gluten-free. Per 100 g: 469 kcals, 14.3 g pro, 22.7 g fat, 49.3 g CHO, 8.3 mg iron Osmolality: 350 mOsm/kg Flavors: unflavored, vanilla CAUTION: For use only under strict medical supervision. Do not heat Elecare unflavored mixture. Not for parenteral use. | Approved with prescription. | 14.1 oz (400 g) can powder 6 cans/case Reconstituted: 95 fl oz (20 kcal/oz) 64 fl oz (30 kcal/oz) Standard dilution = 30 kcals/oz (children): 4 scoops (37.6 g) powder to 5 fl oz water. | Protein (15% kcals) - Amino acids Fat (43% kcals) - High oleic safflower oil, MCT, soy oil CHO (42% kcals) - Corn syrup solids |

| Product | WIC Issuance | Size | Nutrient Source |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| USE: A milk-based infant formula for older infants and toddlers with fussiness or gas. Contains partially hydrolyzed proteins. Provides a more appropriate balance of nutrients for children over age one than infant formula. DHA, ARA. Iron-fortified. Gluten-free. Per 100 kcals: 2.6 g pro, 5.3 g fat, 10.5 g CHO, 2 mg iron Osmolality: 230 mOsm/kg CAUTION: Evaluate if formula is mixed, used, and stored properly. | Not Idaho WIC approved. | 24 oz can powder 6 cans/case Reconstituted: 169 fl oz Standard dilution = 22 kcals/oz: 3 scoops (26.4 g) powder to 6 oz water. | Protein (10% kcals) - Partially hydrolyzed nonfat milk and whey protein concentrate solids (soy) Fat (48% kcals) - Vegetable oil (palm olein, soy, coconut and high oleic sunflower oils), DHA, ARA CHO (42% kcals) - Corn syrup solids |
| ENFAGROW PREMIUM TODDLER (Mead Johnson) USE: A milk-based infant formula for older infants and toddlers with no special nutritional requirements. Provides a more appropriate balance of nutrients for children over age one than infant formula. DHA, ARA. Iron-fortified. Gluten-free. Per 100 kcals: 2.6 g pro, 5.3 g fat, 10.5 g CHO, 2 mg iron Osmolality: 270 mOsm/kg CAUTION: Evaluate if formula is mixed, used, and stored properly. | Not Idaho WIC approved. | 24 oz can powder 6 cans/case Reconstituted: I47 fl oz 30 oz boxes powder 4 boxes/case Reconsituted: 188 fl oz Standard dilution = 22 kcals/oz: 3 scoops (26.4 g) powder to 6 oz water. 32 fl oz can RTF 6 cans/case | Protein (10% kcals) (20% whey, 80% casein) - Nonfat milk Fat (48% kcals) - Vegetable oil (palm olein, soy, coconut and high oleic sunflower oils), DHA, ARA CHO (42% kcals) - Corn syrup solids, lactose |

| Product | WIC Issuance | Size | Nutrient Source |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ENFAGROW PREMIUM OLDER TODDLER VANILLA (Mead Johnson) USE: A milk-based infant formula for toddlers over 1 year with no special nutritional requirements. Provides a more appropriate balance of nutrients for children over age. DHA and prebiotics. Iron-fortified. Gluten-free. Per 160 kcals: 6 g pro, 6 g fat, 21 g CHO, 2.5 mg iron | Not WIC approved. | 24 oz can powder 6 cans/case Reconsituted: 130 fl oz Standard dilution: 4 scoops (36 g) powder to 6 flo oz water | Protein (15% kcals) - Nonfat milk Fat (35% kcals) - Vegetable oil (palm olein, soy, coconut and high oleic sunflower oils), DHA |
| CAUTION: Evaluate if formula is mixed, used, and stored properly. | | Available in RTF 8.25 fl oz. | CHO (50% kcals) - Corn syrup solids, lactose |
| USE: A milk-based infant formula for toddlers over 1 year with no special nutritional requirements. Provides a more appropriate balance of nutrients for children over age one. DHA, prebiotics. Iron-fortified. Gluten-free. Per 100 kcals: 3.7 g pro, 3.9 g fat, 13.1 g CHO, 1.56 mg iron CAUTION: Evaluate if formula is mixed, used, and stored properly. | Not WIC approved. | 24 oz can powder 6 cans/case Reconsituted: 149 fl oz Standard dilution: 4 scoops (36 g) powder to 7 flo oz water. Available in RTF 8.25 fl oz | Protein (15% kcals) - Nonfat milk Fat (35% kcals) - Vegetable oil (palm olein, soy, coconut and high oleic sunflower oils), DHA CHO (50% kcals) - Corn syrup solids, lactose |
| USE: A soy-based infant formula (lactose-free) for older infants and toddlers with lactose intolerance, galactosemia, cow's milk protein allergy. Provides a more appropriate balance of nutrients for children over age one than infant formula. DHA, ARA. Iron-fortified. Gluten-free, galactose-free, sucrose-free. Per 100 kcals: 3.3 g pro, 4.4 g fat, 11.8 g CHO, 2 mg iron Osmolality: 230 mOsm/kg CAUTION: Evaluate if formula is mixed, used, and stored properly. | Not Idaho WIC approved. | 24 oz can powder 6 cans/case Reconstituted: 161 fl oz Standard dilution = 22 kcals/oz: 3 scoops (27.9 g) powder to 6 fl oz water. | Protein (13% kcals) - Soy protein isolate, amino acids Fat (40% kcals) - Vegetable oil (palm olein, soy, coconut and high oleic sunflower oils), DHA, ARA CHO (47% kcals) - Corn syrup solids |

| Product | WIC Issuance | Size | Nutrient Source |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| USE: A milk-based infant formula (thickened) for infants with reflux or in need of a thickened infant formula. Thickened with added rice starch. DHA, ARA. Ironfortified. Gluten-free. Per 100 kcals: 2.5 g pro, 5.1 g fat, 11g CHO, 1.8 mg iron Osmolality: Powder – 230 mOsm/kg Liquid – 240 mOsm/kg | Not Idaho WIC approved. | 12.9 oz (366 g) can powder 6 cans/case Reconstituted: 91 fl oz 22.2 oz (681 g) can powder 4 cans/case Reconstituted: 156 fl oz Standard dilution = 20 kcals/oz: 1 scoop (8.7 g) powder to every 2 fl oz water. | Protein (10% kcals) (18% whey, 82% casein) - Nonfat milk Fat (46% kcals) - Vegetable oil (palm olein, soy, coconut and high oleic sunflower oils), DHA, ARA CHO (44% kcals) - Rice starch, lactose, |
| CAUTION: For use only under medical supervision. | | 8 fl oz bottle RTF (also in 2 fl oz) 24 bottles/case 32 fl oz can RTF 6 cans/case | maltodextrin |
| USE: Vitamin D supplement for infants and children. Provides 400 IU per dose. Gluten free, lactose free, sugar free CAUTION: As with all vitamin products, do not exceed recommended dose. The bottle should be kept out of reach of children. | Not WIC approved. | 1 2/3 fl oz (50 ml) bottle 12 bottles/case 1 ml = 400 IU | Not Applicable |

| Product | WIC Issuance | Size | Nutrient Source |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| USE: A milk-based infant formula (premature) for premature infants with high calorie and protein needs. Designed for premature infants who have left the hospital but still require the extra calories, nutrients, and minerals of a specialized infant formula. Can be used through the first year of life. Contains higher levels of vitamins and minerals than standard term formulas. DHA, ARA. Iron-fortified. Gluten-free. Per 100 kcals: 2.8 g pro, 5.3 g fat, 10.4 g CHO, 1.8 mg iron Osmolality: Powder – 260 mOsm/kg Liquid – 250 mOsm/kg CAUTION: For use only under medical supervision. | Approved with prescription. | 12.8 oz can powder 6 cans/case Reconstituted: 82 fl oz Standard dilution = 22 kcals/oz: 1 scoop (9.8 g) powder to every 2 fl oz water. 2 fl oz bottle RTF 48 bottles/case 8 fl oz bottle 24 bottles/case 32 fl oz can RTF 6 cans/case | Protein (11% kcals) (60% whey, 40% casein) - Nonfat milk, whey protein concentrate Fat (47% kcals) (MCT 20%, LCT 80%) - High oleic vegetable oil (sunflower and/or safflower oil), soy oil, MCT, coconut oil, DHA, ARA CHO (42% kcals) - Corn syrup solids, lactose RTF also contains maltodextrins |
| USE: A medical food for infants and children for hydration during vomiting and diarrhea. Balanced levels of electrolytes. Lactose-free. Per L: 126 kcals Osmolality: 160 mOsm/kg CAUTION: For use only under medical supervision. Not for parenteral use. Do not mix with infant formula, milk, fruit juices or other electrolyte containing liquids. | Not WIC approved. | 2 fl oz bottles 48 bottles/case 6 fl oz bottles 24 bottles/case | Protein (0% kcals) Fat (0% kcals) CHO (100% kcals) - Corn syrup solds |

| Product | WIC Issuance | Size | Nutrient Source |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| USE: Iron supplement for infants and children who require special supplementation of iron or are infants of anemic mothers, low birth weight infants, or infants of mothers with poorly controlled diabetes. CAUTION: Do not exceed dose recommended by physician or give concurrently with other supplements containing significant amounts of iron unless physician-approved. Accidental overdose of iron-containing products is a leading cause of fatal poisoning in children under 6. Keep this product out of the reach of children. | Not WIC approved. | 1 2/3 fl oz (50 ml) bottle 12 bottles/case 0.5 ml = 37.5 mg ferrous sulfate, 7.5 mg iron 1 ml = 75 mg ferrous sulfate, 15 mg iron | Not applicable |
| USE: A milk-based infant formula (partially hydrolyzed) for infants with fussiness or gas. Combines partially hydrolyzed proteins and reduced lactose. DHA, ARA. Ironfortified. Gluten-free. Reduced lactose levels (1/5 the level found in routine, milk-based formulas). Per 100 kcals: 2.3 g pro, 5.3 g fat, 10.8 g CHO, 1.8 mg iron Osmolality: 220 mOsm/kg CAUTION: Evaluate if formula is mixed, used, and stored properly. | Not Idaho WIC approved. | 12.4 oz can powder 6 cans/case Reconstituted: 90 fl oz 22.2 oz can powder 4 cans/case Reconstituted: 176 fl oz Standard dilution = 20 kcals/oz: 1 scoop (8.6 g) powder to every 2 fl oz water. 2 oz RTF bottle RTF 48 bottles/case 32 fl oz can 6 cans/case | Protein (9% kcals) (60% whey, 40% casein) - Partially hydrolyzed nonfat milk, whey protein concentrate solids Fat (48% kcals) - Vegetable oil (palm olein, soy, coconut, high oleic sunflower oils), DHA, ARA CHO (43% kcals) - Corn syrup solids, lactose |

| Product | WIC Issuance | Size | Nutrient Source |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| USE: A milk-based infant formula for infants with no special nutritional requirements. Contains the prebiotic carbohydrate galactooligosaccharide (GOS). DHA, ARA. Iron-fortified. Gluten-free. Per 100 kcals: 2.1 g pro, 5.3 g fat, 10.9 g CHO, 1.8 mg iron Osmolality: 300 mOsm/kg CAUTION: Evaluate if formula is mixed, used, and stored properly. | Not Idaho WIC approved. | 12.9 oz can powder 6 cans/case Reconsituted: 94 fl oz 25.7 pz can powder 6 cans/case Reconsituted: 188 fl oz 13 fl oz can concentrate 12 cans/case 32 fl oz can RTF 6 cans/case | Protein (8.5% kcals) -Nonfat milk, whey protein concentrate Fat (48% kcals) - Vegetable oil (palm olein, soy, coconut and high oleic sunflower oils), DHA, ARA CHO (43.5% kcals) - Lactose, galactooligosaccharide (GOS) |
| ENFAMIL POLY-VI-SOL with Iron (Mead Johnson) USE: Multivitamin and iron supplement for infants and children. Provides nine vitamins and is an ideal supplement for transition to solid foods, during growth spurts, and for picky eaters. Enfamil Poly-Vi-Sol with Iron is ideal for infants and children who require special iron supplementation. Fruit-flavored, lactose-free, gluten-free, and free of artificial sweeteners. CAUTION: Avoid overdose of all multivitamin products. Accidental overdose of ironcontaining products is a leading cause of fatal poisoning in children under 6. Keep this product out of the reach of children. | Not WIC approved. | 1 2/3 fl oz (50 ml) bottle 12 bottles/case | Not Applicable |

| Product | WIC Issuance | Size | Nutrient Source |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ENFAMIL PREMATURE LIPIL 20 CAL ENFAMIL PREMATURE LIPIL 24 CAL ENFAMIL PREMATURE LIPIL 30 CAL (Mead Johnson) USE: A milk-based infant formula (premature) for premature and LBW infants with high nutrient needs. All available in low iron. 24 cal also available in a High Protein. To be used in the hospital for premature infants who are not breastfed. DHA, ARA. Gluten-free. Per 100 kcals: 3 g pro, 5.1 g fat, 11 g CHO, 1.8 mg iron (low iron - 0.5 mg) Osmolality: 240 mOsm/kg CAUTION: For use only under strict medical supervision. When more than 12 oz of 24 kcals/oz product is used per day, infant may be at risk for excessive levels of some nutrients. Low-iron formulation is not nutritionally complete. | Approved with prescription. | 2 fl oz bottle RTF 48 bottles/case | Protein (12% kcals) (60% whey, 40% casein) - Nonfat milk, whey protein concentrate Fat (44% kcals) - MCT, soy oil, high oleic vegetable oil (sunflower and/or safflower), DHA, ARA CHO (44% kcals) - Corn syrup solids, lactose |
| USE: A milk-based infant formula for infants with no special nutritional requirements. Contains the prebiotic carbohydrate galactooligosaccharide (GOS). DHA, ARA. Iron-fortified. Gluten-free. Per 100 kcals: 2.1 g pro, 5.3 g fat, 11.2 g CHO, 1.8 mg iron Osmolality: 300 mOsm/kg CAUTION: Evaluate if formula is mixed, used, and stored properly. | Not Idaho WIC approved. | 12.5 oz can powder (6 cans/case) Reconstituted: 90 fl oz 23.4 oz can powder (6 cans/case) Reconstituted: 167 fl oz 35 oz box (4 boxes/carton) Standard dilution = 20 kcals/oz: 1 scoop (g) powder to every 2 fl oz water. 8 fl oz bottle concentrate (24 bottles/case) 13 fl oz can concentrate (12 cans/case) 8 fl oz can (6 fl oz 24 bottles/case) 4 cans/case 32 fl oz can RTF (6 cans/case) | Protein (8.5% kcals) (60% whey, 40% casein) -Nonfat milk, whey protein concentrate Fat (48% kcals) - Vegetable oil (palm olein, soy, coconut and high oleic sunflower oils), DHA, ARA CHO (43.5% kcals) - Lactose, galactooligosaccharide (GOS) |

| Product | WIC Issuance | Size | Nutrient Source |
|------------------------------------------------------------------------------------|---------------|-------------------------------------|--------------------------|
| ENFAMIL PREMIUM NEWBORN (Mead Johnson) | Not Idaho WIC | 12.5 oz can powder | Protein (8.5% kcals) |
| | approved. | 6 cans/case | (60% whey, 40% casein) |
| USE: A milk-based infant formula for full-term infants through 3 months with no | | Reconstituted: 90 fl oz | -Nonfat milk, whey |
| special nutritional requirements. Contains prebiotics galactooligosaccharide (GOS) | | | protein concentrate |
| and polydextrose. DHA, ARA. Iron-fortified. Gluten-free. | | 23.4 oz tub powder | |
| | | 6 tubs/case | Fat (48% kcals) |
| Per 100 kcals (5 fl oz): 2.1 g pro, 5.3 g fat, 11.2 g CHO, 1.8 mg iron | | Reconstituted: 170 fl oz | - Vegetable oil (palm |
| | | | olein, soy, coconut and |
| Osmolality: 300 mOsm/kg | | 2 fl oz bottles | high oleic sunflower |
| | | 48bottles/case | oils), DHA, ARA |
| CAUTION: Evaluate if formula is mixed, used, and stored properly. | | | |
| | | Standard dilution = 20 kcals/oz: | CHO (43.5% kcals) |
| | | 1 scoop (g) powder to every 2 fl oz | - Lactose, |
| | | water. | galactooligosaccharide |
| | | | (GOS) |
| | | | |

| Product | WIC Issuance | Size | Nutrient Source |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ENFAMIL PROSOBEE (Mead Johnson) USE: A soy-based infant formula for infants (lactose-free) with lactose intolerance, galactosemia or allergy to cow's milk protein. DHA, ARA. Iron-fortified. Gluten-free, milk-free, galactose-free, sucrose-free, lactose-free. Per 100 kcals: 2.5 g pro, 5.3 g fat, 10.6 g CHO, 1.8 mg iron Osmolality: Liquid – 170-200 mOsm/kg Powder – 180 mOsm/kg CAUTION: Evaluate if formula is mixed, used, and stored properly. Not recommended for very-low birth-weight infants. | Standard WIC contract formula. (no rx needed for infants) | 12.9 oz can powder 6 cans/case Reconstituted: 92 fl oz 25.7 oz can powder 6 cans/case Reconstituted: 183 fl oz Standard dilution = 20 kcals/oz: 1 scoop (8.8 g) powder to every 2 fl oz water. 13 fl oz can concentrate 12 cans/case 8 fl oz bottle concentrate 24 bottles/case | Protein (10% kcals) - Soy protein isolate Fat (48% kcals) - Vegetable oil (palm olein, soy, coconut, high oleic sunflower oils), DHA, ARA CHO (42% kcals) - Corn syrup solids |
| ENFAMIL TRI-VI-SOL (Mead Johnson) USE: Vitamin A, D, and C supplement for infants and children. Fruit-flavored, lactose-free, gluten-free, and free of artificial sweeteners. CAUTION: Avoid overdose of all multivitamin products. Keep this product out of the reach of children. | Not WIC approved. | 2 fl oz bottle RTF (48 bottles/case) 6 fl oz bottle RTF (8 fl oz available) 24 bottles/case 32 fl oz can RTF (6 cans/case) 1 2/3 fl oz (50 ml) bottle 12 bottles/case | Not applicable |

| Product | WIC Issuance | Size | Nutrient Source |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------|
| USE: A very high-calorie infant formula (milk-based) for infants with chylothorax or LCHAD deficiency. DHA, ARA. Iron-fortified, gluten-free, sucrose-free. Per 100 kcals: 3.5 g protein, 5.4 g fat, 10.2 g CHO, 1.8 mg iron Osmolality: 280 mOsm/kg CAUTION: Evaluate if formula is mixed, used, and stored properly. Follow physician's instructions. | Approved with prescription. | 8 fl oz can RTF (30 kcals/oz) 24 cans/case Dilutions: 20 kcal/fl oz = 4 fl oz (118 mL) water to 8 fl oz formula to yield 12 fl oz (355 mL) 22 kcal/fl oz = 2.9 fl oz (86 mL) water to 8 fl oz formula to yield 10.9 fl oz (322 mL) 24 kcal/fl oz = 2 fl oz (59 mL) water to 8 fl oz formula to yield 10 fl oz (296 mL) | Protein (14% kcals) - calcium caseinate and sodium caseinate Fat (45% kcals) - MCT oil, soy oil, DHA, ARA CHO (41% kcals) - corn syrup solids |
| ENSURE (Abbott Nutrition) USE: A nutritionally complete medical food (oral supplement) for older children and adults on modified diets, at nutrition risk, experiencing involuntary weight loss, recovering from illness or surgery, or on low-residue diets. Kosher, lactose-free, low-residue, gluten-free. Per 8 fl oz: 250 kcals (1.06 kcals/ml), 9 g pro, 6 g fat, 40 g CHO, 4.5 mg iron Osmolality: 590-600 mOsm/kg Flavors: vanilla, milk chocolate, dark chocolate, strawberry, butter pecan, coffee latte CAUTION: For use only under medical supervision. Not for parenteral use. Not for patients with galactosemia. | Approved with prescription. | 8 fl oz (237 ml) bottles RTF 24 bottles/case | Protein (14% kcals) - Soy protein concentrate, milk protein concentrate Fat (22% kcals) - canola oil, soy oil CHO (64% kcals) - Sucrose, corn maltodextrin |

| Product | WIC Issuance | Size | Nutrient Source |
|-----------------------------------------------------------------------------------------------------------|-------------------|------------------------------|----------------------------------------------|
| ENSURE CLEAR (Abbott Nutrition) | Not WIC Approved. | 10 fl oz (237 ml) can RTF | Protein (22% kcals) |
| USE : A fat-free, clear <u>medical food</u> (oral supplement) for <u>older children and adults</u> | | 3 x 4 cans/case | - whey protein isolate, |
| to fill <u>nutritional gaps.</u> Kosher, lactose-free, , gluten-free. | | | Fat (0% kcals) |
| | | | , , |
| Per 10 fl oz: 180 kcals, 9 g pro, 0 g fat, 35 g CHO | | | CHO (78% kcals) |
| Flavors: Blueberry Pomegranate, Peach | | | - Sucrose, corn syrup |
| Travors. Bracectry Fornegranate, Federi | | | |
| CAUTION : Not for parenteral use. Not for patients with galactosemia. | | | |
| ENSURE COMPLETE MUTDITUON SHAVE (Abbott Nutrition) | Not MIC Approved | 8 fl oz (237 ml) bottles RTF | Protoin (15% keals) |
| ENSURE COMPLETE NUTRITIION SHAKE (Abbott Nutrition) | Not WIC Approved. | 4 x 4 ct / case | Protein (15% kcals) - Calcium caseinate, soy |
| USE : A nutritionally complete <u>medical food</u> (oral supplement) for <u>older children and</u> | | , | protein isolate, whey |
| adults on modified diets, at nutrition risk, experiencing involuntary weight loss, | | | protein concentrate |
| recovering from illness or surgery. Kosher, lactose-free, gluten-free. | | | Fat (28% kcals) |
| Per 8 fl oz: 350 kcals, 13 g pro, 11 g fat, 51 g CHO | | | - canola oil, corn oil |
| | | | |
| Osmolality: 780 - 845mOsm/kg | | | CHO (58% kcals) - Sucrose, corn |
| Flavors: vanilla, milk chocolate | | | maltodextrin |
| | | | |
| CAUTION : Not for parenteral use. Not for people with galactosemia. | | | |
| | | | |

| Product | WIC Issuance | Size | Nutrient Source |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|-------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|
| USE: A nutritionally complete medical food (oral supplement) for older children and adults on modified diets, at nutrition risk, experiencing involuntary weight loss, recovering from illness or surgery, or on low-residue diets. Kosher, lactose-free, gluten-free. Per 8 fl oz: 350 kcals, 13 g pro, 11 g fat, 51 g CHO Osmolality: 590-600 mOsm/kg Flavors: vanilla, chocolate, strawberries CAUTION: For use only under medical supervision. Not for parenteral use. Not for people with galactosemia. | Not WIC Approved. | 8 fl oz (237 ml) bottles RTF 24 bottles/case | Protein (15% kcals) - soy protein isolate, milk protein concentrate Fat (28% kcals) - canola oil, corn oil CHO (58% kcals) - Sucrose, corn maltodextrin |
| USE: A high-calorie medical food (clear liquid oral supplement) for older children and adults with cancer or fat malabsorption, or for clear liquid, pre- and postsurgical, bowel-prep, fat-malabsorptive, and fat-restricted diets. Fortified with 20 essential vitamins and minerals. Kosher, lactose-free, low-residue, fat-free, gluten-free. Per 8.1 fl oz: 250 kcals (1.04 kcal/ml), 7 g pro, 0 g fat, 43 g CHO Osmolality: 796 mOsm/kg Flavors: apple, mixed berry CAUTION: For use only under medical supervision. Not for parenteral use. | Approved with prescription. | 6.7 fl oz (198 ml) brik pack RTF 32 brik paks/case | Protein (14% kcals) - Whey protein isolate Fat (0% kcals) - None CHO (86% kcals) - Corn maltodextrin, sucrose |

| Product | WIC Issuance | Size | Nutrient Source |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|----------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| USE: A nutritionally complete medical food (oral supplement) for older children and adults on malnutrition, at nutrition risk, experiencing involuntary weight loss or have a weakened immune system. Contains fiber and FOS (a prebiotic that may help maintain digestive tract health). Kosher, lactose-free, gluten-free, low-residue. Per 8 fl oz: 250 kcals, 9 g pro, 6 g fat, 42 g CHO Flavors: vanilla, milk chocolate, strawberry, butter pecan CAUTION: For use only under medical supervision. Not for parenteral use. For oral use only. Not for patients with galactosemia. | Not WIC Approved. | 8 fl oz (237 ml) can or bottle RTF 24 cans/case | Protein (14% kcals) - milk protein concentrate, soy protein isloate Fat (22% kcals) - Soy oil, canola oil, corn oil CHO (67% kcals) - Corn maltodextrin, sucrose, fructooligosaccharides |
| USE: A targeted nutrition medical food (oral supplement) for older children and adults to help rebuild muscle and strength. Kosher, lactose-free, low-residue, gluten-free. Per 8 fl oz: 250 kcals, 13 g pro, 8 g fat, 32 g CHO Osmolality: 540 mOsm/kg Flavors: vanilla, milk chocolate, strawberry, banana cream CAUTION: For use only under medical supervision. Not for sole-source nutrition. Not for parenteral use. Not for patients with galactosemia. | Not WIC Approved. | 8 fl oz (237 ml) bottle RTF 4 x 4 ct | Protein (18.3% kcals) - Calcium and sodium caseinates, soy protein isloate Fat (24.8% kcals) - High oleic safflower oil, soy oil, canola oil CHO (56.9% kcals) - Sucrose, corn maltodextrin |

| Product | WIC Issuance | Size | Nutrient Source |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|-------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| USE: A high-protein, nutritionally complete medical food (oral supplement) for older children and adults recovering from general surgery or from hip or other fractures or who need extra protein and nutrition in their diet. Kosher, lactose-free, low-residue, gluten-free. Per 8 fl oz: 230 kcals (0.97 kcals/ml), 12 g pro, 6 g fat, 31 g CHO Osmolality: 610 mOsm/kg Flavors: vanilla, milk chocolate CAUTION: For use only under medical supervision. Not for parenteral use. Not for patients with galactosemia. | Approved with prescription. | 8 fl oz (237 ml) can RTF 24 cans/case | Protein (21% kcals) - Calcium and sodium caseinates, soy protein isolate Fat (24% kcals) - High oleic safflower oil, soy oil, canola oil CHO (55% kcals) - Sucrose, corn maltodextrin |
| USE: A high-protein, nutritionally complete medical food (oral supplement) for older children and adults recovering from general surgery or from hip or other fractures or who need extra protein and nutrition in their diet. Lactose-free, glutenfree. Per 14 fl oz: 210 kcals, 25 g pro, 2.5 g fat, 23 g CHO Flavors: homemade vanilla, creamy milk chocolate CAUTION: For use only under medical supervision. Not for parenteral use. Not for patients with galactosemia. | Not WIC Approved. | 14 fl oz (414 ml) bottle RTF 12 bottles/case | Protein (21% kcals) - Milk protein concentrate, soy protein isolate, calcium caseinate Fat (24% kcals) - High oleic safflower oil CHO (55% kcals) - Sucrose, corn maltodextrin |

| Product | WIC Issuance | Size | Nutrient Source |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|--------------------------------------------------------------|-----------------------------------------------|
| ENSURE PLUS (Abbott Nutrition) | Approved with prescription. | 8 fl oz (237 ml) can RTF 24 can/case | Protein (15% kcals) - Sodium and calcium |
| USE : A high-calorie and protein nutritionally complete <u>medical food</u> (oral supplement) for <u>older children and adults needing to gain or maintain weight or with fluid restrictions</u> . For oral use. Kosher, lactose-free, low-residue, gluten-free. | | (vanilla, milk chocolate, and strawberry, butter pecan only) | caseinates, soy protein isolate |
| Per 8 oz: 350 kcals (1.5 kcals/ml), 13 g pro, 11 g fat, 50 g CHO | | 8 fl oz (237 ml) bottle RTF 24 bottles/case | Fat (28% kcals) - Corn oil |
| Osmolality: 680 mOsm/kg | | 32 fl oz bottle RTF 6 bottles/case | CHO (57% kcals) - corn maltodextrin, |
| Flavors: vanilla, milk chocolate, strawberry, butter pecan, dark chocolate | | (vanilla and milk chocolate only) | sucrose |
| CAUTION: For use only under medical supervision. Not for parenteral use. Not for patients with galactosemia. | | | |
| ENSURE POWDER (Abbott Nutrition) | Approved with prescription. | 14 oz (397 g) can powder 6 cans/case | Protein (14.2% kcals) - Sodium and calcium |
| USE : A nutritionally complete <u>medical food</u> (oral supplement) for <u>older children and</u> | | Reconstituted: 56 fl oz | caseinate, soy protein |
| <u>adults</u> on <u>modified diets</u> , at <u>nutrition risk</u> , experiencing involuntary weight loss or <u>recovering from illness or surgery</u> . Kosher, lactose-free, low-residue, gluten-free. | | Standard dilution: ½ cup powder mixed with ¾ cup cold water | isolate Fat (32% kcals) |
| Per 57 g: 250 kcals (1.06 kcals/ml), 9 g pro, 9 g fat, 34 g CHO, 2.7 mg iron | | yields 8 fl oz formula. | - Corn oil |
| Osmolality: 470 mOsm/kg | | | CHO (53.8% kcals) - Corn syrup, corn |
| Flavors: homemade vanilla | | | maltodextrin, sucrose |
| CAUTION: For use only under medical supervision. Not for parenteral use | | | |

| Product | WIC Issuance | Size | Nutrient Source |
|------------------------------------------------------------------------------------------------------------------|-------------------|-------------------------------------|-------------------------------------------|
| ENSURE PUDDING (Abbott Nutrition) | Approved with | 4 fl oz cup RTF | Protein (9.4% kcals) |
| | prescription. | 48 cups/case | - Nonfat milk |
| USE : A nutritionally complete <u>medical food</u> (oral supplement) for <u>older children and</u> | | | |
| adults with dysphagia, underweight, malnourished or fluid restrictions. Contains | | | Fat (26.5% kcals) |
| FOS (a prebiotic that may help maintain digestive tract health). Kosher, gluten-free. | | | - Partially hydrogenated soy oil, soy oil |
| Per 4 fl oz: 170 kcals, 4 g pro, 5 g fat, 30 g CHO, 1.8 mg iron | | | |
| | | | CHO (64.1% kcals) |
| Flavors: homemade vanilla, creamy milk chocolate, butterscotch delight | | | - Sucrose, modified |
| CAUTION: For use only under medical supervision. | | | cornstarch |
| ESSENTIAL AMINO ACID MIX (Nutricia North America) | Approved with | 7 oz (200 g) can powder | Protein (100% kcals) |
| | prescription. | 2 cans/case | - Amino acids |
| USE: A <u>medical food</u> (metabolic) for <u>children and adults</u> with <u>urea cycle disorders or</u> | | | |
| conditions in which a nutritionally complete feed is not suitable or a modular | | Recommended dilution: 5 g | Fat (0% kcals) |
| approach is required. Contains a balanced mixture of essential amino acids, | | powder to 100 ml (~ 3 fl oz) water, | - None |
| including cystine and histidine. May be used in enteral formulas to supplement | | fruit juice or other formula. | |
| increased protein needs. | | | CHO (0% kcals) |
| | | 1 Tbsp powder = 9 g | - None |
| Per 100 g: 316 kcals, 79 g pro, 0 g fat, 0 g CHO, 0 mg iron | | | |
| | | Reconstituted amount | |
| Osmolality: 349 mOsm/kg | | unavailable. | |
| | | Intake dependent on age, body | |
| CAUTION: For use only under strict medical supervision. Not intended as a sole | | weight and medical condition. | |
| source of nutrition. Not for parenteral use. | | Follow Rx as directed by physician | |
| EXPECTRA LIPIL DHA SUPPLEMENT (Mead Johnson) | Not WIC approved. | | |

| Product | WIC Issuance | Size | Nutrient Source |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------|
| FIBERSOURCE HN (Nestle Healthcare Nutrition) USE: A high-fiber, high-protein medical food (standard tube feed) for older children and adults with abnormal bowel function, developmental disabilities, malnutrition or extended inactivity. Novartis patented NutriShield ingredients may add microbial protection. Kosher, lactose-free, gluten-free. Per 250 ml: 300 kcals (1.2 kcals/ml), 13.4 g pro, 9.8 g fat, 39.3 g CHO, 4.2 mg iron Osmolality: 490 mOsm/kg CAUTION: For use only under strict medical supervision. | Approved with prescription. | 8.45 fl oz (250 ml) can RTF 24 cans/case 1000 ml closed system container 6 containers/case 1500 ml closed system container 6 containers/case | Protein (18% kcals) - Soy protein isolate, soy protein concentrate Fat (29% kcals) - Canola oil, MCT oil CHO (53% kcals) - Corn syrup, maltodextrin |
| FLAVOR PACKETS, SHS (Nutricia North America) USE: Flavor packets for children and adults using Nutricia North America or Milupa products. Can be added to appropriate Nutricia North America and Milupa oral supplements/powdered products to provide flavor variety. Per 5 g packet: 13-15 kcals, 0 g pro, 0 g fat, 1.3-1.8 g CHO, 0 mg iron Osmalility: 30-44 mOsm/kg Flavors: cherry-vanilla, grapefruit, lemon-lime CAUTION: Not for use with infants. | Approved with prescription in conjunction with appropriate Nutricia North America and Milupa products by State Office. | 0.18 oz (5 g) packet powder 20 packets/case Recommended use is 1 packet powder per 100 g powdered product. Amount desired may vary depending on the product used and taste preference. | Protein (0% kcals) - None Fat (0% kcals) - None CHO (100% kcals) - Acesulfame K |

| Product | WIC Issuance | Size | Nutrient Source |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| USE: A lysine- and tryptophan-free infant formula and medical food (metabolic) for infants, children and adults with glutaric academia type I. Contains increased levels of B vitamins for cofactor production. Iron-fortified. Vanilla scent. Gluten-free, lactose-free, galactose-free. Per 100 g: 500 kcals, 15.1 g pro, 26 g fat, 52 g CHO, 9.6 mg iron Osmolality: 370 mOsm/kg CAUTION: For use only under strict medical supervision. Not intended as a sole source of nutrition. Not for parenteral use. | Approved with prescription. | 16 oz (454 g) can powder 6 cans/case Reconstituted amount unavailable. Follow Rx as directed by physician 1 scoop powder = 4.5 g | Protein (12% kcals) - Amino acids (without lysine, tryptophan) Fat (47% kcals) - Soy oil CHO (41% kcals) - Corn syrup solids, sugar, modified corn starch, maltodextrin |
| USE: A lysine – free, low-tryptophan protein medical food (metabolic) for infants with inherited disorders of lysine and tryptophan metabolism such as Glutaric Aciduria type I. Enriched with vitamins, minerals and trace elements. Per 100 g: 281 kcals, 50 g pro, 0 g fat, 20.2 g CHO, 35 mg iron CAUTION: For use only under strict medical supervision. Not intended as a sole source of nutrition. Not for parenteral use. | Not WIC Approved. | 17.5 oz (500 g) can powder 1 can/case Intake dependent on age, body weight and medical condition. Follow Rx as directed by physician | Protein (71% kcals) - Amino acids Fat (0% kcals) CHO (29% kcals) - Sugar |
| USE: A lysine – free, low-tryptophan protein medical food (metabolic) for toddlers and children over 1 year with inherited disorders of lysine and tryptophan metabolism such as Glutaric Aciduria type I. Enriched with vitamins, minerals and trace elements. Per 100 g: 294 kcals, 60 g pro, 0 g fat, 13.5 g CHO, 26.4 mg iron CAUTION: For use only under strict medical supervision. Not intended as a sole source of nutrition. Not for parenteral use. | Not WIC Approved. | 17.5 oz (500 g) can powder 2 cans/case Intake dependent on age, body weight and medical condition. Follow Rx as directed by physician | Protein (82% kcals) - Amino acids Fat (0% kcals) CHO (18% kcals) - Sugar |

| Product | WIC Issuance | Size | Nutrient Source |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|---------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| USE: A lysine – free, low-tryptophan protein medical food (metabolic) for children, adolescents and adults over 1 year with inherited disorders of lysine and tryptophan metabolism such as Glutaric Aciduria type I. Enriched with vitamins, minerals and trace elements. Per 100 g: 309 kcals, 63.6 g pro, 0 g fat, 13.6 g CHO, 15 mg iron CAUTION: For use only under strict medical supervision. Not intended as a sole source of nutrition. Not for parenteral use. | Not WIC Approved. | 17.5 oz (500 g) can powder 2 cans/case Intake dependent on age, body weight and medical condition. Follow Rx as directed by physician | Protein (82% kcals) - Amino acids Fat (0% kcals) CHO (18% kcals) - Sugar |
| GLUCERNA 1.0 (Abbott Nutrition) USE: A reduced-carbohydrate, nutritionally complete medical food (diabetic oral supplement/tube feed) for older children and adults with type 1 and type 2 diabetes, hyperglycemia/impaired glucose tolerance (stress-induced hyperglycemia). Contains fiber. Kosher, gluten-free, lactose-free, low-residue. Per 8 fl oz: 237 kcals (1 kcal/ml), 9.9 g pro, 12.9 g fat, 22.8 g CHO, 3.0 mg iron Osmolality: 355 mOsm/kg Flavors: vanilla, unflavored (Ready-To-Hang) CAUTION: For use only under medical supervision. Not for parenteral use. Not for patients with galactosemia. | Approved with prescription. | 8 fl oz (237 ml) can RTF 24 cans/case 1000 ml container Ready-To-Hang 8 containers/case 1500 ml container Ready-To-Hang 6 containers/case | Protein (16.7% kcals) - Sodium and calcium caseinates Fat (49% kcals) - High oleic safflower oil, canola oil CHO (34.3% kcals) - Corn maltodextrin, soy fiber, fructose |

| Product | WIC Issuance | Size | Nutrient Source |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|---------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| GLUCERNA 1.2 (Abbott Nutrition) USE: A carbohydrate-controlled, calorically dense, nutritionally complete medical food (diabetic oral supplement/tube feed) for older children and adults with type 1 and type 2 diabetes, hyperglycemia/impaired glucose tolerance (stress-induced hyperglycemia). Contains fiber. Kosher, gluten-free, lactose-free, low-residue. Per 8 fl oz: 285 kcals (1.2 kcal/ml), 14.2 g pro, 14.2 g fat, 27.1 g CHO, 3.5 mg iron Osmolality: 720 mOsm/kg Flavors: vanilla, unflavored (Ready-To-Hang) CAUTION: For use only under medical supervision. Not for parenteral use. Not for patients with galactosemia. | Approved with prescription. | 8 fl oz (237 ml) can RTF 24 cans/case 1000 ml container Ready-To-Hang 8 containers/case 1500 ml container Ready-To-Hang 6 containers/case | Protein (20% kcals) - Sodium caseinates, soy protein isolate, milk protein concentrate Fat (45% kcals) - High oleic safflower oil, canola oil, marine oil CHO (35% kcals) - Corn maltodextrin, soy fiber, fructose, short chain fructooligosaccharides |
| GLUCERNA 1.5 (Abbott Nutrition) USE: A carbohydrate-controlled, calorically dense, nutritionally complete medical food (diabetic oral supplement/tube feed) for older children and adults with type 1 and type 2 diabetes, hyperglycemia/impaired glucose tolerance (stress-induced hyperglycemia). Contains fiber. Kosher, gluten-free, lactose-free, low-residue. Per 8 fl oz: 356 kcals (1.5 kcals/ml), 19.6 g pro, 17.8 g fat, 31.5 g CHO, 4.3 mg iron Osmolality: 875 mOsm/kg Flavors: vanilla, unflavored (Ready-To-Hang) CAUTION: For use only under medical supervision. For enteral use only. Not for parenteral use. Not for patients with galactosemia. | Approved with prescription. | 8 fl oz (237 ml) can RTF 24 cans/case 1000 ml container Ready-To-Hang 8 containers/case | Protein (22% kcals) - Sodium caseinates, soy protein isolate Fat (45% kcals) - High oleic safflower oil, canola oil CHO (33% kcals) - Corn maltodextrin, soy fiber, fructose, short chain fructooligosaccharides |

| Product | WIC Issuance | Size | Nutrient Source |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|--------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| GLUCERNA HUNGER SMART SHAKES (Abbott Nutrition) USE: A medical food (diabetic oral supplement) for older children and adults with diabetes or impaired glucose tolerance as part of a weight loss plan. Unique carbohydrate blend may blunt postprandial glycemic response. Kosher, gluten-free, lactose-free. Per 11.5 fl oz: 180 kcals, 15 g pro, 8 g fat, 14-16 g CHO, Flavors: homemade vanilla, rich chocolate goodness CAUTION: For use only under medical supervision. Not for sole-source nutrition. Not for tube feeding or parenteral use. Not for patients with galactosemia. | Not WIC Approved. | 11.5 fl oz (340 ml) bottle RTF 4 bottles/case | Protein (33% kcals) - Milk protein concentrate, soy protein isolate Fat (40% kcals) - High oleic safflower oil, canola oil CHO (31% kcals) - Corn maltodextrin, fructose, fructooligosaccharides |
| GLUCERNA HUNGER SMART SNACK BARS (Abbott Nutrition) USE: A medical food (diabetic oral supplement) for older children and adults with diabetes or impaired glucose tolerance as part of a weight loss plan. Designed as a partial meal replacement or snack. Unique carbohydrate blend may blunt postprandial glycemic response. Kosher. Per 40 g: 140-150 kcals, 10 g pro, 4.5-5 g fat, 20 g CHO (Nutritional Content varies with flavors) Flavors: chocolate chip crisp, chocolate peanut crisp CAUTION: For use only under medical supervision. Not intended as a sole source of nutrition. Contains milk, soy, wheat and peanuts; manufactured in a facility that processes eggs, other nuts and seeds. | Not WIC Approved. | 1.41 oz (40 g) bar 24 bars/case | Protein (16-19% kcals) -nonfat milk, soy protein isolate, peanut butter Fat (24-30% kcals) - Partially hydrogenated soybean oil, cream, butter, fractionated palm kernel oil, peanut butter CHO (51-60% kcals) - Rice flour, polydextrose, cocoa, fruit juice and grain dextrins, milled rice, corn maltodextrin, |

| Product | WIC Issuance | Size | Nutrient Source |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| USE: A medical food (diabetic oral supplement) for older children and adults with diabetes or abnormal glucose tolerance. Designed as an occasional meal replacement. Contains fiber. Kosher, gluten-free, lactose-free, low-residue. Per 58 g bar: 220 kcals, 10 g pro, 7 g fat, 32 g CHO, 2 g fiber, 3.6 mg iron Flavors: chocolate peanut, chocolate chunk CAUTION: For use only under medical supervision. Not intended as a sole source of nutrition. Contains milk, soy, wheat and peanuts; manufactured in a facility that processes eggs, other nuts and seeds. | Approved with prescription. | 2.04 oz (58 g) bar 24 bars/case | Protein (18% kcals) - Nonfat milk, soy protein isolate, peanuts Fat (29% kcals) - Partially hydrogenated soybean oil, cream, butter, peanuts, CHO (53% kcals) - Fruit juices and grain dextrins, polydextrose, corn maltodextrins, fructose, partially defatted peanut flour, honey graham meal, high fructose corn syrup |
| USE: A medical food (diabetic oral supplement) for older children and adults with diabetes or abnormal glucose tolerance. Designed as snack. Contains fiber. Kosher. Per 20 g bar: 80 kcals, 4 g pro, 2.5 g fat, 12 g CHO Flavors: chocolate peanut, oatmeal raisin CAUTION: For use only under medical supervision. Not intended as a sole source of nutrition. Contains milk, soy, wheat and peanuts; manufactured in a facility that processes eggs and tree nuts. | Not WIC Approved. | .07 oz (20 g) bar 48 bars/case | Protein (20% kcals) - Nonfat milk, soy protein isolate, peanuts Fat (28% kcals) - Partially hydrogenated soybean oil, cream, butter, peanuts, CHO (52% kcals) - Fruit juices and grain dextrins, polydextrose, corn maltodextrins, fructose, partially defatted peanut flour, honey graham meal, high fructose corn syrup, |

| Product | WIC Issuance | Size | Nutrient Source |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| USE: A nutritionally complete medical food (diabetic oral supplement) for older children and adults with diabetes or impaired glucose tolerance. Contains fiber and FOS (a prebiotic that may help maintain digestive tract health). Unique carbohydrate blend may blunt postprandial glycemic response. Kosher, gluten-free, lactose-free. Per 8 fl oz: 200 kcals, 10 g pro, 7 g fat, 26 g CHO, 3 g fiber Flavors: homemade vanilla, rich chocolate, creamy strawberry, classic butter pecan CAUTION: For use only under medical supervision. Not for tube feeding or parenteral use. Not for patients with galactosemia. | Approved with prescription. | 8 fl oz (237 ml can) RTF 24 cans/case | Protein (20% kcals) - Sodium and calcium caseinates, soy protein isolate Fat (32% kcals) - High oleic safflower oil, canola oil CHO (48% kcals) - Corn maltodextrin, fructose, soy fiber, fructooligosaccharides |
| GLUCERNA SNACK BAR (Abbott Nutrition) USE: A medical food (diabetic oral supplement) for older children and adults with diabetes or impaired glucose tolerance. Designed as a between-meal snack. Contains fiber. Unique carbohydrate blend may blunt postprandial glycemic response. Kosher. Per 40 g: 140-150 kcals, 6-8 g pro, 4-6 g fat, 21-25 g CHO, 1-3 g fiber (Nutritional Content varies with flavors) Flavors: double chocolate crisp, chocolate caramel CAUTION: For use only under medical supervision. Not intended as a sole source of nutrition. Contains milk, soy, gluten, and corn; manufactured in a facility that processes nuts and seeds. | Approved with prescription. | 1.41 oz (40 g) bar 24 bars/case | Protein (17-21% kcals) - Nonfat milk, soy protein isolate, peanut butter Fat (26-36% kcals) - Partially hydrogenated soybean oil, cream, butter, fractionated palm kernel oil, peanut butter CHO (43-57% kcals) - Rice flour, polydextrose, cocoa, fruit juice and grain dextrins, milled rice, corn maltodextrin, microcrystalline cellulose |

| Product | WIC Issuance | Size | Nutrient Source |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------|
| USE: A medical food (diabetic oral supplement) for older children and adults with diabetes or impaired glucose tolerance. Designed as a between-meal snack. Contains fiber. Unique carbohydrate blend may blunt postprandial glycemic response. Kosher, gluten-free, lactose-free. Per 8 fl oz: 140 kcals, 7 g pro, 5 g fat, 19 g CHO Flavors: homemade vanilla, rich chocolate CAUTION: For use only under medical supervision. Not intended as a sole source of nutrition. Not for tube feeding, parenteral feeding. Not for patients with galactosemia. Contains milk, soy, gluten, and corn; manufactured in a facility that processes nuts and seeds. | Approved with prescription. | 8 fl-oz (237 ml) can 4 x 4 ct /case | Protein (20% kcals) - Milk protein concentrate Fat (32% kcals) - high oleic safflower oil CHO (48% kcals) - fructose |
| GLUTARADE GA-1 AMINO ACID BLEND (Applied Nutrition Corp) USE: A lysine-free and tryptophan-low medical food (metabolic) for children over age 1 year with glutaric aciduria type 1. Per 12.3 g: 40 kcals, 10 g pro, 0 g fat, 0 g CHO CAUTION: Must only be given to children with proven glutaric aciduria type 1 under strict medical supervision. Not intended as a sole source of nutrition. Not for parenteral use. | Approved with prescription. | 16 oz (454 g) can powder 4 cans/case Standard dilution = 20 kcals/oz Follow Rx as directed by physician. 1 Tbsp powder = 8.5 g powder | Protein (100% kcals) - Amino acids Fat (0% kcals) CHO (0% kcals) |
| GLUTARADE JUNIOR GA-1 DRINK MIX (Applied Nutrition Corp) USE: A lysine-free and tryptophan-low medical food (metabolic) for young children over age 1 year with glutaric aciduria type 1. Per 100 kcals: 2.5 g pro, 2.5 g fat, 17 g CHO CAUTION: Must only be given to children with proven glutaric aciduria type 1 under strict medical supervision. Not intended as a sole source of nutrition. Not for parenteral use. | Approved with prescription. | 14.1 oz (400 g) can powder 4 cans/case Standard dilution = 20 kcals/oz 1 scoop powder to 2 fl oz water | Protein (10% kcals) - Amino acids Fat (23% kcals) - canola oil, safflower oil CHO (68% kcals) - coryn sytrup solids, modified food starch |

| Product | WIC Issuance | Size | Nutrient Source |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|----------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| GLUTAREX - 1 (Abbott Nutrition) USE: A lysine- and tryptophan free infant formula and medical food (metabolic) for infants and toddlers with glutaric aciduria type 1. Fortified with L-carnitine and taurine. Iron-fortified. Per 100 g: 480 kcals, 15 g pro, 21.7 g fat, 53 g CHO, 9 mg iron Osmolality: 385 mOsm/kg at 20 kcal/fl oz CAUTION: Must only be given to infants and toddlers with proven glutaric aciduria type 1 under strict medical supervision. Not intended as a sole source of nutrition. Not for parenteral use. | Approved with prescription. | 14.1 oz (400 g) can powder 6 cans/case Standard dilution = 20 kcals/oz Follow Rx as directed by physician. 1 Tbsp powder = 8 g | Protein (13% kcals) - Amino acids (without lysine, tryptophan) Fat (41% kcals) - High oleic safflower oil, coconut oil, soy oil CHO (44% kcals) - Corn syrup solids |
| GLUTAREX - 2 (Abbott Nutrition) USE: A lysine- and tryptophan free medical food (metabolic) for children and adults with glutaric aciduria type 1. Fortified with L-carnitine and taurine. Per 100 g: 410 kcals, 30 g pro, 13 g fat, 35 g CHO, 13 mg iron Osmolality: 1360 mOsm/kg at 30 kcal/fl oz CAUTION: Must only be given to children and adults with proven glutaric aciduria Type 1 under strict medical supervision. Not intended as the sole source of nutrition. Not for parenteral use. | Approved with prescription. | 14.1 oz (400 g) can powder 6 cans/case Standard dilution = 30 kcals/oz Follow Rx as directed by physician. 1 Tbsp powder = 8 g | Protein (29% kcals) - Amino acids (without lysine, tryptophan) Fat (29% kcals) - High oleic safflower oil, coconut oil, soy oil CHO (34% kcals) - Corn syrup solids |
| GLUTASOLVE (Nestle Healthcare Nutrition) | Not WIC approved. | .79 oz (22.5 g) packets 56 pkts/case | |

| Product | WIC Issuance | Size | Nutrient Source |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|-------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| GLYTROL (Nestle Healthcare Nutrition) USE: A nutritionally complete medical food (diabetic oral supplement) for older children and adults with hyperglycemia, diabetes or dyslipidemia. Contains fiber and prebio (helps support a healthy gut microflora). Kosher, lactose-free, glutenfree, sucrose-free, low-cholesterol. Per 250 ml: 250 kcals (1 kcal/ml), 11.3 g pro, 11.9 g fat, 25 g CHO, 3.2 mg iron Osmolality: 280 mOsm/kg Flavors: unflavored, vanilla CAUTION: For use only under strict medical supervision. Not for individuals with | Approved with prescription. | 8.45 fl oz (250 ml) can RTF 24 cans/case UltraPak enteral closed system: 1000 ml bag RTF 6 bags/case 1500 ml bag RTF 4 bags/case | Protein (18% kcals) - Calcium-potassium caseinate Fat (42% kcals) (MCT 20%, LCT 80%) - Canola oil, high oleic safflower oil, MCT (fractionated coconut and palm kernel oil), pea fiber, oligofructose, inulin CHO (40% kcals) |
| galactosemia. Not for parenteral use. GERBER GOOD START 2 GENTLE (Nestle Nutrition) USE: A milk-based infant formula (partially hydrolyzed) for older infants and toddlers with no special nutritional requirements. Provides a more appropriate balance of nutrients for children over age one than infant formula. Contains docosahexaenoic acid (DHA) and arachidonic acid (ARA). Iron-fortified. Per 100 g: 503 kcals, 11.1 g pro, 25.7 g fat, 56.3 g CHO, 10.1 mg iron CAUTION: Evaluate if formula is mixed, used, and stored properly. | Not Idaho WIC approved. | 22 oz can powder Standard dilution = 20 kcals/oz: 1 scoop (8.8 g) powder to 2 fl oz water. | - Maltodextrin, modified cornstarch Protein (9% kcals) (100% whey proteins) - Hydrolyzed whey protein concentrate Fat (46% kcals) - Vegetable oils (palm olein, soy, coconut, high oleic saffflower or sunflower), DHA, ARA CHO (45% kcals) - Lactose, corn maltodextrin |

| Product | WIC Issuance | Size | Nutrient Source |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| USE: A milk-based infant formula (partially hydrolyzed) for older infants and toddlers with no special nutritional requirements. Contains Bifidobacterium lactis. DHA, ARA. Iron-fortified. 100% whey proteins. Per 100 g: 503 kcals, 11.1 g pro, 25.7 g fat, 56.3 g CHO, 10.1 mg iron CAUTION: Evaluate if formula is mixed, used, and stored properly. | Not Idaho WIC approved. | 22 oz can powder Standard dilution = 20 kcals/oz: 1 scoop (8.8 g) powder to 2 fl oz water. | Protein (9% kcals) (100% whey proteins) - Hydrolyzed whey protein concentrate Fat (46% kcals) - Vegetable oils (palm olein, soy, coconut, high oleic sunflower or safflower), DHA, ARA CHO (45% kcals) - Lactose, corn maltodextrin |
| USE: A soy-based infant formula (lactose-free, partially hydrolyzed) for older infants and toddlers with sensitivity to cow's milk or hereditary or temporary lactase deficiency. Provides a more appropriate balance of nutrients for children over age one than infant formula. Contains docosahexaenoic acid (DHA) and arachidonic acid (ARA). Iron-fortified. Milk-free, lactose-free. Per 100 g: 501 kcals, 14.0 g pro, 25.1 g fat, 54.6 g CHO, 10.0 mg iron CAUTION: Evaluate if formula is mixed, used, and stored properly. | Not Idaho WIC approved. | 24 oz can powder 6 cans/case Reconstituted: 172 fl oz Standard dilution = 20 kcals/oz: 1 scoop (8.9 g) powder to 2 fl oz water. | Protein (11 % kcals) (100% whey proteins) - Hydrolyzed Soy Protein Isolate Fat (45% kcals) - Vegetable oils (palm olein, soy, coconut, high oleic sunflower or safflower), DHA, ARA CHO (44% kcals) - Corn maltodextrin, sucrose |

| GERBER GOOD START GENTLE (Nestle Infant Nutrition- Gerber) USE: A milk-based infant formula (partially hydrolyzed) for infants with no special nutritional requirements. Contains docosahexaenoic acid (DHA) and arachidonic acid (ARA). Iron-fortified. | oved. | 12.7 oz can powder23.2 oz can powder | Protein (9% kcals) (100% whey proteins) |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|-----------------------------------------------------------------|-------------------------------------------------------------|
| USE: A milk-based infant formula (partially hydrolyzed) for infants with no special nutritional requirements. Contains docosahexaenoic acid (DHA) and arachidonic | | 23.2 oz can powder | |
| • • • • • • • • • • • • • • • • • • • • | | | - Hydrolyzed whey protein concentrate |
| | | Standard dilution = 20 kcals/oz: | |
| Per 5 fl oz: 100 kcals, 2.2 g pro, 5.1 g fat, 11.6 g CHO, 1.5 mg iron | | 1 scoop (8.7 g) powder to 2 fl oz water. | Fat (46% kcals) - Vegetable oils (palm olein, soy, coconut, |
| CAUTION: Evaluate if formula is mixed, used, and stored properly. | | 12.1 fl oz carton concentrate | high oleic sunflower or safflower), DHA, ARA |
| | | 3 oz nurser RTF | |
| | | 8 bottles/case | CHO (45% kcals) - Lactose, corn |
| | | 8.45 fl oz carton 24 cartons/case | maltodextrin |
| GERBER GOOD START NOURISH (Nestle Nutrition) Approv | oved with | 12.6 oz can powder | Protein (9% kcals) |
| prescri | ription. | | (100% whey proteins) |
| USE: A milk-based infant formula (partially hydrolyzed) for infants who were born | | Standard dilution = 20 kcals/oz: | - Hydrolyzed whey |
| prematurely. Contains docosahexaenoic acid (DHA) and arachidonic acid (ARA). | | 1 scoop (8.7 g) powder to 2 fl oz | protein concentrate |
| Iron-fortified. | | water. | |
| | | | Fat (46% kcals) |
| Per 100 g: 512 kcals, 11.3 g pro, 26.1 g fat, 57.3 g CHO, 7.7 mg iron | | 3 oz nurser RTF | - Vegetable oils (palm |
| | | 8 bottles/case | olein, soy, coconut, |
| Osmolality: 250 mOsm/kg | | | high oleic sunflower or |
| CALITION. Evaluate if formsule is reived used and stored menority | | | safflower), DHA, ARA |
| CAUTION: Evaluate if formula is mixed, used, and stored properly. | | | CHO (45% kcals) |
| | | | - Lactose, corn |
| | | | maltodextrin |
| | | | marcouckim |

| Product | WIC Issuance | Size | Nutrient Source |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|--------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| GERBER GOOD START PREMATURE 24 (Nestle Nutrition) USE: A milk-based infant formula (partially hydrolyzed) for premature infants with high calorie and protein needs. Designed to promote feeding tolerance and digestibility to help accelerate advancement to full feeds by minimizing curd formation during digestion, and promoting faster gastric emptying to help reduce the potential residuals available for reflux and spitting up. DHA, ARA, iron fortified. Per 100 kcals: 3 g pro, 5.2 g fat, 10.5 g CHO, 1.8 mg iron CAUTION: For use only under medical supervision. Not intended for therapeutic use like extensively hydrolyzed specialty formulas or amino-acid based specialty formulas. | Approved with prescription. | 3 fl oz nurser RTF 8 bottles/case | Protein (12% kcals) (100% whey proteins) - Hydrolyzed whey protein concentrate Fat (46% kcals) - MCT, Soy Oil, High- Oleic Safflower or Sunflower Oil CHO (42% kcals) - Lactose, corn maltodextrin |
| GERBER GOOD START PREMATURE 24 HIGH PROTEIN (Nestle Nutrition) USE: A milk-based infant formula (partially hydrolyzed) for premature infants with high calorie and protein needs. Designed to promote feeding tolerance and digestibility to help accelerate advancement to full feeds by minimizing curd formation during digestion, and promoting faster gastric emptying to help reduce the potential residuals available for reflux and spitting up. DHA, ARA, iron fortified. Per 100 kcals: 3.6 g pro, 5.2 g fat, 9.7 g CHO, 1.8 mg iron Osmolality: 275 mOsm/kg CAUTION: For use only under medical supervision. Not intended for therapeutic use like extensively hydrolyzed specialty formulas or amino-acid based specialty formulas. | Approved with prescription. | 3 fl oz nurser RTF 8 bottles/case | Protein (12% kcals) (100% whey proteins) - Hydrolyzed whey protein concentrate Fat (46% kcals) - MCT, Soy Oil, High- Oleic Safflower or Sunflower Oil CHO (42% kcals) - Lactose, corn maltodextrin |

| Product | WIC Issuance | Size | Nutrient Source |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|-------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| USE: A milk-based infant formula (partially hydrolyzed) for infants with no special nutritional requirements. Contains bifidus bl, docosahexaenoic acid (DHA) and arachidonic acid (ARA). Iron-fortified. 100% whey proteins. Per 5 fl oz: 100 kcals, 2.2 g pro, 5.1 g fat, 11.2 g CHO, 1.5 mg iron CAUTION: Evaluate if formula is mixed, used, and stored properly. | Not Idaho WIC approved. | 12.4 oz can powder 23.2 oz can powder Standard dilution = 20 kcals/oz: 1 scoop (8.7 g) powder to 2 fl oz water. | Protein (9% kcals) (100% whey proteins) - Hydrolyzed whey protein concentrate Fat (46% kcals) - Vegetable oils (palm olein, soy, coconut, high oleic sunflower or safflower), DHA, ARA CHO (45% kcals) - Lactose, corn maltodextrin |
| USE: A milk-based infant formula (partially hydrolyzed) for infants with no special nutritional requirements. Contains docosahexaenoic acid (DHA) and arachidonic acid (ARA). Iron-fortified. Per 5 fl oz: 100 kcals, 2.2 g pro, 5.1 g fat, 11.2 g CHO, 1.5 mg iron CAUTION: Evaluate if formula is mixed, used, and stored properly. | Not Idaho WIC approved. | 12.4 oz can powder 23.2 oz can powder | Protein (9% kcals) (100% whey proteins) - Hydrolyzed whey protein concentrate Fat (46% kcals) - Vegetable oils (palm olein, soy, coconut, high oleic sunflower or safflower), DHA, ARA CHO (45% kcals) - Lactose, corn maltodextrin |

| Product | WIC Issuance | Size | Nutrient Source |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| USE: A soy-based infant formula (lactose-free, partially hydrolyzed) for infants with sensitivity to cow's milk or hereditary or temporary lactase deficiency. Contains partially hydrolyzed soy protein, docosahexaenoic acid (DHA) and arachidonic acid (ARA). Iron-fortified. Milk-free. Per 5 fl oz: 100 kcals, 2.5 g pro, 5.1 g fat, 11.1 g CHO, 1.8 mg iron CAUTION: Evaluate if formula is mixed, used, and stored properly. | Not Idaho WIC approved. | 12.9 oz can powder 6 cans/case Reconstituted: 91 fl oz 25.7 oz can powder 6 cans/case Reconstituted: 186 fl oz Standard dilution = 20 kcals/oz: 1 scoop (8.9 g) powder to 2 fl oz water. 12.1 fl oz can concentrate 8.45 fl oz (250 ml) can RTF | Protein (10 % kcals) (100% whey proteins) - Hydrolyzed Soy Protein Isolate Fat (46% kcals) - Vegetable oils (palm olein, soy, coconut, high oleic sunflower or safflower), DHA, ARA CHO (44% kcals) - Corn maltodextrin, sucrose |
| USE: A methionine-free infant formula and medical food (metabolic) for infants and toddlers with homocystinuria. Contains added cystine and increased levels of B vitamins for cofactor production. Iron-fortified. Vanilla scent. Gluten-free, lactose-free, galactose-free. Per 100 g: 500 kcals, 16.2 g pro, 26 g fat, 51 g CHO, 9.6 mg iron Osmolality: 350 mOsm/kg CAUTION: For use only under strict medical supervision. Not intended as a sole source of nutrition. Not for parenteral use. | Approved with prescription. | 16 oz (454 g) can powder 6 cans/case Reconstituted amount unavailable. Follow Rx as directed by physician 1 scoop powder = 4.5 g | Protein (13% kcals) - Amino acids (without methionine) Fat (47% kcals) - Vegetable oil (palm olein, soy, coconut, high oleic sunflower oils) CHO (40% kcals) - Corn syrup solids, modified corn starch, sugar |

| Product | WIC Issuance | Size | Nutrient Source |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|--------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------|
| USE: A methionine-free medical food (metabolic) for children and adults with homocystinuria. Provides essential and non-essential amino acids, CHO, fat, essential fatty acids, vitamins and minerals. Contains added cystine. Iron-fortified. Vanilla scent. Gluten-free, lactose-free, galactose-free. Per 100 g: 410 kcals, 22 g pro, 8.5 g fat, 61g CHO, 13.8 mg iron CAUTION: For use only under strict medical supervision. Not intended as a sole source of nutrition. Not for parenteral use. | Approved with prescription. | 16 oz (454 g) can powder 6 cans/case Reconstituted amount unavailable. Follow Rx as directed by physician 1 scoop powder = 14.5 g | Protein (22% kcals) - Amino acids (without methionine) Fat (19% kcals) - Soy oil CHO (59% kcals) - Sugar, corn syrup solids, modified corn starch |
| HEPATIC AID II INSTANT DRINK (Hormel Health Labs) USE: A medical food (oral supplement) designed for older children and adults with chronic liver disease. Contains essential and non-essential amino acids, CHO and fats. For oral use or tubefeeding. May need vitamin and mineral supplement. Kosher, gluten-free, lactose-free. Per 86 g: 400 kcals, 15 g pro, 12.3 g fat, 57.3 g CHO, 0 mg iron Osmolality: 560 mOsm/kg Flavors: chocolate, custard, egg nog CAUTION: For use only under medical supervision. | Not WIC approved. | 3 oz (86 g) powder packet 24 packets/case | Protein (15% kcals) - Amino acids Fat (28% kcals) - Partially hydrogenated soybean oil CHO (57% kcals) - Maltodextrins, sugar |

| Product | WIC Issuance | Size | Nutrient Source |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|
| HI-CAL (Abbott Nutrition) USE: A high-calorie medical food (oral supplement) for older children and adults in need of extra calories. Fortified with vitamins and minerals. Kosher, gluten-free, lactose-free, low-residue. Per 8 fl oz: 475 kcals (2 kcals/ml), 19.8 g pro, 21.2 g fat, 51.3 g CHO, 3.6 mg iron Osmolality: 705 mOsm/kg CAUTION: For use only under medical supervision. Not intended as a sole source of nutrition. Not for tubefeeding or parenteral use. | Approved with prescription. | 1000 ml bottle 8 bottles/case | Protein (16.7% kcals) - Sodium and calcium caseinates Fat (40.1% kcals) - Corn oil CHO (43.2% kcals) - Corn syrup solids, corn maltodextrin, sucrose |
| HOM 1-MIX (Milupa North America) USE: A methionine— free, cysteine-enriched exempt infant formula (metabolic) for infants with HOMocystinuria. Enriched with vitamins, minerals and trace elements. Per 100 ml: 66 kcals, 1.3 g pro, 3.6 g fat, 7 g CHO, 0.8 mg iron CAUTION: For use only under strict medical supervision. Not intended as a sole source of nutrition. Not for parenteral use. | Not WIC Approved. | 470 g can powder 6 cans/case 1 scoop = 4.6 g formula 3 scoops + 90 ml= 100 ml Intake dependent on age, body weight and medical condition. Follow Rx as directed by physician | Protein (8% kcals) - Amino acids Fat (49% kcals) - Vegetable fats and oils and animal fats CHO (42% kcals) - Lactose |
| HOM 1 (Milupa North America) USE: A methionine— free, cysteine-enriched medical food (metabolic) for infants with HOMocystinuria. Enriched with vitamins, minerals and trace elements. Per 100 g: 290 kcals, 50 g pro, 0 g fat, 22.5 g CHO, 29 mg iron CAUTION: For use only under strict medical supervision. Not intended as a sole source of nutrition. Not for parenteral use. | Not WIC Approved. | 17.5 oz (500 g) can powder 1 can/case Intake dependent on age, body weight and medical condition. Follow Rx as directed by physician | Protein (69% kcals) - Amino acids Fat (0% kcals) CHO (31% kcals) - maltodextrin |

| Product | WIC Issuance | Size | Nutrient Source |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|----------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|
| USE: A methionine— free, cysteine-enriched medical food (metabolic) for toddlers and children over 1 year with HOMocystinuria. Enriched with vitamins, minerals and trace elements. Per 100 g: 290 kcals, 60 g pro, 0 g fat, 12.4 g CHO, 26.4 mg iron CAUTION: For use only under strict medical supervision. Not intended as a sole source of nutrition. Not for parenteral use. | Not WIC Approved. | 17.5 oz (500 g) can powder 2 cans/case Intake dependent on age, body weight and medical condition. Follow Rx as directed by physician | Protein (83% kcals) - Amino acids Fat (0% kcals) CHO (17% kcals) - maltodextrin |
| HOM 2-SECUNDA (Milupa North America) USE: A methionine— free, cysteine-enriched medical food (metabolic) for children and adolescents over 9 years with HOMocystinuria. Enriched with vitamins, minerals and trace elements. Per 100 g: 292 kcals, 70 g pro, 0 g fat, 2.9 g CHO, 20 mg iron CAUTION: For use only under strict medical supervision. Not intended as a sole source of nutrition. Not for parenteral use. | Not WIC Approved. | 17.5 oz (500 g) can powder 2 cans/case Intake dependent on age, body weight and medical condition. Follow Rx as directed by physician | Protein (96% kcals) - Amino acids Fat (0% kcals) CHO (4% kcals) - Sugar |
| HOM 2 (Milupa North America) USE: A methionine– free, cysteine-enriched medical food (metabolic) for children, adolescents and adults over 1 year with HOMocystinuria. Enriched with vitamins, minerals and trace elements. Per 100 g: 298 kcals, 68.8 g pro, 0 g fat, 5.8 g CHO, 15 mg iron CAUTION: For use only under strict medical supervision. Not intended as a sole source of nutrition. Not for parenteral use. | Not WIC Approved. | 17.5 oz (500 g) can powder 2 cans/case Intake dependent on age, body weight and medical condition. Follow Rx as directed by physician | Protein (92% kcals) - Amino acids Fat (0% kcals) CHO (8% kcals) - Sugar |

| Product | WIC Issuance | Size | Nutrient Source |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|--------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------|
| HOM 3-ADVANTA (Milupa North America) USE: A methionine— free, cysteine-enriched medical food (metabolic) for adolescents and adults over 15 years with HOMocystinuria. Enriched with vitamins, minerals and trace elements. Per 100 g: 298 kcals, 70 g pro, 0 g fat, 4.4 g CHO, 13.4 mg iron CAUTION: For use only under strict medical supervision. Not intended as a sole source of nutrition. Not for parenteral use. | Not WIC Approved. | 17.5 oz (500 g) can powder 2 cans/case Intake dependent on age, body weight and medical condition. Follow Rx as directed by physician | Protein (94% kcals) - Amino acids Fat (0% kcals) CHO (6% kcals) - Sugar |
| HOMINEX – 1 (Abbott Nutrition) USE: A methionine-free infant formula and medical food (metabolic) for infants and children with vitamin B ₆ non-responsive homocystinuria or hypermethionemia. Supplemented with L-cystine, L-carnitine and taurine. Iron-fortified. Per 100 g: 480 kcals, 15 g pro, 21.7 g fat, 53 g CHO, 9 mg iron Osmolality: 375 mOsm/kg at 30 kcal/fl oz CAUTION: Must only be used for infants and toddlers with proven vitamin B ₆ non-responsive homocystinuria or hypermethionemia under strict medical supervision. Not intended as a sole source of nutrition. Not for parenteral use. | Approved with prescription. | 14.1 oz (400 g) can powder 6 cans/case Standard dilution = 20 kcals/oz Follow Rx as directed by physician. 1 Tbsp powder = 8 g | Protein (13% kcals) - Amino acids (without methionine) Fat (41% kcals) - High oleic safflower oil, coconut oil, soy oil CHO (44% kcals) - Corn syrup solids |
| HOMINEX - 2 (Abbott Nutrition) USE: A methionine-free medical food (metabolic) for children and adults with vitamin B ₆ non-responsive homocystinuria or hypermethionemia. Supplemented with L-cystine, L-carnitine and taurine. Per 100 g: 410 kcals, 30 g pro, 14 g fat, 35 g CHO, 13 mg iron Osmolality: 1350 mOsm/kg at 30 kcal/fl oz CAUTION: Must only be used for children and adults with proven vitamin B ₆ non-responsive homocystinuria or hypermethionemia under strict medical supervision. Not intended as a sole source of nutrition. Not for parenteral use. | Approved with prescription. | 14.1 oz (400 g) can powder 6 cans/case Standard dilution = 30 kcals/oz Follow Rx as directed by physician. 1 Tbsp powder = 8 g | Protein (29% kcals) - Amino acids (without methionine) Fat (31% kcals) - High oleic safflower oil, coconut oil, soy oil CHO (34% kcals) - Corn syrup solids |

| Product | WIC Issuance | Size | Nutrient Source |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------|
| HUMAN MILK FORTIFIER ACIDIFIED LIQUID, ENFAMIL (Mead Johnson) USE: A milk-based medical food for breastfed premature or LBW infants with high calorie and protein needs. When mixed with mother's milk, increases the amount of protein, energy, calcium, phosphorus, and other nutrients. Iron-fortified. Glutenfree. Per 4 vials: 30 kcals, 2.2 g pro, 2.3 g fat, <1.2 g CHO, 1.76 mg iron Vitamins: A - 950 IU, D - 150 IU, E - 4.6 IU, K - 4.4 mcg, C - 12 mg, B1 - 150mcg, B2 - 210mcg, B6 - 115 mcg, B1218mcg, niacin - 3 mg, folacin - 25mcg, pantothenic acid .73 mg, biotin 2.7mcg Minerals: 90 mg calcium, 45 mg phosphorus, 1 mg magnesium, 1.44 mg iron, .72 mg zinc, 10 mcg manganese, 44 mcg copper, 11 mg sodium, 20 mg potassium, 9 mg chloride Note: To be added to breast milk for premature and low-birth-weight infants (not designed for term infants). Generally use full-strength until baby reaches approximately 2500 g (5.5 lb) body weight and half-strength from 2500-8400 g body weight, or until 9 months corrected age. Babies <1000 g (2.2 lb) body weight on full feedings of Enfamil(R) Human Milk Fortifier should be monitored for high blood calcium levels. No additional vitamin/mineral supplements should be given unless recommended by a healthcare professional. If more than 25 packets are used daily, the infant should be monitored for evidence of excessive vitamin A and D intake. Preterm breast milk collected <2 weeks postpartum is rich in nutrients, so use of Enfamil Human Milk Fortifier is generally not required. CAUTION: For use only under strict medical supervision. Not intended as a sole source of nutrition. Do not add fortifier to breast milk in a ratio greater than 1 packet per 25 ml breast milk (no greater than 24 kcals/oz). Do not administer other nutrient supplements in addition to fortifier unless medical tests indicate a need for further supplementation. | Not Idaho WIC Approved. (Product should be appropriately prescribed for short-term use only. Infant needs to be followed closely, preferably by a RD that is also a CLE). | 5 ml vial 200 vials/case Breastmilk = 20 kcals/oz Standard dilution: 1 vial added to - 50 ml human milk adds 2 kcals/oz (Final dilution of 22 kcals/oz) - 25 ml human milk adds 4 kcal/oz (Final dilution of 24 kcals/oz) | Protein (32% kcals) (60% whey, 40% casein) - whey protein isolate hydrosylate Fat (63% kcals) -MCT, soybean oil CHO (5% kcals) - pectin |

| Product | WIC Issuance | Size | Nutrient Source |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| USE: A milk-based medical food for breastfed LBW infants with high calorie and protein needs. Nutritionally balanced carbohydrate, protein and fat. Human milk can be fortified with Similac Human Milk Fortifier until the low-birth-weight infant reaches a weight of approximately 3600 g (8 lb). Low iron level provides flexibility to add iron as needed. Per 4 packets: 14 kcals, 1 g pro, .36 g fat, 1.8 g CHO, .35 mg iron Vitamins: A - 620 IU, D - 120 IU, E - 3.2 IU, K - 8.3mcg,C - 25mg, B1 - 233mcg, B2 - 417mcg, B6 - 211mcg, B1264mcg, niacin - 3.57mg, folacin - 23mcg, pantothenic acid 1.5mg, biotin 26mcg Minerals: calcium - 117mg, phosphorus - 67mg, magnesium - 7mg, iron35mg, zinc - 1mg, manganese 7.2mcg, copper - 170mcg, sodium 15mg, potassium - 63mg, chloride - 38mg Osmolality: 95 mOsm/kg CAUTION: For use only under strict medical supervision. Not intended as a sole source of nutrition. Do not add fortifier to breast milk in a ratio greater than 1 packet per 25 ml breast milk (no greater than 24 kcals/oz). | Not Idaho WIC Approved. (Product should be appropriately prescribed for short-term use only. Infant needs to be followed closely, preferably by a RD that is also a CLE). | .031 oz (0.90 g) packets 150 packets/case Breastmilk = 20 kcals/oz Standard dilution: 1 packet of powder added to - 50 ml human milk adds 2 kcals/oz (Final dilution of 22 kcals/oz) - 25 ml human milk adds 4 kcal/oz (Final dilution of 24 kcals/oz) | Protein (28% kcals) - Nonfat milk, whey protein concentrate Fat (21% kcals) - MCT CHO (51% kcals) - Corn syrup solids |
| USE: A medical food (immune-enhancing tube feed) for older children and adults with major trauma (including burn injury), ARDS, cancer, pressure ulcers, infection, metabolic stress, respiratory disease or ventilator dependant. Novartis patented NutriShield ingredients may add microbial protection. Lactose-free, low-residue, may be suitable for a gluten-free diet. Per 250 ml: 250 kcals (1 kcal/ml), 14 g pro, 6.9 g fat, 32.9 g CHO, 3 mg iron Osmolality: 375 mOsm/kg CAUTION: For use only under medical supervision. | Not WIC approved. | 8.45 fl oz (250 ml) can RTF 24 cans/case 1000 ml closed system containers 6 containers/case | Protein (22% kcals) - Sodium and calcium caseinates (milk), L- arginine Fat (25% kcals) - Palm kernel oil, sunflower oil, menhaden oil CHO (53% kcals) - Maltodextrin |

| Product | WIC Issuance | Size | Nutrient Source |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|----------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| USE: A high-calorie, high-protein medical food (oral supplement) for older children and adults with major trauma (including burn injury), pressure ulcers or infection. Lactose-free, may be suitable for a gluten-free diet. Per 237 ml: 340 kcals (1.4 kcals/ml), 18.1 g pro, 9.2 g fat, 44.7 g CHO, 4 mg iron Osmolality: 930-1000 mOsm/kg Flavors: vanilla, chocolate CAUTION: For use only under medical supervision. Not for individuals with galactosemia. | Not WIC approved. | 8 fl oz (237 ml) briks 27 briks/case | Protein (22% kcals) - Sodium and calcium caseinates (milk), L- arginine Fat (25% kcals) - Fish oil, MCT oil, corn oil CHO (53% kcals) - Sucrose, corn syrup solids |
| USE: A high-fiber medical food (immune-enhancing tube feed) for older children and adults with major trauma (including burn injury), ARDS, cancer, pressure ulcers, infection, metabolic stress, respiratory disease or ventilator dependant. Novartis patented NutriShield ingredients may add microbial protection. Lactose-free, may be suitable for a gluten-free diet. Per 250 ml: 250 kcals (1.0 kcals/ml), 14 g pro, 6.9 g fat, 33.8 g CHO, 2.5 g fiber, 3 mg iron Osmolality: 375 mOsm/kg CAUTION: For use only under medical supervision. Not for individuals with galactosemia. | Not WIC approved. | 8.45 fl oz (250 ml) can RTF 24 cans/case 1000 ml closed system containers 6 containers/case | Protein (22% kcals) - Sodium and calcium caseinates (milk), L-arginine Fat (25% kcals) - Palm kernel oil, sunflower oil, menhaden oil CHO (53% kcals) - Maltodextrin |

| Product | WIC Issuance | Size | Nutrient Source |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|----------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| USE: A high-calorie, high-protein, high-fiber medical food (immune-enhancing tube feed) for older children and adults with GI distress, major trauma (including burn injury), ARDS, cancer, pressure ulcers, infection, metabolic stress, respiratory disease, ventilator dependant and with high-energy needs. With added Glutamine. Novartis patented NutriShield ingredients may add microbial protection. Lactose-free, may be suitable for a gluten-free diet. Per 250 ml: 325 kcals (1.3 kcal/ml), 19.5 g pro, 10.8 g fat, 37.4 g CHO, 2.5 g fiber, 3 mg iron Osmolality: 630 mOsm/kg CAUTION: For use only under medical supervision. Not for indiviuals with galactosemia. | Not WIC approved. | 8.45 fl oz (250 ml) can RTF 24 cans/case 1000 ml closed system containers 6 containers/case | Protein (24% kcals) - Wheat protein hydrolysate, free amino acids, sodium caseinate (milk) Fat (30% kcals) - Palm kernel oil, menhaden oil, sunflower oil CHO (46% kcals) - Maltodextrin |
| USE: A high-calorie, high-protein medical food (immune-enhancing tube feed) for older children and adults with major trauma (including burn injury), ARDS, COPD, congestive heart failure, pressure ulcers, metabolic stress, respiratory disease, ventilator dependant or with fluid restrictions or high-energy needs. Novartis patented NutriShield ingredients may add microbial protection. Lactose-free, low-residue, gluten-free. Per 250 ml: 375 kcals, 23.5 g pro, 15.9 g fat, 35 g CHO, 4.5 mg iron Osmolality: 510 mOsm/kg CAUTION: For use only under medical supervision. Not for individuals with galactosemia. | Not WIC approved. | 8.45 fl oz (250 ml) can 24 cans/case 1000ml cloased system container 6 containers/case | Protein (25% kcals) - Sodium and calcium caseinate (milk), L- arginine Fat (38% kcals) - MCT oil, palm kernel oil, sunflower oil, menhaden oil CHO (37% kcals) - Maltodextrin |

| Product | WIC Issuance | Size | Nutrient Source |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------|
| USE: A high-calorie, high-protein medical food (pulmonary tube feed) for older children and adults with ARDS, COPD, cancer, congestive heart failure, renal disease, respiratory disease, ventilator dependant or with fluid restrictions or high calorie and protein needs. Novartis patented NutriShield ingredients may add microbial protection. Kosher, lactose-free, may be suitable for a gluten-free diet. Per 250 ml: 375 kcals (1.5 kcals/ml), 16.9 g pro, 16.2 g fat, 42 g CHO, 4.8 mg iron Osmolality: 585 - 650 mOsm/kg Flavors: unflavored, Vanilla CAUTION: For use only under medical supervision. Not for individuals with galactosemia. | Not WIC Approved. | 8.45 fl oz (250 ml) can RTF 24 cans/case 1000 ml closed system container 6 containers/case 1500 ml closed system container 6 containers/case | Protein (18% kcals) - Sodium and calcium caseinates (milk) Fat (38% kcals) - Canola oil, MCT oil, soybean oil CHO (44% kcals) - Maltodextrin, sugar |
| USE: A fiber-free, high-calorie, high-protein medical food (standard tube feed) for older children and adults with developmental disabilities or in need of transitional feeding. 100% soy protein. Novartis patented NutriShield ingredients may add microbial protection. Kosher, lactose-free, low-residue, gluten-free. Per 250 ml: 300 kcals (1.2 kcals/ml), 13.4 g pro, 9.84 g fat, 39.9 g CHO, 3.86 mg iron Osmolality: 490 mOsm/kg CAUTION: For use only under medical supervision. Not for individuals with galactosemia. | Approved with prescription. | 8.45 fl oz (250 ml) can RTF 24 cans/case 1000 ml closed system container 6 containers/case 1500 ml closed system container 6 containers/case | Protein (18% kcals) - Soy protein isolate Fat (29% kcals) - Canola oil, MCT oil CHO (53% kcals) - Corn syrup, maltodextrin |

| Product | WIC Issuance | Size | Nutrient Source |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------|
| I-VALEX – 1 (Abbott Nutrition) | Approved with | 14.1 oz (400 g) can powder | Protein (13% kcals) - Amino acids (without |
| USE: A leucine-free infant formula and medical food (metabolic) for infants and | prescription. | 6 cans/case | leucine) |
| <u>children</u> with a disorder of leucine catabolism. Supplemented with L-carnitine and | | Standard dilution = 20 kcals/oz | reactive |
| glycine. Iron-fortified. | | Follow Rx as directed by physician. | Fat (41% kcals) - High oleic safflower oil, |
| Per 100 g: 480 kcals, 15 g pro, 21.7 g fat, 53 g CHO, 9 mg iron | | 1 Tbsp powder = 8 g | coconut oil, soy oil |
| Osmolality: 375 mOsm/kg at 20 kcal/fl oz | | | CHO (44% kcals) - Corn syrup solids |
| CAUTION: Must only be used for infants and toddlers with a disorder or leucine catabolism under strict medical supervision. Not intended as a sole source of nutrition. Not for parenteral use. | | | , . |
| I-VALEX – 2 (Abbott Nutrition) | Approved with | 14.1 oz (400 g) can powder | Protein (29% kcals) |
| LICE. A leveing free medical food (metabolic) for shildren and adults with a disorder | prescription. | 6 cans/case | - Amino acids (without |
| USE: A leucine-free <u>medical food</u> (metabolic) for <u>children and adults</u> with <u>a disorder</u> of leucine catabolism. Supplemented with L-carnitine and glycine. Iron-fortified. | | Standard dilution = 30 kcals/oz | leucine) |
| or leading databolism. Supplemented with E-darmtine and grytine. Iron-fortined. | | Follow Rx as directed by physician. | Fat (29% kcals) |
| Per 100 g: 410 kcals, 30 g pro, 13 g fat, 35 g CHO, 13 mg iron | | The state of the s | - High oleic safflower oil, |
| | | 1 Tbsp powder = 8 g | coconut oil |
| Osmolality: 1390 mOsm/kg at 30 kcal/fl oz | | | |
| | | | CHO (34% kcals) |
| CAUTION: Must only be used for children and adults with a disorder or leucine | | | - Corn syrup solids |
| catabolism under strict medical supervision. Not intended as a sole source of nutrition. Not for parenteral use. | | | |
| | | <u> </u> | |

| Product | WIC Issuance | Size | Nutrient Source |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|---------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| USE: A nutritionally complete, isotonic medical food (standard tube feed) for older children and adults being tubefed or for oral feeding of patients with altered taste perception. Appropriate for short or long-term use. Contains fiber. Kosher, glutenfree, lactose-free. Per 8 fl oz: 250 kcals (1.06 kcals/ml), 10.4 g pro, 36.5 g CHO, 8.2 g fat, 3.3 mg iron Osmolality: 300 mOsm/kg CAUTION: For use only under medical supervision. Not for parenteral use. Not for patients with galactosemia. | Approved with prescription. | 8 fl oz (237 ml) can RTF 24 cans/case 1000 ml container Ready-To-Hang 8 containers/case 1500 ml container Ready-To-Hang 6 containers/case | Protein (16.7% kcals) - Sodium and calcium caseinates, soy protein isolate Fat (29% kcals) - High oleic safflower oil, canola oil, MCT CHO (54.3% kcals) - Corn maltodextrin, corn syrup solids, soy fiber |
| USE: A nutritionally complete, high calorie medical food (standard tube feed) for older children and adults being tube-fed who need to gain or maintain weight or for oral feeding of patients with altered taste perception. Appropriate for short or long-term use. Contains fiber and FOS (a prebiotic that may help promote gut health). Kosher, gluten-free, lactose-free. Per 8 fl oz: 285 kcals (1.2 kcals/ml), 13.2 g pro, 40.2 g CHO, 9.3 g fat, 4.3 mg iron, 5.3 g fiber Osmolality: 450 mOsm/kg CAUTION: For use only under medical supervision. Not for parenteral use. Not for patients with galactosemia. | Approved with prescription. | 8 fl oz (237 ml) can RTF 24 cans/case 1000 ml container Ready-To-Hang 8 containers/case 1500 ml container Ready-To-Hang 6 containers/case | Protein (18.5% kcals) - Sodium and calcium caseinate, soy protein isolate Fat (29% kcals) - High oleic safflower oil, canola oil, MCT CHO (52.5% kcals) - Corn maltodextrin, corn syrup solids, fructooligosaccharides, soy fiber, oat fiber |

| Product | WIC Issuance | Size | Nutrient Source |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|---------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| USE: A nutritionally complete, very high calorie and protein medical food (standard tube feed) for older children and adults being tube-fed who need to gain or maintain weight or for oral feeding of patients with altered taste perception. Appropriate for short or long-term use. Contains fiber and FOS (a prebiotic that may help promote gut health). Kosher, gluten-free, lactose-free. Per 8 fl oz: 355 kcals (1.5 kcals/ml), 15.1 g pro, 11.8 g fat, 51.1 g CHO, 5.3 g fiber, 4.3 mg iron Osmolality: 525 mOsm/kg CAUTION: For use only under medical supervision. Not for parenteral use. Not for patients with galactosemia. | Approved with prescription. | 8 fl oz (237 ml) can RTF 24 cans/case 1000 ml container Ready-To-Hang 8 containers/case 1500 ml container Ready-To-Hang 6 containers/case | Protein (17% kcals) - Sodium and calcium caseinates, soy protein isolate Fat (29.4% kcals) - High oleic safflower oil, canola oil, MCT oil, soy lecithin CHO (53.6% kcals) - Corn syrup solids, corn maltodextrin, fructooligosaccharides, oat fiber, soy fiber |
| USE: A medical food for older children and adults (wound healing oral supplement/tube feed) with burn injuries, pressure ulcers, venous stasis ulcers or other chronic wounds. Contains supplemental levels of L-Arginine and Glutamine. Kosher, lactose-free, sugar-free, may be suitable for gluten-free diets. Per 9.2 g: 35 kcals, 4.5 g pro, 0 g fat, 4 g CHO, 0 mg iron (0.15 kcals/ml when mixed with 237 ml water. Osmolality: 405 – 461 mOsm/kg Flavors: unflavored, fruit punch, orange CAUTION: For use only under medical supervision. Made in same plant with soy, milk, egg and wheat products. Phenylketonurics: contains phenylalanine in fruit punch and orange flavors. | Not WIC Approved. | 9.2 g (0.32 oz) packet powder 56 packets/case Mix one packet with 6-8 fl oz water. | Protein (85% kcals) - L-Arginine, glutamine Fat (0% kcals) - None CHO (15% kcals) - sucrose (flavored) |

| Product | WIC Issuance | Size | Nutrient Source |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------|
| KETOCAL 3.1 (Nutricia North America) | Approved with prescription. | 11 oz (300 g) can powder 6 cans/case | Protein (8.8% kcals) - Milk protein |
| USE: A nutritionally complete, ketogenic medical food (metabolic) in a 3:1 ratio (fat:carbohydrate+ protein) for children up to age 8 with intractable epilepsy. Can be used as the sole source of nutrition or as a supplement. Nutrient dense for children with low energy requirements. For oral use or tubefeeding. Per 100 g: 699 kcals, 15.3 g pro, 7.2 g CHO, 67.7 g fat, 10.9 mg iron. Osmolality: 180 mOsm/kg at 30 kcal/fl oz CAUTION: For use only under strict medical supervision for individuals with intractable epilepsy. Not for parenteral use. Not suitable for children under one year of age. | | Dilutions: 20 kcal/oz: 9.5 g powder to 91 ml water to yield 100 ml 24 kcal/oz: 11.4 g powder to 89 ml water to yield 100 ml 30 kcal/oz: 14.3 g powder to 86 ml water to yield 100 ml Reconstituted amount unavailable. Intake dependent on age, body weight and medical condition. Follow Rx as directed by physician | Fat (87.1% kcals) Refined vegetable oil (palm, soy) CHO (4.1% kcals) - Lactase |
| KETOCAL 4.1 (Nutricia North America) | Approved with prescription. | 11 oz (300 g) can powder 6 cans/case | Protein (8% kcals) - Dry whole milk |
| USE: A nutritionally complete, ketogenic medical food (metabolic) in a 4:1 ratio (fat:carbohydrate+ protein) for individuals over 1 yr of age with intractable epilepsy. Can be used as the sole source of nutrition or as a supplement. Nutrient dense for children with low energy requirements. For oral use or tubefeeding. Per 100 g: 720 kcals, 15 g pro, 3 g CHO, 72 g fat, 11 mg iron. Osmolality: 197 mOsm/kg CAUTION: For use only under strict medical supervision for individuals with intractable epilepsy. Not for parenteral use. Not suitable for children under one year of age. | | Recommended dilution: 4 mL of water to 1 g of powder Reconstituted amount unavailable. Intake dependent on age, body weight and medical condition. Follow Rx as directed by physician | Fat (90% kcals) (LCT 100%) - Hydrogenated soybean oil, refined soybean oil CHO (2% kcals) - Corn syrup solids |

| Product | WIC Issuance | Size | Nutrient Source |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|-------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------|
| KETOCAL 4.1 LIQUID (Nutricia North America) | Approved with prescription. | 8 fl oz (235 ml) can powder 27 cans/case | Protein (8% kcals) - Dry whole milk |
| USE: A nutritionally complete, ketogenic medical food (metabolic) in a 4:1 ratio (fat:carbohydrate+ protein) for individuals over 1 yr of age with intractable epilepsy. Can be used as the sole source of nutrition or as a supplement. Nutrient dense for children with low energy requirements. For oral use or tubefeeding. Per 237 ml: 356 kcals, 7.32 g pro, 4.10 g CHO, 35.1 g fat, 3.6 mg iron. Osmolality: 260 mOsm/kg CAUTION: For use only under strict medical supervision for individuals with intractable epilepsy. Not for parenteral use. Not suitable for children under one year of age. | presemption | Intake dependent on age, body weight and medical condition. Follow Rx as directed by physician | Fat (89% kcals) - Hydrogenated soybean oil, refined soybean oil CHO (4% kcals) - Corn syrup solids |
| KETONEX – 1 (Abbott Nutrition) | Approved with | 14.1 oz (400 g) can powder | Protein (13% kcals) |
| USE: An isoleucine-, leucine- and valine-free infant formula and medical food (metabolic) for infants and toddlers with maple syrup urine disease (MSUD). Supplemented with L-carnitine and taurine. Iron-fortified. Per 100 g: 480 kcals, 15 g pro, 21.7 g fat, 53 g CHO, 9 mg iron Osmolality: 365 mOsm/kg at 20 kcal/fl oz CAUTION: Must only be given to infants and toddlers with proven MSUD under strict medical supervision. Not intended as a sole source of nutrition. Not for parenteral use. | prescription. | 6 cans/case Standard dilution = 20 kcals/oz Follow Rx as directed by physician. 1 Tbsp powder = 8 g | - Amino acids (without isoleucine, leucine, valine) Fat (41% kcals) - High oleic safflower oil, coconut oil, soy oil CHO (44% kcals) - Corn syrup solids |

| Product | WIC Issuance | Size | Nutrient Source |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|-------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| KETONEX – 2 (Abbott Nutrition) USE: An isoleucine-, leucine- and valine-free medical food (metabolic) for children and adults with maple syrup urine disease (MSUD). Supplemented with L-carnitine and taurine. Per 100 g: 410 kcals, 30 g pro, 14 g fat, 35 g CHO, 13 mg iron Osmolality: 1315 mOsm/kg at 30 kcal/fl oz CAUTION: Must only be given to children and adults with proven MSUD under strict medical supervision. Not intended as a sole source of nutrition. Not for parenteral use. | Approved with prescription. | 14.1 oz (400 g) can powder 6 cans/case Standard dilution = 30 kcals/oz Follow Rx as directed by physician. 1 Tbsp powder = 8 g | Protein (29% kcals) - Amino acids (without isoleucine, leucine, valine) Fat (31% kcals) - High oleic safflower oil, coconut oil, soy oil CHO (34% kcals) - Corn syrup solids |
| L-EMENTAL (Hormel HealthLabs) – orange, lemon-lime USE: An elemental medical food (wound healing oral supplement/tube feed) for older children and adults with inflammatory bowel disease, bowel resection, chronic diarrhea, crohn's disease, irradiated bowel, malabsorption syndrome, GI fistula, short bowel syndrome, pancreatic disorder, limited gut function or if transitioning from TPN. Assists in wound healing by delivering arginine, antioxidants and zinc. Kosher, lactose-free, gluten-free. Per 0.37 oz: 30 kcals, 3.5 g pro, 0 g fat, 4 g CHO, 0 mg iron Osmolality: 630 mOsm/kg Flavors: orange, lemon-lime, cherry CAUTION: For use only under strict medical supervision. Not for parenteral use. | Approved with prescription. | 0.37 oz (10.3 g) packet powder 50 packets/case Standard dilution: Mix with water or juice | Protein (47% kcals) - L-arginine Fat (0% kcals) - None CHO (53% kcals) - Maltodextrin |

| Product | WIC Issuance | Size | Nutrient Source |
|-------------------------------------------------------------------------------------------------------|-----------------------------|---------------------------------------------------|--------------------------------------------|
| L-EMENTAL (Hormel HealthLabs) – unflavored | Approved with prescription. | 2.84 oz (80.4 g) packet powder 60 packets/case | Protein (15% kcals) - Amino acids |
| USE: An elemental medical food (wound healing oral supplement/tube feed) for | presentation. | | ,e delde |
| older children and adults with inflammatory bowel disease, bowel resection, chronic | | Standard dilution: 1 packet | Fat (2% kcals) |
| diarrhea, crohn's disease, irradiated bowel, malabsorption syndrome, GI fistula, | | powder to 8.5 fl oz warm water. | - Safflower oil |
| short bowel syndrome, pancreatic disorder, limited gut function or if transitioning | | | |
| from TPN. Assists in wound healing by delivering arginine, antioxidants and zinc. | | | CHO (82% kcals) |
| Kosher, lactose-free, gluten-free. | | | - Maltodextrin |
| Per 2.87 oz: 300 kcals, 11.5 g pro, 0.8 g fat, 61.7 g CHO, 2.7 mg iron | | | |
| Osmolality: 630 mOsm/kg | | | |
| CAUTION: For use only under strict medical supervision. Not for parenteral use. | | | |
| LANAFLEX (Nutricia North America) | Not WIC approved. | 15.8 g sachet | Protein (52% kcals) |
| | | 40 sachets/case | - Amino Acids |
| USE: A phenylalanine-free <u>medical food</u> for <u>individuals over 12 years of age</u> with | | | |
| <u>phenylketonuria</u> who are no longer following a phenylalanine-restricted diet. | | Standard dilution: 1 sachet to 2 fl | Fat (0% kcals) |
| Contains CHO, vitamins, minerals, and trace elements. | | oz chilled water = 70 ml (2.3 fl oz). | - Negligble |
| Per 15.8 g: 40 kcals, 5.2 g pro, .16 g fat, 4.4 g CHO, 5.9 mg Iron | | Recommended quantity of | CHO (44% kcals) |
| | | Lanaflex is 0.8 g per kg | - Sugar |
| Osmolality (1 to 4 dilution): 1350 mOsm/kg | | bodyweight per day. Not to | |
| | | exceed three sachets per day | |
| CAUTION: For use only under strict medical supervision. Not for use when planning | | total. | |
| or during pregnancy. | Not MIC Amores ad | 17.5 (500 -) | Ductoin (720/ Isoala) |
| LEU 1 (Milupa North America) | Not WIC Approved. | 17.5 oz (500 g) can powder 1 cans/case | Protein (72% kcals) - Amino acids (without |
| USE: A leucine-free exempt infant formula (metabolic) for infants with inherited | | 1 Calls/Case | leucine) |
| disorders of leucine metabolism. Enriched with vitamins, minerals and trace | | Intake dependent on age, body | reactive) |
| elements. | | weight and medical condition. | Fat (0% kcals) |
| | | Follow Rx as directed by physician | , |
| Per 100 g: 276 kcals, 50 g pro, 0 g fat, 19.1 g CHO, 35 mg iron | | , | CHO (28% kcals) |
| | | | - maltodextrin |
| CAUTION: For use only under strict medical supervision. Not intended as a sole | | | |
| source of nutrition. Not for parenteral use. | | | |
| | | | |

| Product | WIC Issuance | Size | Nutrient Source |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|----------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------|
| USE: A leucine-free medical food (metabolic) for toddlers and children over age 1 with inherited disorders of leucine metabolism. Enriched with vitamins, minerals and trace elements. Per 100 g: 289 kcals, 60 g pro, 0 g fat, 12.2 g CHO, 26.4 mg iron CAUTION: For use only under strict medical supervision. Not intended as a sole source of nutrition. Not for parenteral use. | Not WIC Approved. | 17.5 oz (500 g) can powder 2 cans/case Intake dependent on age, body weight and medical condition. Follow Rx as directed by physician | Protein (83% kcals) - Amino acids (without leucine) Fat (0% kcals) CHO (17% kcals) -maltodextrin |
| USE: A leucine-free medical food (metabolic) for children, adolescents and adults over 1 year with inherited disorders of leucine metabolism. Enriched with vitamins, minerals and trace elements. Per 100 g: 303 kcals, 62.6 g pro, 0 g fat, 13.2 g CHO, 15 mg iron CAUTION: For use only under strict medical supervision. Not intended as a sole source of nutrition. Not for parenteral use. | Not WIC Approved. | 17.5 oz (500 g) can powder 2 cans/case Intake dependent on age, body weight and medical condition. Follow Rx as directed by physician | Protein (83% kcals) - Amino acids (without leucine) Fat (0% kcals) CHO (17% kcals) - Sugar |
| LIQUID PROTEIN FORTIFIER (Abbott Nutrition) USE: A extensively hydrolyzed protein medical food for infants with an increased protein need. Sterile. For use with human milk or infant formula. Peptides and amino acids for easy digestion and absorption. Per 6 ml: 4 kcals, 1 g pro CAUTION: For use only under strict medical supervision. Not intended as a sole source of nutrition. Not for parenteral use. | Not WIC Approved. | 1.8 fl oz (54 ml) bottle 48 bottles/case | Protein (100% kcals) - Casein hydrolysate Fat (0% kcals) CHO (0% cakl) |

| Product | WIC Issuance | Size | Nutrient Source |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| USE: A leucine-free infant formula and medical food (metabolic) for infants, children and adults with inborn errors of leucine metabolism, including isovaleric acidemia. Contains increased levels of B vitamins for cofactor production. Vanilla scent. Gluten-free, lactose-free, galactose-free. Per 100 g: 500 kcals, 16.2 g pro, 26 g fat, 51 g CHO, 9.6 mg iron Osmolality: 370 mOsm/kg CAUTION: For use only under strict medical supervision. Not intended as a sole source of nutrition. Not for parenteral use. | Approved with prescription. | 16 oz (454 g) can powder 6 cans/case Reconstituted amount unavailable. Follow Rx as directed by physician 1 scoop powder = 4.5 g | Protein (13% kcals) - Amino acids (without leucine) Fat (47% kcals) - Vegetable oil (palm olein, soy, coconut, high oleic sunflower oils) CHO (40% kcals) - Corn syrup solids, modified corn starch, sugar, maltodextrin |
| USE: A phenylalanine-free medical food (metabolic) for older children (over 4) and adults (including pregnant women) with phenylketonuria (PKU). Low volume medical food. Contains vitamins, minerals and trace elements. For oral use or tubefeeding. Per 14.3 g: 41 kcals, 10 g pro, .03 g fat, .14 g CHO, 3.7 mg iron Osmolality (1 to 5 dilution): 2460 mOsm/kg Flavors: berry, orange CAUTION: For use only under strict medical supervision. Not intended as a sole source of nutrition. Not for parenteral use. Not intended for infants. | Approved with prescription. | 14.3 g sachet powder 30 sachets/box Standard dilution: 1 sachet powder to water to yield 2.5 fl oz drink. Intake dependent on age, body weight and medical condition. Follow Rx as directed by physician | Protein (98% kcals) - Amino acids (without phenylalanine) Fat (<1% kcals) - Negligible CHO (1% kcals) - Negligible |

| Product | WIC Issuance | Size | Nutrient Source |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|----------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------|
| USE: A lysine-free exempt infant formula (metabolic) for infants with inherited disorders of lysine metabolism. Enriched with vitamins, minerals and trace elements. Per 100 g: 281 kcals, 50 g pro, 0 g fat, 20.2 g CHO, 35 mg iron CAUTION: For use only under strict medical supervision. Not intended as a sole source of nutrition. Not for parenteral use. | Not WIC Approved. | 17.5 oz (500 g) can powder 1 cans/case Intake dependent on age, body weight and medical condition. Follow Rx as directed by physician | Protein (71% kcals) - Amino acids (without lysine) Fat (0% kcals) CHO (29% kcals) - maltodextrin |
| LYS 2-PRIMA (Milupa North America) USE: A lysine-free medical food (metabolic) for toddlers and children over age 1 with inherited disorders of lysine metabolism. Enriched with vitamins, minerals and trace elements. Per 100 g: 294 kcals, 60 g pro, 0 g fat, 13.5 g CHO, 26.4 mg iron CAUTION: For use only under strict medical supervision. Not intended as a sole source of nutrition. Not for parenteral use. | Not WIC Approved. | 17.5 oz (500 g) can powder 2 cans/case Intake dependent on age, body weight and medical condition. Follow Rx as directed by physician | Protein (82% kcals) - Amino acids (without lysine) Fat (0% kcals) CHO (18% kcals) -maltodextrin |
| USE: A lysine-free medical food (metabolic) for children, adolescents and adults over 1 year with inherited disorders of lysine metabolism. Enriched with vitamins, minerals and trace elements. Per 100 g: 308 kcals, 64.4 g pro, 0 g fat, 12.5 g CHO, 15 mg iron CAUTION: For use only under strict medical supervision. Not intended as a sole source of nutrition. Not for parenteral use. | Not WIC Approved. | 17.5 oz (500 g) can powder 2 cans/case Intake dependent on age, body weight and medical condition. Follow Rx as directed by physician | Protein (84% kcals) - Amino acids (without lysine) Fat (0% kcals) CHO (16% kcals) - Sugar |

| Product | WIC Issuance | Size | Nutrient Source |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------|
| WCT OIL (Nestle Healthcare Nutrition) USE: A medical food (oral supplement) for infants, children and adults with pancreatic disorders, malabsorption syndrome or short bowl syndrome. More readily hydrolyzed and absorbed than conventional food fat. Kosher, lactose-free, may be suitable for a gluten-free diet. Per 1 Tbsp: 115 kcals (7.7 kcals/ml; 8.3 kcals/g), 0 g pro, 14 g fat, 0 g CHO, 0 mg iron CAUTION: For use only under strict medical supervision. Not intended as a sole source of nutrition. | Approved with prescription. | 1 quart glass bottle 6 bottles/case | Protein (0% kcals) - None Fat (100% kcals) - MCT oil CHO (0% kcals) - None |
| WSE: A methionine-free, powdered medical food (metabolic) for individuals over the age of 1 year for the dietary management of vitamin B₆ non-responsive homocystinuria or hypermethioninemia. Must be consumed in conjunction with natural protein, fluid and other nutrients. Does not contain fat, allowing for flexibility in modifying energy intake. Flavor-less. Per 100 g: 250 kcals, 60 g pro, 0 g fat, 3 g CHO, 25 mg iron CAUTION: For use only under strict medical supervision. Not intended as a sole source of nutrition. | Approved with prescription. | 7 oz (200 g) can 10 cans/case 1 Tbsp powder = 9 g Intake dependent on age, body weight and medical condition. Follow Rx as directed by physician | Protein (96%) -Amino acids (methionine-free) Fat (0%) CHO (4%) -Hydrolyzed corn starch |
| WICROLIPID (Nestle Healthcare Nutrition) USE: A medical food (for use in foods/oral supplements/tube feeds) for infants, children and adults with anorexia, fluid restriction or in need of extra calories. 50% fat emulsion. Kosher, lactose-free, gluten-free diet. Per 1 Tbsp: 67.5 kcals (4.5 kcals/ml), 0 g pro, 7.5 g fat, 0 g CHO, 0 mg iron CAUTION: For use only under strict medical supervision. Not intended as a sole source of nutrition. | Approved with prescription. | 3 fl oz bottle 48 bottles/case | Protein (0% kcals) - None Fat (100% kcals) - Safflower oil CHO (0% kcals) - None |

| Product | WIC Issuance | Size | Nutrient Source |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------|
| MILUPA HOM 2 (Milupa North America) USE: A methionine-free medical food (metabolic) for children and adults with vitamin B₆ non-responsive homocystinuria. Enriched with vitamins and minerals. Per 100 g: 290 kcals, 69 g pro, 0 g fat, 3.8 g CHO, 15 mg iron Osmolality: 810 mOsm/kg CAUTION: Must be used only under strict medical supervision for individuals with proven homocystinuria. Not intended as a sole source of nutrition. Not for parenteral use. | Approved with prescription. | 17.5 oz (500 g) can powder 2 cans/case 1 Tablespoon = 9 g Reconstituted amount unavailable. Intake dependent on age, body weight and medical condition. Follow Rx as directed by physician | Protein (95% kcals) - Amino acids (without methionine) Fat (0% kcals) - None CHO (5% kcals) - Sugar |
| WSE: An isoleucine-, leucine- and valine-free medical food (metabolic) for children and adults with maple syrup urine disease (MSUD) – classic, inherited and intermittent forms, hypervalinemia (isoleucine and leucine should be added), alphamethylacetoacetic aciduria (leucine and valine should be added), ketotic hypoglycemia – leucine induced, idiopathic form (isoleucine and valine should be added) or hyperprolinemia type II, with hyperleucine-isoleucinemia (valine should be added). Enriched with vitamins and minerals. Per 100 g: 300 kcals, 54 g pro, 0 g fat, 21 g CHO, 15 mg iron Osmolality (1 to 9 dilution): 700 mOsm/kg CAUTION: For use only under strict medical supervision for individuals with disorders of branched chain amino acid metabolism. Not intended as a sole source of nutrition. Not for parenteral use. | Approved with prescription. | 17.5 oz (500 g) can powder 2 cans/case 1 Tbsp powder = 10 g Reconstituted amount unavailable. Intake dependent on age, body weight and medical condition. Follow Rx as directed by physician | Protein (72% kcals) - Amino acids (without isoleucine, leucine and valine) Fat (0% kcals) CHO (28% kcals) - Sugar |

| Product | WIC Issuance | Size | Nutrient Source |
|----------------------------------------------------------------------------------------------------------|---------------|------------------------------------------------------------------|--------------------------|
| MILUPA OS 2 (Nutricia North America) | Approved with | 17.5 oz (500 g) can powder | Protein (75% kcals) |
| | prescription. | 2 cans/case | - Amino Acids (without |
| USE: An isoleucine-, methionine-, threonine- and valine-free medical food | | | isoleucine, methionine, |
| (metabolic) for <u>children and adults</u> with <u>propionic academia or vitamin B₁₂ non-</u> | | 1 Tbsp powder = 9 g | threonine, valine) |
| responsive methylmalonic acidemia. Enriched with vitamins, minerals and trace | | | |
| elements. | | Reconstituted amount unavailable. | Fat (0% kcals) |
| Per 100 g: 300 kcals, 56.2 g pro, 0 g fat, 18.9 g CHO, 15 mg iron | | Intake dependent on age, body | CHO (25% kcals) |
| Osmolality (1-9 dilution): 720 mOsm/kg | | weight and medical condition. Follow Rx as directed by physician | - Sugar |
| CAUTION: For use only under strict medical supervision for individuals with | | | |
| propionic academia or vitamin B ₁₂ non-responsive methylmalonic acidemia. Not | | | |
| intended as a sole source of nutrition. Not for parenteral use. | | | |
| MILUPA PKU 2 (Nutricia North America) | Approved with | 17.5 oz (500 g) can powder | Protein (92% kcals) |
| · · · · · · · · · · · · · · · · · · · | prescription. | 2 cans/case | - Amino acids (without |
| USE: A phenylalanine-free <u>medical food</u> (metabolic) for <u>children</u> with | | | phenylalanine) |
| phenylketonuria or hyperphenylalaninemia. Enriched with vitamins, minerals and | | 1 Tbsp powder = 9 g product, 6 g | |
| trace elements. | | pro | Fat (0% kcals) - None |
| Per 100 g: 293 kcals, 67 g pro, 0 g fat, 6.2 g CHO, 15 mg iron | | Reconstituted amount | |
| | | unavailable. | CHO (9% kcals) |
| Osmoalality (1 to 9 dilution): 790 mOsm/kg) | | Intake dependent on age, body | - Sugar |
| | | weight and medical condition. | |
| CAUTION: For use only under strict medical supervision for children with proven | | Follow Rx as directed by physician | |
| phenylketonuria or hyperphenylalaninemia. Not intended as a sole source of | | | |
| nutrition. Not for parenteral use. | | | |
| | | | |

| Approved with | 45 g sachet powder | |
|-----------------------------|-------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| araccrintian | 30 sachets/case | Protein (23% kcals) - Amino acids (without |
| prescription. | Standard dilution = 1 sachet | phenylalanine) |
| | powder to 4.2 fl oz water | Fat (22% kcals) - Vegetable oils (coconut |
| | Intake dependent on age, body weight and medical condition. | oil, palm olein, palm oil, canola oil, sunflower oil) |
| | Follow Rx as directed by physician | CHO (56% kcals) |
| | | - Corn syrup solids |
| | | |
| Approved with prescription. | 17.5 oz (500 g) can powder 2 cans/case | Protein (97% kcals) - Amino acids (without |
| | | phenylalanine) |
| | | |
| | | Fat (0% kcals) - None |
| | Reconstituted amount unavailable. | CHO (2.4% kcals) |
| | Intake dependent on age, body weight and medical condition. | - Sugar |
| | Follow Rx as directed by physician | |
| | | |
| | • • | powder to 4.2 fl oz water Intake dependent on age, body weight and medical condition. Follow Rx as directed by physician 17.5 oz (500 g) can powder 2 cans/case 1 Tbsp pwd = 8.5 g product, 6 g pro Reconstituted amount unavailable. Intake dependent on age, body weight and medical condition. |

| Product | WIC Issuance | Size | Nutrient Source |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------|
| MONOGEN (Nutricia North America) | Approved with prescription. | 14 oz (400 g) can powder 6 cans/case | Protein (11% kcals) - Whey protein |
| USE: A milk-protein based medical food (metabolic) for children and adults with hyperlipoproteinemia type 1, chylothorax, intestinal lymphangiectasia, intestinal lymphangiectasia, intractable malabsorption with steatorrhea, post-operative feeding in short gut syndrome, other lipid and lymphatic disorders where a low fat, high MCT diet is indicated. High in medium chain triglycerides. For oral use or tubefeeding. Per 100 g: 420 kcals, 12.5 g pro, 11 g fat, 68 g CHO, 4.2 mg iron Osmolality: 250-370 mOsm/kg | | Standard dilution: 22 kcals/oz 3 ½ scoops (17.5 g powder) to 3 fl oz (90 ml) water yields 100 ml formula. 1 scoop powder = 5 g Reconstituted amount unavailable. Intake dependent on age, body weight and medical condition. | concentrate (milk, soy lecithin), L-amino acids Fat (25% kcals) - Fractionated coconut oil, walnut oil CHO (64% kcals) - Corn syrup solids |
| CAUTION: For use only under strict medical supervision. Not intended as a sole source of nutrition. | | Follow Rx as directed by physician | |
| MSUD AID (Nutricia North America) | Approved with prescription. | 14 oz (400 g) can powder 4 cans/case | Protein (96% kcals) - Amino acids (without |
| USE: An isoleucine-, leucine- and valine-free medical food (metabolic) for individuals over the age of 1 year with Maple Syrup Urine Disease. Must be consumed in conjunction with natural protein, fluid and other nutrients. Does not contain fat, allowing for flexibility in modifying energy intake. Flavorless. Per 100 g: 250 kcals, 60 g pro, 0 g fat, 3 g CHO, 25 mg Iron CAUTION: Must only be used under strict medical supervision. Not intended for use as the sole source of nutrition. Not recommended for infants under 1 year of age. Not for parenteral use. Not suitable for metabolic disorders other than MSUD | | Reconstituted amount unavailable. Intake dependent on age, body weight and medical condition. Follow Rx as directed by physician. | isoleucine, leucine and valine) Fat (0% kcals) CHO (4% kcals) - Hydrolyzed cornstarch |
| or as a supplement for individuals who do not have MSUD. | | | |

| Product | WIC Issuance | Size | Nutrient Source |
|----------------------------------------------------------------------------------------------------------|---------------|------------------------------------|-----------------------------|
| MSUD ANALOG (Nutricia North America) | Approved with | 14 oz (400 g) can powder | Protein (11% kcals) |
| | prescription. | 6 cans/case | - Amino acids (without |
| USE: An isoleucine-, leucine and valine-free <u>infant formula</u> (metabolic) for <u>infants</u> | | | isoleucine, leucine and |
| with maple syrup urine disease (MSUD). Contains a balanced mixture of all other | | Recommened dilution = | valine), |
| essential and non-essential amino acids, CHO, vitamins, minerals and trace | | 21kcals/oz: 1 scoop (5 g) powder | |
| elements. Does not contain fat, allowing for flexibility in modifying energy intake. | | to every | Fat (40% kcals) |
| | | 1 fl oz water | - High oleic safflower oil, |
| Per 100 g: 475 kcals, 13 g pro, 20.9 g fat, 59 g CHO, 10 mg iron | | | refined vegetable oil |
| | | 1 Tbsp powder = 8 g | (coconut, soy) |
| Osmolality: 377 mOsm/kg | | | |
| | | Reconstituted amount | CHO (50% kcals) |
| CAUTION: Must only be given to children with proven maple syrup urine disease | | unavailable. | - Corn syrup solids |
| under strict medical supervision. Not intended as a sole source of nutrition. Not for | | Intake dependent on age, body | |
| parenteral use. | | weight and medical condition. | |
| | | Follow Rx as directed by physician | |
| MSUD MAXAMAID (Nutricia North America) | Approved with | 16 oz (454 g) can powder | Protein (31% kcals) |
| | prescription. | 6 cans/case | - Amino acids (without |
| USE: An isoleucine-, leucine and valine-free <u>medical food</u> (metabolic) for <u>toddlers</u> | | | isoleucine, leucine and |
| and young children with maple syrup urine disease (MSUD). Contains a balanced | | Recommended dilution (1 to 7) is | valine) |
| mixture of all other essential and non-essential amino acids, CHO, vitamins, minerals | | 100 g powder to 100 ml fluid. | |
| and trace elements. Does not contain fat, allowing for flexibility in modifying energy | | | Fat (< 1% kcals) |
| intake. | | 1 Tbsp powder = 9 g | - Negligible |
| Per 100 g: 324 kcals, 25 g pro, <.1 g fat, 56 g CHO, 14 mg iron | | Reconstituted amount | CHO (69% kcals) |
| | | unavailable. | - Sugar, corn syrup solids |
| Osmolality: | | Intake dependent on age, body | |
| Dilution 1 to 7 - 680 mOsm/kg | | weight and medical condition. | |
| Dilution 1 to 5 - 940 mOsm/kg | | Follow Rx as directed by physician | |
| Flavors: orange | | | |
| CAUTION: Must only be given to children with proven maple syrup urine disease | | | |
| under strict medical supervision. Not intended as a sole source of nutrition. Not for parenteral use. | | | |
| L | ! | <u> </u> | <u> </u> |

| Product | WIC Issuance | Size | Nutrient Source |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| MSUD MAXAMUM (Nutricia North America) USE: An isoleucine-, leucine- and valine-free medical food (metabolic) for children over 8, adults and pregnant women with maple syrup urine disease (MSUD). Contains a balanced mixture of all other essential and non-essential amino acids, CHO, vitamins, minerals and trace elements. Does not contain fat, allowing for flexibility in modifying energy intake. Per 100 g: 305 kcals, 40 g pro, <1 g fat, 34 g CHO, 14.7 mg iron Osmolality: Dilution 1 to 7 - 800 mOsm/kg Dilution 1 to 5 - 1130 mOsm/kg Flavors: orange CAUTION: Must only be given to individuals with proven maple syrup urine disease under strict medical supervision. Not intended as a sole source of nutrition. Not for parenteral use. | Approved with prescription. | 16 oz (454 g) can powder 6 cans/case Recommended dilution (1 to 7) is ¼ cup (35 g) powder to 8 fl oz water. 1 Tbsp powder = 9 g Reconstituted amount unavailable. Intake dependent on age, body weight and medical condition. Follow Rx as directed by physician | Protein (52% kcals) - Amino acids (without isoleucine, leucine valine) Fat (<3% kcals) - Negligible CHO (45% kcals) - Sugar, corn syrup solids |
| NEOCATE INFANT with DHA and ARA (Nutricia North America) USE: A nutrionally complete infant formula (elemental, hypoallergenic) for infants with cow and soy milk allergy, multiple food protein intolerance, short bowel syndrome, eosinophilic esophagitis, gastroesophageal reflux and other medical conditions that require an amino-acid based diet. Contains DHA and ARA. Neocate is proven safe for use in severely allergic infants who cannot tolerate soy formulas of protein hydrolysates. 100% synthetic free amino acids. For oral use or tubefeeding. Lactose-free, milk-free, sucrose-free Per 100 kcals: 3.1 g pro, 4.5 g fat, 11.7 g CHO, 1.85 mg iron Osmolality: 375 mOsm/kg CAUTION: For use only under strict medical supervision. | Approved with prescription. | 14 oz (400 g) can powder 4 cans/case Reconstituted: 85 fl oz Standard dilution = 20 kcals/oz: 8 scoops (38 g) to 7 fl oz water yields 8 fl oz formula Or 20 kcals/oz: 1/3 cup + 1 ½ tsp powder to 7 fl oz water yields 8 fl oz formula | Protein (12% kcals) - Free amino acids Fat (41% kcals) (95% LCT, 5 % MCT) - High oleic safflower oil, refined coconut, soy oil CHO (47% kcals) - Corn syrup solids |

| Product | WIC Issuance | Size | Nutrient Source |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| NEOCATE JUNIOR (Nutricia North America) | Approved with prescription. | 14 oz (400 g) can powder 4 cans/case | Protein (13-14% kcals) - Free amino acids |
| USE: A nutritionally complete medical food (pediatric elemental, hypoallergenic tube feed/oral supplement) for children ages 1-10 with gastrointestinal tract impairment, malabsorption, cow and soy milk allergy, multiple food protein intolerance, eosinophilic esophagitis and other medical conditions that require an amino acid-based diet. Contains extra vitamins and minerals for malabsorptive conditions. 100% synthetic free amino acids. Milk-free, soy-free, lactose-free, galactose-free, fructose-free, sucrose-free. SHS flavor packets available. Per 100 kcals: 3.3-3.5 g pro, 4.7-5 g fat, 10.4-11 g CHO, 1.5-1.6 mg iron Osmolality: 590-700 mOsm/kg Flavors: unflavored, tropical fruit, chocolate CAUTION: For use only under strict medical supervision. | | Standard dilution = 30 kcals/oz: - Tropical fruit/chocolate: 7 scoops powder to 7 fl oz water yields 8 fl oz formula. Reconstituted: 60 fl oz - Unflavored: 6 scoops powder to 6.5 fl oz water yields 8 fl oz formula. Reconstituted: 64 fl oz 1 Scoop = 8.2 g | Fat (42-45% kcals) (65% LCT, 35 % MCT) - Fractionated coconut oil, canola oil, high oleic safflower oil CHO (42-44% kcals) - Corn syrup solids |
| NEOCATE JUNIOR WITH PREBIOTICS (Nutricia North America) | Approved with | 14 oz (400 g) can powder | Protein (13.4% kcals) |
| USE: A nutritionally complete medical food with prebiotic fiber (pediatric elemental, hypoallergenic tube feed/oral supplement) for children ages 1-10 with malabsorption , cow and soy milk allergy , multiple food protein intolerance, eosinophilic esophagitis and other medical conditions that require an amino acid-based diet . Contains extra vitamins and minerals for malabsorptive conditions. 100% synthetic free amino acids. Milk-free, soy-free, lactose-free, galactose-free, fructose-free, sucrose-free. SHS flavor packets available. Per 100 kcals: 3.3-3.5 g pro, 4.6-5 g fat, 10.4-11.2 g CHO, 1.5-1.6 mg iron Osmolality: 570-650 mOsm/kg Flavors: unflavored, vanilla CAUTION: For use only under strict medical supervision. | prescription. | 4 cans/case Standard dilution = 30 kcals/oz: - Vanilla: 7 scoops powder to 7.5 fl oz water yields 9 fl oz formula. Reconstituted: 62 fl oz - Unflavored: 6 scoops powder to 6.5 fl oz water yields 8 fl oz formula. Reconstituted: 64 fl oz 1 scoop = 8.2 g | - Free amino acids Fat (41.4% kcals) (65% LCT, 35 % MCT) - Fractionated coconut oil, canola oil, high oleic safflower oil CHO (45.% kcals) - Corn syrup solids |

| Product | WIC Issuance | Size | Nutrient Source |
|----------------------------------------------------------------------------------------------------------|---------------|------------------------------------|-----------------------------|
| NEOCATE NUTRA (Nutricia North America) | Approved with | 14 oz (400g) can powder | Protein (9% kcals) |
| | prescription. | | - Free amino acids |
| USE: A <u>medical food</u> (amino-acid based, hypoallergenic semi-solid food) for <u>children</u> | | Powder mixes to semi-solid food. | |
| over 6 months of age with cow and soy milk allergy, multiple food protein | | Reconstituted amount | Fat (20% kcals) |
| intolerance, eosinophilic esophagitis, gastroesophageal reflux and other medical | | unavailable. | - Refined vegetable oil |
| conditions that require an amino-acid based diet. Contains essential vitamins and | | Follow Rx as directed by physician | (non-hydrogentated |
| minerals to promote balanced nutrition. Milk protein-free, gluten-free. | | | coconut oil, canola oil, |
| | | | sunflower oil) |
| Per 37 gm (175 kcals): 3 g pro, 7 g fat, 24.9 g CHO, 2.2 mg iron | | | |
| | | | CHO (71% kcals) |
| | | | - Corn syrup solids, |
| CAUTION: For use only under strict medical supervision. Not for bottle, tube feed | | | cornstarch, sugar |
| or parenteral use. | | | |
| NEPRO with CARB STEADY (Abbott Nutrition) | Approved with | 8 fl oz (237 ml) can RTF | Protein (18% kcals) |
| | prescription. | 24 cans/case | - Calcium, magnesium |
| USE: A nutritionally complete <u>medical food</u> (renal oral supplement/tube feed) for | | | and sodium caseinates, |
| older children and adults on dialysis with chronic or acute renal failure. Carb steady | | 1000 ml container Ready-To-Hang | milk protein isolate |
| blend may help manage blood glucose response. Contains FOS (a prebiotic that may | | (Vanilla only) | |
| help promote gut health). Kosher, gluten-free, lactose-free, low-residue. | | | Fat (48% kcals) |
| | | | - High oleic safflower oil, |
| Per 8 fl oz: 475 kcals (1.8 kcals/ml), 19.1 g pro, 22.7 g fat, 39.4 g CHO, 4.5 mg iron | | | canola oil |
| | | | |
| Osmolality: 600 mOsm/kg | | | CHO (34% kcals) |
| | | | - Corn syrup solids, |
| Flavors: homemade vanilla, butter pecan, mixed berry | | | sucrose, |
| | | | fructooligosaccharides |
| CAUTION: For use only under strict medical supervision. Not for parenteral use. | | | |
| | | | |

| Product | WIC Issuance | Size | Nutrient Source |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| NOVASOURCE RENAL (Nestle Healthcare Nutrition) USE: A high-calorie, high-protein medical food (renal tube feed) for older children and adults with renal disease or fluid restrictions. Contains no added sucrose or sugar alcohols. Novartis patented NutriShield ingredients may add microbial protection. Kosher, lactose-free, low-residue, gluten-free. Per 237 ml (2 kcals/mL): 475 kcals, 21.6 g pro, 23.8 g fat, 43.5 g CHO, 4.3 mg iron Osmolality: 800 mOsm/kg Flavors: vanilla CAUTION: For use only under medical supervision. | Approved with prescription. | 8 fl oz (237 ml) tetra brik pak RTF 27 brik paks/case 1000 ml closed system containers 6 containers/case | Protein (18% kcals) - Sodium and calcium caseinates (milk), L- arginine Fat (45% kcals) - High oleic sunflower oil, corn oil, MCT oil CHO (37% kcals) - Corn syrup, fructose |
| NUTRAMIGEN AA (Mead Johnson) USE: An infant formula (amino acid-based, hypoallergenic) for infants and toddlers with symptoms of severe cow's milk protein allergy, including atopic dermatitis, diarrhea, colic, vomiting, reflux, inflammation, intestinal hyperpermeability, and multiple food protein allergies. Iron-fortified. Gluten-free, lactose-free, galactose-free, sucrose-free. DHA, ARA. Per 100 kcals: 2.8 g pro, 5.3 g fat, 10.3 g CHO, 1.8 mg iron Osmolality: 350 mOsm/kg CAUTION: For use only under strict medical supervision. Not recommended for routine use in VLBW infants, as these infants may be at increased risk of developing gastrointestinal complications. | Approved with prescription. | 14.1 oz (400 g) can powder 4 cans/case Reconstituted: 98 fl oz Standard dilution = 20 kcals/oz: 1 scoop (4.5 g) powder to every 1 fl oz water | Protein (11% kcals) - 100% free amino-acids Fat (48% kcals) - Vegetable oil (palm olein, soy, coconut, high oleic sunflower oils), DHA, ARA CHO (41% kcals) - Corn syrup solids, modified tapioca starch |

| Product | WIC Issuance | Size | Nutrient Source |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| NUTRAMIGEN (LIQUIDS) (Mead Johnson) | Approved with prescription. | 8 fl oz bottle 24 bottles/case | Protein (11% kcals) - Casein hydrolysate, |
| USE: An infant formula (fully hydrolyzed, hypoallergenic) for infants with sensitivity to intact proteins found in milk-based and soy-based formulas (symptoms may include colic, congestion, runny nose, wheezing, vomiting, diarrhea, bloody stools, mucus in stools, rash or eczema). Iron-fortified. Gluten-free, lactose-free, galactose-free, sucrose-free. DHA, ARA. Per 100 kcals: 2.8 g pro, 5.3 g fat, 10.3 g CHO, 1.8 mg iron Osmolality: 300-320 mOsm/kg CAUTION: For use only under strict medical supervision. Not recommended for routine use in VLBW infants, as these infants may be at increased risk of developing gastrointestinal complications. | prescription. | 13 fl oz can concentrate 12 cans/case Reconstituted: 26 fl oz 2 fl oz bottle RTF 48 bottles/case 6 fl oz bottle RTF 24 bottles/case 32 fl oz can RTF 6 cans/case | amino acids Fat (48% kcals) - Vegetable oil (palm olein, soy, coconut, high oleic sunflower oils), DHA, ARA CHO (41% kcals) - Corn syrup solids, modified corn starch |
| NUTRAMIGEN with ENFLORA LGG (Mead Johnson) USE: An infant formula (fully hydrolyzed, hypoallergenic) for infants with cow's milk protein allergy. Contains Lactobacillus rhamnosus GG to support a healthy immune system and maintain normal gut barrier function. Iron-fortified. Gluten-free, lactose-free, galactose-free, sucrose-free. DHA, ARA. Per 100 kcals: 2.8 g pro, 5.3 g fat, 10.3 g CHO, 1.8 mg iron Osmolality: 300 mOsm/kg CAUTION: For use only under strict medical supervision. Not recommended for routine use in VLBW infants, as these infants may be at increased risk of developing gastrointestinal complications. | Approved with prescription. | 12.6 oz can powder 6 cans/case Reconstituted: 87 fl oz Standard dilution = 20 kcals/oz: 1 scoop powder (9 g) to every 2 fl oz water | Protein (11% kcals) - Casein hydrolysate Fat (48% kcals) - Vegetable oil (palm olein, soy, coconut, high oleic sunflower oils), DHA, ARA CHO (41% kcals) - Corn syrup solids, modified corn starch |

| Product | WIC Issuance | Size | Nutrient Source |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|--------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| NUTREN 1.0 NUTREN 1.0 FIBER (Nestle Healthcare Nutrition) USE: A nutritionally complete, isotonic medical food (oral supplement/tube feed) for older children and adults with malnutrition or cancer. Appropriate for short or | Approved with prescription. | 8.45 fl oz (250 ml) can RTF 24 cans/case | Protein (16% kcals) - Calcium-potassium caseinate Fat (34% kcals) |
| long-term use. Kosher, lactose-free, gluten-free, low residue (without fiber). Per 250 ml: 250 kcals (1 kcal/ml), 10 g pro, 9.5 g fat, 31.8 g CHO, 3 mg iron Osmolality: 370 – 410 mOsm/kg | | | (MCT 25%, LCT 75%) - Canola oil, MCT (fractionated coconut and palm kernel oil), corn oil, soy lecithin |
| Flavors: vanilla CAUTION: For use only under strict medical supervision. Not for individuals with galactosemia. Not for parenteral use. | | | (with fiber) CHO (50% kcals) - Maltodextrin, corn syrup solids, pea fiber, oligofructose, inulin (with fiber) |
| NUTREN 1.5 (Nestle Healthcare Nutrition) USE: A nutritionally complete, isotonic, high calorie medical food (oral supplement/tube feed) for older children and adults with cachexia, cancer, congestive heart failure, fat malabsorption, cystic fibrosis, increased caloric requirements and/or a fluid restrictions. Appropriate for short or long-term use. Kosher, lactose-free, gluten-free, low residue (without fiber). Per 250 ml: 375 kcals (1.5 kcal/ml), 15 g pro, 16.9 g fat, 42.3 g CHO, 4.5 mg iron Osmolality: 430-510 mOsm/kg Flavors: unflavored, vanilla CAUTION: For use only under strict medical supervision. Not for individuals with galactosemia. Not for parenteral use. | Approved with prescription. | 8.45 fl oz (250 ml) can RTF 24 cans/case UltraPak enteral closed system: 1000 ml bag RTF 6 bags/case | Protein (16% kcals) - Calcium-potassium caseinate Fat (40% kcals) (50%MCT) - MCT (fractionated coconut and palm kernel oil), canola oil, corn oil CHO (44% kcals) - Maltodextrin |

| Product | WIC Issuance | Size | Nutrient Source |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|--------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| NUTREN 2.0 (Nestle Healthcare Nutrition) USE: A nutritionally complete, isotonic, very-high calorie medical food (oral supplement/tube feed) for older children and adults with cachexia, cancer, congestive heart failure, fat malabsorption, cystic fibrosis or fluid restrictions. Appropriate for short or long-term use. Kosher, lactose-free, gluten-free, low-residue. Per 250 ml: 500 kcals (2 kcals/ml), 20 g pro, 26 g fat, 49 g CHO, 6 mg iron Osmolality: 745 mOsm/kg Flavors: vanilla CAUTION: For use only under strict medical supervision. Not for individuals with galactosemia. Not for parenteral use. | Approved with prescription. | 8.45 fl oz (250 ml) can RTF 24 cans/case UltraPak enteral closed system: 1000 ml bag RTF 6 bags/case | Protein (16% kcals) - Calcium-potassium caseinate Fat (45% kcals) (MCT 75%, LCT 25%) - MCT (fractionated coconut and palm kernel oil), canola oil, corn oil CHO (39% kcals) - Corn syrup solids, maltodextrin, sugar |
| NUTREN JUNIOR NUTREN JUNIOR FIBER (Nestle Healthcare Nutrition) USE: A nutritionally complete, isotonic medical food (pediatric oral supplement/tube feed) for children ages 1-13 with cancer, developmental delay, cerebral palsy, fat malabsorption or growth failure. High whey protein content may improve tolerance, facilitate gastric emptying and support normal growth and development. Appropriate for short or long-term use. Kosher, lactose-free, glutenfree, low-residue (without fiber). Per 250 ml: 250 kcals (1 kcal/ml), 7.5 g pro, 12.4 g fat, 27.5 g CHO, 3.5 mg iron Osmolality: 350 mOsm/kg Flavors: vanilla CAUTION: For use only under strict medical supervision. Not for individuals with galactosemia. Not for parenteral use. | Approved with prescription. | 8.45 fl oz (250 ml) can RTF 24 cans/case UltraPak enteral closed system: 1000 ml bag RTF 6 bags/case | Protein (12% kcals) (50% whey, 50% casein) - Milk protein concentrate, whey protein concentrate Fat (44% kcals) (MCT 21%, LCT 79%) - Soybean oil, canola oil MCT (fractionated coconut and palm kernel oil) CHO (44% kcals) - Maltodextrin, sucrose, pea fiber, oligofructose, inulin (with fiber) |

| Product | WIC Issuance | Size | Nutrient Source |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| NUTREN PULMONARY (Nestle Healthcare Nutrition) USE: A nutritionally complete, low-carbohydrate, high-calorie and protein medical food (pulmonary oral supplement/tube feed) for older children and adults with pulmonary disease or congestive heart failure. Reduces carbon dioxide production and respiratory quotient in pulmonary patients. Contains a balanced lipid profile to improve tolerance. Kosher, lactose-free, gluten-free, low-residue. Per 250 ml: 375 kcals (1.5 kcals/ml), 17 g pro, 25 g CHO, 23.7 g fat, 4.5 mg iron Osmolality: 330-450 mOsm/kg Flavors: vanilla CAUTION: For use only under strict medical supervision. Not for individuals with galactosemia. Not for parenteral use. | Approved with prescription. | 8.45 fl oz (250 ml) can RTF 24 cans/case UltraPak enteral closed system: 1000 ml bag RTF 6 bags/case | Protein (18% kcals) - Calcium-potassium caseinate Fat (56% kcals) (MCT 40%, LCT 60%) - MCT (fractionated coconut and palm kernel oil), canola oil, corn oil CHO (27% kcals) - Maltodextrin |
| REPLETE REPLETE FIBER (Nestle Healthcare Nutrition) USE: A nutritionally complete, high-protein medical food (oral supplement/tube feed) for older children and adults with congestive heart failure, stage 2-3 pressure sores, burns or minor surgical wounds. Formulated to support healing and protein repletion. Kosher, lactose-free, gluten-free, low-residue (without fiber). Per 250 ml: 250 kcals, 15.6 g pro, 8.5 g fat, 28.3 g CHO, 4.5 mg iron Osmolality: 300-390 mOsm/kg Flavors: Vanilla CAUTION: For use only under strict medical supervision. Not for individuals with galactosemia. Not for parenteral use. | Approved with prescription. | 8.45 fl oz (250 ml) can RTF 24 cans/case UltraPak enteral closed system: 1000 ml bag RTF 6 bags/case 1500 liter bag RTF 4 bags/case (Nutren Replete Fiber only) | Protein (25% kcals) - Calcium-potassium caseinate Fat (30% kcals) (MCT 25%, LCT 75%) - Canola oil, MCT (fractionated coconut and palm kernel oil) CHO (45% kcals) - Maltodextrin, corn syrup solids, soy polysaccharides (with fiber) |

| Product | WIC Issuance | Size | Nutrient Source |
|---------------------------------------------------------------------------------------------------|---------------|------------------------------------|----------------------------|
| NUTRIHEP (Nestle Healthcare Nutrition) | Approved with | 8.45 fl oz (250 ml) can RTF | Protein (11% kcals) |
| | prescription. | 24 cans/case | - Crystalline L-amino |
| USE: A nutritionally complete, high-calorie <u>medical food</u> (hepatic oral supplement) | | | acids, whey protein |
| for <u>older children and adults</u> with <u>hepatic disease or hepatic encephalopathy</u> . Rich | | | concentrate |
| in branched-chain amino acids and low in aromatic and ammonia-forming amino | | | |
| acids. Lipid profile facilitates fat absorption. For oral use or tubefeeding. Kosher, | | | Fat (12% kcals) |
| lactose-free, gluten-free, low-residue. | | | (MCT 70%, LCT 30%) |
| D 250 275 1/45 1/4 1 40 52 54 72 5 610 45 3 | | | - MCT (fractionated |
| Per 250 ml: 375 kcals (1.5 kcals/ml), 10 g pro, 5.3 g fat, 72.5 g CHO, 4.5 mg iron | | | coconut and palm kernel |
| Completity 700 mCom/kg | | | oil), canola oil, corn oil |
| Osmolality: 790 mOsm/kg | | | CHO (77% kcals) |
| CAUTION: For use only under strict medical supervision. Not for individuals with | | | - Maltodextrin, modified |
| galactosemia. Not for parenteral use. | | | corn starch |
| galactosethia. Not for parenteral use. | | | Com starch |
| OA 1 (Mead Johnson) | Approved with | 16 oz (454 g) can powder | Protein (12% kcals) |
| | prescription. | 6 cans/case | - Amino acids (without |
| USE: An isoleucine-, methionine-, threonine- and valine-free infant formula and | | | isoleucine, methionine, |
| medical food (metabolic) for infants and toddlers with propionic academia or | | Reconstituted amount | threonine, valine) |
| methylmalonic academia. Contains increased levels of B vitamins for cofactor | | unavailable. | |
| production. Iron-fortified. Vanilla scent. Gluten-free, lactose-free, galactose-free. | | Follow Rx as directed by physician | Fat (47% kcals) |
| | | | - Vegetable oil (palm |
| Per 100 g: 500 kcals, 15.7 g pro, 26 g fat, 51 g CHO, 9.6 mg iron | | 1 scoop powder = 4.5 g | olein, soy, coconut, high |
| | | | oleic sunflower oils) |
| Osmolality: 370 mOsm/kg | | | |
| CALITION: For one and condensation and includes a single condensation. | | | CHO (41% kcals) |
| CAUTION: For use only under strict medical supervision. Not to be given to | | | - Corn syrup solids, |
| premature infants or individuals with immune problems. Not intended as a sole | | | sugar, modified corn |
| source of nutrition. Not for parenteral use. | | | starch, maltodextrin |

| Product | WIC Issuance | Size | Nutrient Source |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| USE: An isoleucine-, methionine-, threonine- and valine-free medical food (metabolic) for children and adults with propionic academia or methylmalonic academia. Provides adequate protein, linoleic and linolenic acid and vitamins and minerals not available from low-protein foods while supplying fewer calories than OA 1. Iron-fortified. Vanilla scent. Gluten-free, lactose-free, galactose-free. Per 100 g: 410 kcals, 21 g pro, 9 g fat, 59 g CHO, 12.3 mg iron CAUTION: For use only under strict medical supervision. Not to be given to individuals with immune problems. Not intended as a sole source of nutrition. Not for parenteral use. | Approved with prescription. | 16 oz (454 g) can powder 6 cans/case Reconstituted amount unavailable. Follow Rx as directed by physician 1 scoop powder = 14.5 g | Protein (21% kcals) - Amino acids (without isoleucine, methionine, threonine, valine) Fat (20% kcals) - Soy oil CHO (59% kcals) - Corn syrup solids, sugar, modified corn starch, maltodextrin |
| OPTISOURCE HIGH PROTEIN DRINK (Nestle Healthcare) USE: A medical food for adults with lactose intolerance, obesity, post surgery, weight management. Lactose-free, gluten-free, low-residue, kosher. Per 8 fl oz (237 ml): 100 kcals, 12 g pro, 3 g fat, 6 g CHO Osmolality: 150 mOsm/kg Flavors: caramel, strawberry CAUTION: For use only under strict medical supervision. Not for parenteral use. Not for individuals with galactosemia. | Not WIC Approved. | 8 fl oz (237 ml) briks 27 brisk/case | Protein (49% kcals) - milk protein isolate Fat (27% kcals) - canola oil. MCT CHO (24% kcals) - maltodextrin |
| OPTISOURCE VITAMIN & MINERAL SUPPLEMENT (Nestle Healthcare) USE: A medical food for adults with obesity, post surgery, weight management. Gluten-free, low-residue. Flavors: citrus CAUTION: For use only under strict medical supervision. | Not WIC Approved. | 336g bottle 12 bottles/case (120 tablets/bottle) | Protein (0% kcals) Fat (0% kcals) CHO (100% kcals) - sugar |

| Product | WIC Issuance | Size | Nutrient Source |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|---------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------|
| USE: A isoleucine-, methionine-, threonine-, and valine- free medical food (metabolic) for infants with organic acidemias such as propionic acidemia. Enriched with vitamins, minerals and trace elements. Per 100 g: 289 kcals, 42.3 g pro, 0 g fat, 30 g CHO, 34 mg iron CAUTION: For use only under strict medical supervision. Not intended as a sole source of nutrition. Not for parenteral use. | Not WIC Approved. | 17.5 oz (500 g) can powder 1 can/case Intake dependent on age, body weight and medical condition. Follow Rx as directed by physician | Protein (58% kcals) - Amino acids Fat (0% kcals) CHO (42% kcals) - Sugar |
| OS 2 - PRIMA (Milupa North America) USE: A isoleucine-, methionine-, threonine-, and valine- free medical food (metabolic) for toddlers and children over 1 year with organic acidemias such as propionic acidemia. Enriched with vitamins, minerals and trace elements. Per 100 g: 288 kcals, 60 g pro, 0 g fat, 12 g CHO, 26.4 mg iron CAUTION: For use only under strict medical supervision. Not intended as a sole source of nutrition. Not for parenteral use. | Not WIC Approved. | 17.5 oz (500 g) can powder 2 cans/case Intake dependent on age, body weight and medical condition. Follow Rx as directed by physician | Protein (84% kcals) - Amino acids Fat (0% kcals) CHO (16% kcals) - Sugar |
| OS 2 - SECUNDA (Milupa North America) USE: A isoleucine-, methionine-, threonine-, and valine- free medical food (metabolic) for children and adolescents over 9 years with organic acidemias such as propionic acidemia. Enriched with vitamins, minerals and trace elements. Per 100 g: 290 kcals, 70 g pro, 0 g fat, 2.5 g CHO, 20 mg iron CAUTION: For use only under strict medical supervision. Not intended as a sole source of nutrition. Not for parenteral use. | Not WIC Approved. | 17.5 oz (500 g) can powder 2 cans/case Intake dependent on age, body weight and medical condition. Follow Rx as directed by physician | Protein (97% kcals) - Amino acids Fat (0% kcals) CHO (3% kcals) - Sugar |

| Product | WIC Issuance | Size | Nutrient Source |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|---------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| USE: A isoleucine-, methionine-, threonine-, and valine- free medical food (metabolic) for children, adolescents and adults over 1 year with organic acidemias such as propionic acidemia. Enriched with vitamins, minerals and trace elements. Per 100 g: 313 kcals, 56.2 g pro, 0 g fat, 22.1 g CHO, 15 mg iron CAUTION: For use only under strict medical supervision. Not intended as a sole source of nutrition. Not for parenteral use. | Not WIC Approved. | 17.5 oz (500 g) can powder 2 cans/case Intake dependent on age, body weight and medical condition. Follow Rx as directed by physician | Protein (72% kcals) - Amino acids Fat (0% kcals) CHO (28% kcals) - Sugar |
| OS 3 - ADVANTA (Milupa North America) USE: A isoleucine-, methionine-, threonine-, and valine- free medical food (metabolic) for adolescents and adults over 15 years with organic acidemias such as propionic acidemia. Enriched with vitamins, minerals and trace elements. Per 100 g: 296 kcals, 70 g pro, 0 g fat, 4 g CHO, 15 mg iron CAUTION: For use only under strict medical supervision. Not intended as a sole source of nutrition. Not for parenteral use. | Not WIC Approved. | 17.5 oz (500 g) can powder 2 cans/case Intake dependent on age, body weight and medical condition. Follow Rx as directed by physician | Protein (95% kcals) - Amino acids Fat (0% kcals) CHO (5% kcals) - Sugar |
| OSMOLITE 1 CAL (Abbott Nutrition) USE: A nutritionally complete, isotonic medical food (standard tube feed) for older children and adults with caloric requirements of less than 2000 kcals per day or for patients with increased protein requirements. For oral use (for patients with altered taste perception) or tube feeding. Kosher, gluten-free, lactose-free, low-residue. Per 8 fl oz: 250 kcals (1.06 kcals/ml), 10.5 g pro, 8.2 g fat, 33.9 g CHO, 3.3 mg iron Osmolality: 300 mOsm/kg CAUTION: For use only under strict medical supervision. Not for parenteral use. Not for patients with galactosemia. | Approved with prescription. | 8 fl oz (237 ml) can RTF 24 cans/case 1000 ml container Ready-To-Hang 8 containers/case 1500 ml container Ready-To-Hang 6 containers/case | Protein (16.7% kcals) - Sodium and calcium caseinates, soy protein isolate Fat (29% kcals) - High oleic safflower oil, canola oil, MCT CHO (54.3% kcals) - Corn maltodextrin |

| Product | WIC Issuance | Size | Nutrient Source |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|------------------------------------------|---------------------------------------|
| OSMOLITE 1.2 CAL (Abbott Nutrition) | Approved with | 8 fl oz (237 ml) can RTF | Protein (18.5% kcals) |
| | prescription. | 24 cans/case | - Sodium caseinate, |
| USE : A nutritionally complete, high-calorie and protein, isotonic <u>medical food</u> | | | calcium caseinate |
| (standard tube feed) for older children and adults with high calorie and protein | | 1000 ml container Ready-To-Hang | |
| <u>needs.</u> For oral use (for patients with altered taste perception) or tube feeding. | | 8 containers/case | Fat (29% kcals) |
| Kosher, gluten-free, lactose-free, low-residue. | | | - High oleic safflower oil, |
| | | 1500 ml container Ready-To-Hang | canola oil, MCT |
| Per 8 fl oz: 285 kcals (1.2 kcals/ml), 13.2 g pro, 9.3 g fat, 37.5 g CHO, 4.3 mg iron | | 6 containers/case | |
| | | | CHO (52.5% kcals) |
| Osmolality: 360 mOsm/kg | | | - Corn maltodextrin |
| | | | |
| CAUTION: For use only under strict medical supervision. Not for parenteral use. | | | |
| Not for patients with galactosemia. | | | |
| CONCULTE A F CAL (ALL III ALL III) | A 1 21 | 0 (1 /227 1) DT5 | B 1 : (46.70/ L L) |
| OSMOLITE 1.5 CAL (Abbott Nutrition) | Approved with | 8 fl oz (237 ml) can RTF 24 cans/case | Protein (16.7% kcals) |
| USE : A nutritionally complete, very high-calorie and protein, isotonic medical food | prescription. | 24 caris/case | - Sodium caseinate, calcium caseinate |
| (standard tube feed) for older children and adults with high calorie and protein | | 1000 ml container Ready-To-Hang | calcium casemate |
| needs. For oral use (for patients with altered taste perception) or tube feeding. | | 8 containers/case | Fat (29% kcals) |
| Kosher, gluten-free, lactose-free, low-residue. | | 8 containers/case | - High oleic safflower oil, |
| Rostier, gluteri-free, lactose-free, low-residue. | | | canola oil, MCT |
| Per 8 fl oz: 355 kcals (1.5 kcals/ml), 14.9 g pro, 11.6 g fat, 48.2 g CHO, 4.3 mg iron | | | canola on, wier |
| 1 C O 1 O 2 O 3 S Notal (2 S Notal) 1 1 1 3 8 p. (a) 12 10 g (a) (10 2 g (a) (10 1 g (a) | | | CHO (54.3% kcals) |
| Osmolality: 525 mOsm/kg | | | - Corn maltodextrin |
| | | | |
| CAUTION: For use only under strict medical supervision. Not for parenteral use. | | | |
| Not for patients with galactosemia. | | | |
| | | | |

| Product | WIC Issuance | Size | Nutrient Source |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|--------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| USE: A nutritionally complete, high-calorie and protein medical food (pulmonary tube feed) for critically ill, mechanically ventilated older children and adults with sepsis, SIRS, ALI, ARDS or fluid restrictions. Contains elevated levels of antioxidants. Gluten-free, lactose-free, low-residue. Per 8 fl oz: 355 kcals (1.5 kcals/ml), 14.8 g pro, 22.2 g fat, 25 g CHO, 4.5 mg iron Osmolality: 535 mOsm/kg Flavors: Vanilla CAUTION: For use only under strict medical supervision. Not for parenteral use | Approved with prescription. | 8 fl oz (237 ml) can RTF 24 cans/case 1000 ml container Ready-To-Hang 8 containers/case | Protein (16.7% kcals) - Sodium and calcium caseinates Fat (55.2% kcals) - Canola oil, MCT, sardine oil, borage oil CHO (28.1% kcals) - Sucrose, corn maltodextrin |
| PEDIALYTE LITERS (Abbott Nutrition) USE: An oral electrolyte medical food for infants and children with dehydration during diarrhea and vomiting. Per 2 fl oz: 6 cals Flavors: Grape, unflavored, fruit, bubble gum, strawberry CAUTION: For use only under strict medical supervision. Not for parenteral use. | Not WIC approved. | 1 L bottles RTF 8 bottles/ case Instiutional: 2 fl oz bottles 48 bottles/case | CHO: (100% kcals) - Dextrose |
| USE: An oral electrolyte medical food for infants and children with dehydration during diarrhea and vomiting. For children under age 1, consult with medical provider. Per 8 fl oz: 23 cals Flavors: strawberry, apple, fruit punch, grape CAUTION: For use only under strict medical supervision. Not for parenteral use. | Not WIC approved. | .3 oz (8.5 g) packet 40 pkts/case Standard dilution: 1 pkt + 8 fl oz water = 8 fl oz. | CHO: (100% kcals) - Dextrose |

| Product | WIC Issuance | Size | Nutrient Source |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|--------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| USE: Aoral electrolyte medical food for infants and children with dehydration during diarrhea and vomiting. Per 6.8 fl oz: 21 cals Flavors: cherry, apple, fruit CAUTION: For use only under strict medical supervision. Not for parenteral use. | Not WIC approved. | 6.8 fl oz (200 ml) carton RTF 16 cartons/case | CHO: (100% kcals) - Dextrose |
| PEDIASMART DAIRY NUTRITION BEVERAGE (Nature's One) Complete Organic Nutrition Beverage USE: A nutritionally complete, milk-based, organic medical food (pediatric oral supplement) for children ages 1-13 who are undernourished due to an illness or medical condition. For oral use or tubefeeding. Lactose-free, gluten-free, corn-free. Per 8 fl oz: 240 kcals (1 kcal/ml), 7.4 g pro, 9.4 g fat, 31.4g CHO, 3.3 mg iron Flavors: chocolate, vanilla CAUTION: For use only under strict medical supervision. Not for children with galactosemia. Not for parenteral use. | Approved with prescription. | 12.7 oz can Reconstituted: 56 fl oz | Protein (12% kcals) - Organic Milk Protein Concentrate Fat (35% kcals) - Organic high oleic sunflower oil, organic soybean oil, organic coconut oil CHO (53% kcals) - organic evaporated cane juice, organic rice oligodextrin |

| Product | WIC Issuance | Size | Nutrient Source |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| PEDIASMART SOY NUTRITION BEVERAGE (Nature's One) Complete Organic Nutrition Beverage USE: A nutritionally complete, milk-based, organic medical food (pediatric oral supplement) for children ages 1-13 who are undernourished due to an illness or medical condition. For oral use or tubefeeding. Milk-free, gluten-free, corn-free. Per 8 fl oz: 237 kcals (1 kcal/ml), 7 g pro, 9 g fat, 31g CHO, 3.3 mg iron Flavors: vanilla CAUTION: For use only under strict medical supervision. Not for children with galactosemia. Not for parenteral use. | Approved with prescription. | 12.7 oz can Reconstituted: 56 fl oz | Protein (12% kcals) - Organic Soy Protein Concentrate Fat (35% kcals) - Organic high oleic sunflower oil, organic soybean oil, organic coconut oil CHO (53% kcals) - organic evaporated cane juice, organic rice oligodextrin |
| PEDIASURE PEDIASURE with FIBER (Abbott Nutrition) USE: A nutritionally complete, milk-based medical food (pediatric oral supplement) for children ages 1-13 who are undernourished due to an illness or medical condition. For oral use or tubefeeding. Kosher, gluten-free, lactose-free. Contains prebiotics and DHA. Per 8 fl oz: 237 kcals (1 kcal/ml), 7 g pro, 9 g fat, 31-32 g CHO, 3.3 mg iron 3 g fiber (Pediasure with Fiber only) Osmolality: 480-560 mOsm/kg Flavors: Vanilla (with fiber), chocolate, strawberry (with fiber), banana, berry CAUTION: For use only under strict medical supervision. Not for children with galactosemia. Not for parenteral use. | Approved with prescription. | 8 fl oz (237 ml) can RTF 24 cans/case | Protein (12% kcals) - Milk protein concentrate, whey protein concentrate, soy protein isolate Fat (35% kcals) - High oleic safflower oil, soy oil, MCT CHO (53% kcals) - Sucrose, corn maltodextrin, dextrose, short chain fructooligosaccharides, soy fiber |

| Product | WIC Issuance | Size | Nutrient Source |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|--------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| PEDIASURE 1.5 CAL PEDIASURE 1.5 CAL with FIBER (Abbott Nutrition) USE: A nutritionally complete, milk-based medical food (pediatric oral supplement) for children ages 1-13 who are undernourished due to an illness or medical condition. For oral use or tubefeeding. Kosher, gluten-free, lactose-free. Contains prebiotics and DHA. Per 8 fl oz: 350 kcals (1.5 kcal/ml), 14 g pro, 16 g fat, 38-39 g CHO, 2.7 mg iron 3 g fiber (with Fiber only) Osmolality: 370 mOsm/kg Flavors: Vanilla CAUTION: For use only under strict medical supervision. Not for children with galactosemia. Not for parenteral use. | Approved with prescription. | 8 fl oz (237 ml) can RTF 24 cans/case 1000 ml RTF Bottle 8 bottles/case | Protein (16% kcals) - Milk protein concentrate, Fat (41% kcals) - High oleic safflower oil, soy oil, MCT CHO (43% kcals) - corn maltodextrin, |
| PEDIASURE ENTERAL FORMULA 1.0 CAL PEDIASURE ENTERAL FORMULA with FIBER (Abbott Nutrition) USE: A nutritionally complete, milk-based medical food (pediatric tube feed) for children ages 1-13 who are undernourished due to an illness or medical condition. Prepared with low-fluoride water. Kosher, gluten-free, lactose-free. Per 8 oz: 237 kcals, 7.1 g pro, 9.4 g fat, 31.4-32.7 g CHO, 3.3 mg iron Osmolality: 335-345 mOsm/kg Flavors: vanilla CAUTION: For use only under strict medical supervision. Not for children with galactosemia. Not for parenteral use. | Approved with prescription. | 8 fl oz (237 ml) can RTF 24 cans/case 1000 ml container Ready-To-Hang 8 containers/case | Protein (12% kcals) - Milk protein concentrate Fat (35% kcals) - High oleic safflower oil, soy oil, MCT CHO (53% kcals) - Corn maltodextrin, sucrose, dextrose, FOS, oat fiber soy fiber (with fiber and FOS) |

| Product | WIC Issuance | Size | Nutrient Source |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|----------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| PEDIASURE PEPTIDE 1.0 CAL PEDIASURE PEPTIDE 1.5 CAL (Abbott Nutrition) | Approved with prescription. | 8 fl oz (237 ml) can RTF 24 cans/case | Protein (12% kcals) - Milk protein |
| USE: A nutritionally complete, peptide-based medical food (pediatric oral supplement) for children ages 1-13 with malabsorption, maldigestion, and other GI conditions. For oral use or tubefeeding. Kosher, gluten-free,. Contains prebiotics. Per 8 fl oz: 237 kcals (1 kcal/ml), 7.1 g pro, 9.6 g fat, 31.7 g CHO, 3.3 mg iron Per 8 fl oz: 356 (1.5 kcal/ml), 10.7 g pro, 14.4 g fat, 47.6 g CHO, 5.0 mg iron Osmolality: 250-450 mOsm/kg | | 1000 ml container Ready-to-hang 8 containers/case | concentrate, whey protein concentrate, soy protein isolate Fat (35% kcals) - High oleic safflower oil, soy oil, MCT CHO (53% kcals) - Sucrose, corn |
| Flavors: Vanilla, strawberry (1.0 CAL only) CAUTION: For use only under strict medical supervision. Not for children with galactosemia. Not for parenteral use. | | | maltodextrin, dextrose, short chain fructooligosaccharides, soy fiber |
| PEDIASURE SIDEKICKS (Abbott Nutrition) USE: A nutritionally complete, milk-based medical food (pediatric oral supplement) for children ages 1-13 with an unbalanced diet. Low calorie, complete feeding. For oral use or tubefeeding. Kosher, gluten-free. Contains prebiotic fiber. Per 8 fl oz: 150 kcals, 7 g pro, 5 g fat, 21 g CHO Flavors: Vanilla, chocolate, strawberry CAUTION: For use only under strict medical supervision. Not for children with galactosemia. Not for parenteral use. Consult health care professional for use with children under 2 years of age. | Approved with prescription. | 8 fl oz (237 ml) can RTF 16 cans/case or 24 cans/case | Protein (19% kcals) - Milk protein concentrate, whey protein concentrate, soy protein isolate Fat (30% kcals) - High oleic safflower oil, soy oil, MCT CHO (56% kcals) - Sucrose, short chain fructooligosaccharides |

| Product | WIC Issuance | Size | Nutrient Source |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|-----------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| PEDIASURE SIDEKICKS 0.63 CAL (Abbott Nutrition) USE: A nutritionally complete, milk-based medical food (pediatric oral supplement) for children ages 1-13 with an unbalanced diet. Low calorie, complete feeding. For oral use or tubefeeding. Kosher, gluten-free. Contains prebiotic fiber. Per 8 fl oz: 150 kcals, 7 g pro, 5 g fat, 21 g CHO, 2.7 mg iron Flavors: Vanilla CAUTION: For use only under strict medical supervision. Not for children with galactosemia. Not for parenteral use. | Not WIC approved. | 8 fl oz (237 ml) can RTF 24 cans/case | Protein (19% kcals) - Milk protein concentrate, whey protein concentrate, soy protein isolate Fat (30% kcals) - High oleic safflower oil, soy oil, MCT CHO (56% kcals) - Sucrose, short chain |
| PEDIASURE SIDEKICKS CLEAR (Abbott Nutrition) USE: A clear liquid medical food (pediatric oral supplement) for children ages 1-13 with an unbalanced diet. For oral use or tubefeeding. Kosher, gluten-free. Per 6.8 fl oz: 120 kcals, 6 g pro, 0 g fat, 24 g CHO Flavors: Tropical fruit, wild berry CAUTION: For use only under strict medical supervision. Not for children with galactosemia. Not for parenteral use. For children under 3 years of age, no more than one serving per day. | Approved with prescription. | 6.8 fl oz (200 ml) can RTF 16 cans/case or 24 cans/case Institutional: 6.8 fl oz (200 ml) carton RTF 32 cartons/ case | Fructooligosaccharides Protein (16% kcals) - whey protein isolate Fat (0% kcals) CHO (64% kcals) - Sugar, corn maltodextrin |
| USE: An electrolyte only medical food for children ages 1-13 with dehydration. Organic. CAUTION: Not intended for use in infnats under age 1. Discontinue use when diarrhea ceases. Not for parenteral use. | Not WIC Approved. | 32 fl oz bottle | Protein (0% kcals) Fat (0% kcals) CHO (100% kcals) - Organic dextrose, Organic white grape juice concentrate |

| Product | WIC Issuance | Size | Nutrient Source |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| USE: A nutritionally complete medical food (semi-elemental pediatric tube feed/oral supplement) for children ages 1-10 with gastrointestinal tract impairment, malabsorption, short bowel syndrome, whole protein intolerance and other medical conditions that require a partially amino-acid based diet. Contains extra vitamins and minerals for malabsorptive conditions. Non-dairy hydrolysates. Can be used as a follow-up for Neocate Infant Formula. Milk-free, lactose-free, galactose-free, fructose-free, sucrose-free. SHS flavor packets available. Per 100 kcals: 3.1 g pro, 5 g fat, 10.6 g CHO, 1.4 mg iron Osmolality: 430-440 mOsm/kg Flavors: unflavored, banana CAUTION: For use only under medical supervision. | Approved with prescription. | 1.8 oz (51 g) packet powder 15 packets/case Standard dilution = 30 kcals/oz: 1 packet powder to 7 fl oz water yields 8 fl oz Reconstituted (1 packet) = 8 fl oz | Protein (12% kcals) - Hydrolyzed protein (pork, soy) Fat (46% kcals) -Fractionated coconut oil, canola oil, high oleic safflower oil CHO (42% kcals) - Corn syrup solids (banana flavor also contains sucrose) |
| PEPTAMEN PEPTAMEN with PREBIO (Nestle Healthcare Nutrition) USE: A nutritionally complete medical food (elemental tube feed/oral supplement) for older children and adults with impaired GI function (malabsorption, pancreatitis, short-bowel syndrome, inflammatory bowel disease, chronic diarrhea, radiation enteritits, cystic fibrosis, delayed gastric emptying, cerebral palsy, crohn's disease) or if transitioning from TPN. Lactose-free, gluten-free, low-residue. Nestle Flavor Packets available. Per 250 ml: 250 kcals (1 kcal/ml), 10 g pro, 9.8 g fat, 31.8 g CHO, 4.5 mg iron Osmolality: 270-380 mOsm/kg Flavors: unflavored, vanilla (only flavor available in Peptamen with Prebio) CAUTION: For use only under strict medical supervision. Not for individuals with galactosemia. Not for parenteral use. May not be appropriate for individuals with food allergies. | Approved with prescription. | 8.45 fl oz (250 ml) can RTF 24 cans/case UltraPak enteral closed system: (Peptamen with Prebio only) 1000 ml bag RTF 6 bags/case 1500 ml bag RTF 4 bags/case | Protein (16% kcals) (100% whey protein) - Hydrolyzed whey protein Fat (33% kcals) (MCT 70%, LCT 30%) -MCT (fractionated coconut and palm kernel oil), soybean oil CHO (51% kcals) - Maltodextrin, cornstarch, inulin, oligofructose (with prebio) |

| Product | WIC Issuance | Size | Nutrient Source |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|--------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| PEPTAMEN 1.5 PEPTAMEN 1.5 with PREBIO (Nestle Healthcare Nutrition) USE: A nutritionally complete, very high-calorie and protein medical food (elemental tube feed/oral supplement) for older children and adults with impaired GI function (malabsorption, pancreatitis, short-bowel syndrome, inflammatory bowel disease, chronic diarrhea, radiation enteritits, cystic fibrosis, delayed gastric emptying, cerebral palsy, crohn's disease) and with shortened feeding schedules and fluid restrictions or if transitioning from TPN. Lactose-free, gluten-free, low-residue. Nestle Flavor Packets available. Per 250 ml: 375 kcals (1.5 kcals/ml), 16.9 g pro, 14 g fat, 47 g CHO, 6.75 mg iron Osmalility: 550 mOsm/kg Flavors: unflavored, vanilla CAUTION: For use only under strict medical supervision. Not for individuals with galactosemia. Not for parenteral use. May not be appropriate for individuals with food allergies. | Approved with prescription. | 8.45 fl oz (250 ml) can RTF 24 cans/case UltraPak enteral closed system: 1000 ml bag RTF 6 bags/case | Protein (18% kcals) (100% whey protein) - Hydrolyzed whey protein Fat (33% kcals) (MCT 70%, LCT 30%) -MCT (fractionated coconut and palm kernel oil), soybean oil CHO (49% kcals) - Maltodextrin, cornstarch |
| USE: A nutritionally complete, high-calorie and very high protein medical food (elemental tube feed) for older children and adults with ARDS, IBD, organ transplant, short bowel syndrome, inflammatory bowel disease, acute protein malnutrition, cancer, sepsis or if transitioning from TPN. Advanced formulation is designed to meet the needs of highly stressed individuals who may experience inflammation and/or feeding intolerance. Contains prebio (may help support healthy gut flora), EPA and DHA. Lactose-free, gluten-free, low-residue. Per 250 ml: 300 kcals (1.2 kcal/ml), 19 g pro, 13.7 g fat, 26.7 g CHO, 3.6 mg iron Osmolality: 390 mOsm/kg CAUTION: For use only under strict medical supervision. Not for individuals with galactosemia. Not for parenteral use. May not be appropriate for individuals with food allergies. | Approved with prescription. | 8.45 fl oz (250 ml) can RTF 24 cans/case UltraPak enteral closed system: 1000 ml bag RTF 6 bags/case | Protein (25% kcals) (100% whey proteins) - Hydrolyzed whey protein Fat (39% kcals) (MCT 50%, LCT 50%) - MCT (fractionated coconut and palm kernel oil), soybean oil, fish oil, soy lecithin CHO (36% kcals) - Maltodextrin, cornstarch, oligofructose, inulin |

| Product | WIC Issuance | Size | Nutrient Source |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| PEPTAMEN BARIATRIC (Nestle Healthcare Nutrition) USE: A nutritionally complete, unique protein to calorie ratio medical food for adults with sepsis, acutely ill with obesity, inflalmmatory conditions, pancreatitis, malnutrition, malabsorption. Lactose-free, gluten-free, low-residue. Per 250 ml: 250 kcals (1 kcal/ml), 23.3 g pro, 9.5 g fat, 19.5 g CHO, 3 mg Iron Osmolality: 345 mOsm/kg CAUTION: For use only under strict medical supervision. Not for individuals with glactosemia. May not be appropriate for individuals with food allergies. | Not WIC Approved. | 8.45 fl oz (250 ml) can | Protein (37% kcals) - enzymatically hydrolyzed whey protein Fat (32% kcals) - coconut oil, palm Oil, refined fish oil CHO (31% kcals) - maltodextrin, cornstarch |
| PEPTAMEN JUNIOR PEPTAMEN JUNIOR FIBER PEPTAMEN JUNIOR with PREBIO (Nestle Healthcare Nutrition) USE: A nutritionally complete medical food (elemental pediatric tube feed/oral supplement) for children ages 1-13 with impaired GI function (short-bowel syndrome, cerebral palsy, cystic fibrosis, crohn's disease, HIV/AIDS, pancreatitis, malabsorption, chronic diarrhea, delayed gastric emptying, growth failure), developmental delay or if transitioning from TPN. Appropriate for short or long-term use. Lactose-free, gluten-free, low-residue (Peptamen Junior), low-cholesterol. Nestle flavor packets available. Per 250 ml: 250 kcals (1 kcal/ml), 7.5 g pro, 9.6 g fat, 34.4 g CHO, 3.5 mg iron Osmolality: 260-400 mOsm/kg Flavors: unflavored, vanilla (only flavor available for Peptamen Junior with Prebio, Peptamen Junior Fiber), chocolate, strawberry CAUTION: For use only under strict medical supervision. Not for individuals with galactosemia. Not for parenteral use. May not be appropriate for children with food allergies. | Approved with prescription. | 8.45 fl oz (250 ml) can RTF 24 cans/case UltraPak enteral closed system: (Peptamen Junior only) 1000 ml bag RTF 6 bags/case | Protein (12% kcals) (100% whey proteins) - Hydrolyzed whey protein Fat (33% kcals) (MCT 60%, LCT 40%) - MCT (fractionated coconut and palm kernel oil), soybean oil, canola oil CHO (55% kcals) - Maltodextrin, cornstarch, sucrose (with prebio), pea fiber, oligofructose, inulin (with fiber) |

| Product | WIC Issuance | Size | Nutrient Source |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|--------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| PEPTAMEN JUNIOR 1.5 (Nestle Healthcare Nutrition) USE: Nutritionally complete, high calorie and protein medical food (elemental pediatric tube feed/oral supplement) for children ages 1-13 with impaired GI function, volume restriction, malabsorption, pancreatitis, cystic fibrosis, Crohn's disease, short bowel syndrome, chronic diarrhea, growth failure, early enteral feeding or transition from TPN. Appropriate for long-term use. Lactose-free, gluten-free. Per 250 mL: 375 kcals (1.5 kcals/ml), 11.3 g pro, 17 g fat, 45 g CHO, 5.2 mg iron Osmolality: 450 mOsm/kg Flavors: unflavored CAUTION: For use only under strict medical supervision. Not for individuals with galactosemia. Not for parenteral use. May not be appropriate for children with food allergies. | Approved with prescription | 8.45 fl oz (250 ml) can RTF 24 cans/case UltraPak enteral closed system: 1000 ml bag RTF 6 bags/case | Protein (12% kcals) (100% whey protein) — Enzymatically hydrolyzed whey protein Fat (40% kcals) (MCT 60%, LCT 40%) - MCT (fractionated coconut and palm kernel oil), soybean oil, canola oil CHO (48% kcals) - Maltodextrin, oligofructose, inulin (fiber) |
| USE: A nutritionally complete medical food (peptide-based elemental tube feed/oral supplement) for older children and adults with malabsorption, short bowel syndrome, chronic or acute IBD flare-ups, pancreatitis, HIV/AIDS, cystic fibrosis, cerebral palsy, or transitioning from TPN. Low fat content helps speed gastric emptying and absorption. Kosher, lactose-free, low-residue, gluten-free. Per 8 fl oz: 237 kcals (1 kcal/ml), 11.9 g pro, 4 g fat, 38.6 g CHO, 2.8 mg iron Osmolality: 600 mOsm/kg Flavors: creamy vanilla, rich chocolate CAUTION: For use only under strict medical supervision. | Approved with prescription. | 8 fl oz (237 ml) tetra brik pak 27 brik paks/case | Protein (20% kcals) - Whey protein hydrolysate Fat (15% kcals) - MCT oil, soybean oil CHO (65% kcals) - Maltodextrin, sugar |

| Product | WIC Issuance | Size | Nutrient Source |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|---------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| PEPTAMEN OS 1.5 (Nestle Healthcare Nutrition) USE: A nutritionally complete, high-calorie and protein medical food (peptide-based elemental tube feed/oral supplement) for older children and adults with fluid or volume restrictions, increased caloric needs, shortened feeding schedules, malabsorption, GI surgery, pancreatic insufficiency, cystic fibrosis, IBD, and transitioning from TPN. Low fat content helps speed gastric emptying and absorption. Kosher, lactose-free, low-residue, gluten-free diet. Per 8 fl oz: 360 kcals (1.5 kcals/ml), 18 g pro, 10 g fat, 49 g CHO, 4 mg iron Osmolality: 550 mOsm/kg Flavors: vanilla CAUTION: For use only under strict medical supervision. | Approved with prescription. | 8 fl oz (237 ml) tetra brik pak 27 brik paks/case | Protein (20% kcals) - Whey protein hydrolysate Fat (25% kcals) - MCT oil, soybean oil CHO (55% kcals) - Maltodextrin |
| PERATIVE (Abbott Nutrition) USE: A high calorie and protein, nutritionally complete medical food (partially hydrolyzed tube feed) for older children and adults with pressure ulcers, multiple fractures, wounds, burns, metabolic stress or surgery. Contains FOS (prebiotics that may help promote gut health) and added arginine (for wound healing and immune support). Kosher, gluten-free, lactose-free, low-residue. Per 8 fl oz: 308 kcals, 15.8 g pro, 8.8 g fat, 42.8 g CHO, 3.7 mg iron Osmolality: 460 mOsm/kg CAUTION: For use only under medical supervision. Not for parenteral use. | Approved with prescription. | 8 fl oz (237 ml) can RTF 24 cans/case 1000 ml container Ready-To-Hang 8 containers/case 1500 ml container Ready-To-Hang 6 containers/case | Protein (20.5% kcals) - Partially hydrolyzed sodium caseinate, whey protein hydrolysate, Larginine, L-carnitine Fat (25% kcals) - Canola oil, MCT, corn oil CHO (54.5% kcals) - Corn maltodextrin, fructooligosaccharides |

| Product | WIC Issuance | Size | Nutrient Source |
|-------------------------------------------------------------------------------------------------------|---------------|----------------------------------------|------------------------------------------------------|
| PERIFLEX ADVANCE (Nutricia North America) | Approved with | 16 oz (454 g) can powder | Protein (25% kcals) |
| | prescription. | 6 cans/case | - Amino acids (without |
| USE: A phenylalanine-free <u>medical food</u> (metabolic) for <u>older children and adults</u> | | | phenylalanine) |
| (including pregnant women) with phenylketonuria (PKU). Contains a balanced | | Standard dilution: Follow Rx as | |
| mixture of all other essential and non-essential amino acids, CHO, fat, vitamins, | | directed by physician. 1 oz water | Fat (32% kcals) |
| minerals and trace elements. | | to every 5-6 g powder. | - High oleic safflower oil, canola oil, fractionated |
| Per 100 g: 369-385 kcals, 35 g pro, 12.6 g fat, 29-33 g CHO, 12.9 mg iron | | 1 Tbsp pwd = 8 g Product, 2.8 g Pro | coconut oil |
| Osmolality: | | | CHO (40-43% kcals) |
| Dilution 1 to 4 – 1060-1100 mOsm/kg | | Reconstituted amount | - Corn syrup solids, |
| Dilution 1 to 5 – 830-890 mOsm/kg | | unavailable. | sucrose |
| 5 mation 1 to 3 | | Intake dependent on age, body | 346.632 |
| Flavors: unflavored, orange, chocolate | | weight and medical condition. | |
| | | Follow Rx as directed by physician | |
| CAUTION: For use only under strict medical supervision. Not intended as the sole | | , concern and an escape and projection | |
| source of nutrition. Not for parenteral use. | | | |
| PERIFLEX INFANT (Nutricia North America) | Approved with | 14 oz (400 g) can powder | Protein (12% kcals) |
| | prescription. | 6 cans/case | - Amino acids (without |
| USE: A phenylalanine-free <u>infant formula</u> (metabolic) for <u>infants</u> with | | | phenylalanine) |
| phenylketonuria (PKU). Contains a balanced mixture of all other essential and non- | | Standard dilution = 20 kcals/oz: | |
| essential amino acids, CHO, fat, vitamins, minerals and trace elements. The diet | | 1 scoop (4.75 g) powder to every | Fat (41% kcals) |
| prescription should include an additional prescribed amount of breast milk or | | 1 f1 oz water. | - High oleic safflower oil, |
| standard infant formula to meet the complete protein requirements of the infant. | | | refined vegetable oil |
| For oral use or tube feeding. DHA, ARA. | | Approximately: | (coconut, soy) |
| | | 1 Tbsp powder = 7 g | |
| Per 100 g: 421 kcals, 13 g pro, 19.1 g fat, 49.3 g CHO, 7.8 mg iron | | ¼ cup powder = 30 g | CHO (47% kcals) - Corn syrup solids |
| Osmolality: 375 mOsm/kg | | Reconstituted amount | |
| | | unavailable. | |
| CAUTION: Must only be given to infants with proven phenylketonuria under strict | | Intake dependent on age, body | |
| medical supervision. Not intended as the sole source of nutrition. | | weight and medical condition. | |
| | | Follow Rx as directed by physician | |

| Product | WIC Issuance | Size | Nutrient Source |
|---------------------------------------------------------------------------------------------------------|---------------|-------------------------------------|----------------------------|
| PERIFLEX JUNIOR (Nutricia North America) | Approved with | 16 oz (454 g) can powder | Protein (19-20% kcals) |
| | prescription. | 6 cans/case | - Amino acids (without |
| USE: A phenylalanine-free <u>medical food</u> (metabolic) for <u>toddlers and young children</u> | | | phenylalanine) |
| with phenylketonuria (PKU). Contains a balanced mixture of all other essential and | | Standard dilution: Recommended | |
| non-essential amino acids, CHO, fat, vitamins, minerals and trace elements. | | dilution (1 to 5) is 30 g powder to | Fat (37-39% kcals) |
| | | 5 oz water. | - Canola oil, high oleic |
| Per 100 g: 374-394 kcals, 25 g pro, 14 g fat, 37-42 g CHO, 14 mg iron | | | safflower oil, |
| | | 1 Tbsp powder = 8 g Product, 2 g | fractionated coconut oil |
| Osmolality: | | Pro | |
| Dilution (1 to 4) – 910–950 mOsm/kg | | | CHO (41-43% kcals) |
| Dilution (1 to 5) – 720-750 mOsm/kg | | Reconstituted amount | - Corn syrup solids, |
| | | unavailable. | sucrose |
| Flavors: unflavored, orange, chocolate | | Intake dependent on age, body | |
| | | weight and medical condition. | |
| CAUTION: For use only under strict medical supervision. Not intended as the sole | | Follow Rx as directed by physician. | |
| source of nutrition. Not for parenteral use. | | | |
| PFD TODDLER (Mead Johnson) | Approved with | 16 oz (454 g) can powder | Protein (0% kcals) |
| | prescription. | 6 cans/case | - None |
| USE: A protein- and amino acid-free <u>infant formula and medical food</u> (metabolic) | | | |
| for <u>infants and toddlers</u> with <u>various amino acid metabolism disorders.</u> Contains | | Reconstituted amount | Fat (54% kcals) |
| increased levels of B vitamins for cofactor production. Provides essential fatty acids. | | unavailable. | - Vegetable oil (palm |
| Vanilla scent. Gluten-free, lactose-free, galactose-free. | | Follow Rx as directed by physician | olein, soy, coconut, and |
| | | | high oleic sunflower oils) |
| Per 100 g: 530 kcals, 0 g pro, 32 g fat, 60 g CHO, 10.5 mg iron | | 1 scoop powder = 4.5 g | |
| | | _ | CHO (46% kcals) |
| Osmolality: 171 mOsm/kg | | | - Corn syrup solids, |
| | | | modified corn starch, |
| CAUTION: For use only under strict medical supervision. Not for parenteral use. | | | sugar |
| | | | |

| Product | WIC Issuance | Size | Nutrient Source |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|--------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| USE: A protein- and amino acid-free medical food (metabolic) for children and adults with various amino acid metabolism disorders. Can be mixed with condition-specific amino acids or protein to make a nutritionally complete beverage or used as a calorie, vitamin and mineral supplement in cases where amino acid and protein needs are met but needs for calories, vitamins and minerals is not. Provides essential fatty acids. Vanilla scent. Gluten-free, lactose-free, galactose-free. Per 100 g: 400 kcals, 0 g pro, 4.8 g fat, 88 g CHO, 6.3 mg iron CAUTION: For use only under strict medical supervision. Not for parenteral use. Not intended as the sole source of nutrition. | Approved with prescription. | 16 oz (454 g) can powder 6 cans/case Reconstituted amount unavailable. Follow Rx as directed by physician 1 scoop powder = 14.9 g | Protein (0% kcals) - None Fat (11% kcals) - Soy oil CHO (89% kcals) - Corn syrup solids, sugar, modified corn starch |
| PHENEX-1 (Abbott Nutrition) USE: A phenylalnine-free infant formula and medical food (metabolic) for infants and toddlers with phenylketonuria (PKU) or hyperphenylalaninemia. Supplemented with L-carnitine, L-glutamine and taurine. Fortified with L-tyrosine. Iron-fortified. Per 100 g: 480 kcals, 15 g pro, 21.7 g fat, 53 g CHO, 9 mg iron Osmolality: 370 mOsm/kg at 20 kcal/oz CAUTION: For use only under strict medical supervision for infants and toddlers with proven PKU or hyperphenylalaninemia. Not intended as a sole source of nutrition. Not for parenteral use. | Approved with prescription. | 14.1 oz (400 g) can powder 6 cans/case Standard dilution = 20 kcals/oz Follow Rx as directed by physician. 1 Tbsp powder = 8 g | Protein (13% kcals) - Amino acids (without phenylalanine) Fat (41% kcals) - High oleic safflower oil, coconut oil, soy oil CHO (44% kcals) - Corn syrup solids |

| Product | WIC Issuance | Size | Nutrient Source |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|---------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| PHENEX-2 (Abbott Nutrition) USE: A phenylalanine-free medical food (metabolic) for children and adults with phenylketonuria (PKU) or hyperphenylalaninemia. Supplemented with L-carnitine, L-glutamine and taurine. Fortified with L-tyrosine. Per 100 g: 410 kcals, 30 g pro, 14 g fat, 35 g CHO, 13 mg iron Flavors: unflavored, vanilla Osmolality: 1215-1290 mOsm/kg at 30 kcal/oz CAUTION: For use only under strict medical supervision for children and adults with proven PKU or hyperphenylalaninemia. Not intended as a sole source of nutrition. Not for parenteral use. | Approved with prescription. | 14.1 oz (400 g) powder 6 cans/case Standard dilution = 30 kcals/oz Follow Rx as directed by physician. 1 Tbsp powder = 8 g | Protein (13% kcals) - Amino acids (without phenylalanine) Fat (31% kcals) - High oleic safflower oil, coconut oil, soy oil CHO (44% kcals) - Corn syrup solids |
| PHENYLADE 40 DRINK MIX (Applied Nutrition Corp) USE: A high-protein, phenylalanine-free medical food (metabolic) for children and adults with phenylketonuria (PKU). Fortified with vitamins and minerals. Intended as the primary source of protein nutrition and a significant source of calories in the management of PKU. Per 25 g: 83 kcals, 10 g pro, 0.5 g fat, 9.5 g CHO Flavors: unflavored, citrus CAUTION: Must only be given to individuals with phenylketonuria under strict medical supervision. Not intended as a sole source of nutrition. | Approved with prescription. | 0.88 oz (25 g) pouch powder 20 pouches/case Standard dilution: 1 pouch powder to 4-6 fl oz water. | Protein (48% kcals) - L-amino acids (without phenylalanine) Fat (5% kcals) - Partially hydrogenated coconut oil CHO (48% kcals) - Sucrose, corn syrup solids, modified food starch |

| Product | WIC Issuance | Size | Nutrient Source |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|
| PHENYLADE 60 DRINK MIX (Applied Nutrition Corp) USE: A high-protein, phenylalanine-free medical food (metabolic) for children and adults with phenylketonuria (PKU). Fortified with vitamins and minerals. Intended as the primary source of protein nutrition and a significant source of calories in the management of PKU. Is fat free, allows fewer calories and more protein. Per 16.7 g: 49 kcals, 10 g pro, 0.17 g fat, 2 g CHO Flavors: vanilla, unflavored CAUTION: Must only be given to individuals with phenylketonuria under strict medical supervision. Not intended as a sole source of nutrition. | Approved with prescription. | 16 oz (454g) can powder 4 cans/case 16.7 g pouches 30 puches/case Standard dilution: 1 scoop or pouch (16.7 g) to approx. 3 fl oz water. | Protein (73% kcals) - L-amino acids (without phenylalanine) Fat (0% kcals) CHO (25% kcals) - Sucrose, corn syrup solids, modified food starch |
| PHENYLADE AMINO ACID BARS (Applied Nutrition Corp) USE: A phenylalanine-free medical food (metabolic) for children and adults with phenylketonuria (PKU). Provides an alternative source of protein, fat, and CHO. Can supplement all or part of the protein prescription when traditional liquid formula is insufficient or not tolerated. A vitamin/mineral supplement may be necessary. Per 47-50 g bar: 270 kcals, 10 g pro, 17-18 g fat, 17-19 g CHO, 0 mg iron Flavors: chocolate, white chocolate, chocolate crispy CAUTION: Must only be given to individuals with phenylketonuria under strict medical supervision. Not intended as a sole source of nutrition. | Approved with prescription. | 47 g bar (chocolate/white chocolate) 12 bars/case 50 g bar (chocolate crispy) 12 bars/case | Protein (15% kcals) - Amino acids (without phenylalanine) Fat (57-60% kcals) - Cocoa butter CHO (25-28% kcals) - Sucrose, crisp rice (chocolate crispy) |

| Product | WIC Issuance | Size | Nutrient Source |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| PHENYLADE AMINO ACID BLEND (Applied Nutrition Corp) USE: A phenylalanine-free medical food (metabolic) for children and adults with phenylketonuria (PKU). Can be added to foods and drinks normally consumed or to traditional PKU formula to increase protein content. A vitamin/mineral supplement may be necessary. Per 13 g: 42 kcals, 10 g pro, 0 g fat, 0 g carbohydrate, 0 mg iron CAUTION: Must only be given to individuals with PKU under strict medical supervision. Not intended as a sole source of nutrition. | Approved with prescription. | 16 oz (454 g) can powder 4 cans/case 12.4 g pouch powder 10 pouches/case | Protein (100% kcals) - Amino acids (without phenylalanine) Fat (0% kcals) CHO (0% kcals) |
| PHENYLADE ESSENTIALS DRINK MIX (Applied Nutrition Corp) USE: A phenylalanine-free medical food (metabolic) for children and adults with phenylketonuria (PKU). Intended as the primary source of protein nutrition and a significant source of calories in the management of PKU. Fortified with vitamins and minerals, omega-3 and omega-6 fatty acids, and soluble fiber. Per 40 g: 157 kcals, 10 g pro, 5 g fat, 18 g CHO Flavors: vanilla, orange creme, strawberry, chocolate CAUTION: Must only be given to individuals with phenylketonuria under strict medical supervision. Not intended as a sole source of nutrition. | Approved with prescription. | 16 oz (454 g) can powder 4 cans/case Standard dilution: 1 scoop powder to 6-8 fl oz water. 1 scoop powder = 40 g One can yields approximately 11 servings. 40 g pouch powder 16 pouches/case | Protein (26% kcals) - L-amino acids (without phenylalanine) Fat (30% kcals) -Safflower oil, canola oil, soybean oil, coconut oil, flaxseed oil CHO (46% kcals) - Sucrose, modified food starch |
| PHENYLADE MTE AMINO ACID BLEND (Applied Nutrition Corp) USE: A phenylalanine-free medical food (metabolic) for children and adults with phenylketonuria (PKU). Can be added to foods and drinks normally consumed or to traditional PKU formula to increase protein content. Fortified with minerals and trace elements. Per 13 g: 42 kcals, 10 g pro, 0 g fat, 0 g carbohydrate, 0 mg iron CAUTION: Must only be given to individuals with PKU under strict medical supervision. Not intended as a sole source of nutrition. | Approved with prescription. | 16 oz (454 g) can powder 4 cans/case 12.8 g pouch powder 10 pouches/case | Protein (100% kcals) - Amino acids (without phenylalanine) Fat (0% kcals) - None CHO (0% kcals) - None |

| Product | WIC Issuance | Size | Nutrient Source |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|-------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| PHENYLADE PHEBLOC LNAA (Applied Nutrition Corp) USE: A phenylalanine-free medical food (metabolic) for children and adults over 12 years of age with phenylketonuria (PKU). Available in powder and tablets. Allows for a more relaxed PKU diet. CAUTION: Must only be given to individuals with PKU under strict medical supervision. Not intended as a sole source of nutrition. PHENYLADE RTF (Applied Nutrition Corp) USE: A phenylalanine-free medical food (metabolic) for children and adults over 4 years of age with phenylketonuria (PKU). Intended as the primary source of protein nutrition and a significant source of calories in the management of PKU. Fortified with vitamins and minerals. Per 2.5 fl oz: 60 kcals, 10 g pro, <1 g fat, 5 g CHO Flavors: Orignal flavor blast CAUTION: Must only be given to individuals with phenylketonuria under strict medical supervision. Not intended as a sole source of nutrition. | Not WIC Approved. | 2.5 fl oz bottles RTF 12 bottles/case | Protein (67% kcals) - L-amino acids (without phenylalanine) Fat (0% kcals) CHO (33% kcals) - Sucrose |
| PHENYL-FREE 1 (Mead Johnson) USE: A phenylalanine-free infant formula (metabolic) for infants with phenylketonuria (PKU). Contains higher levels of vitamins and minerals than standard infant formulas. Increased levels of B vitamins for cofactor production. Iron-fortified. Vanilla scent. Gluten-free, lactose-free, galactose-free. Per 100 g: 500 kcals, 16.2 g pro, 26 g fat, 51 g CHO, 9.6 mg iron Osmolality: 350 mOsm/kg CAUTION: For use only under strict medical supervision. Not intended as a sole source of nutrition. Not for parenteral use. | Approved with prescription. | 16 oz (454 g) can powder 6 cans/case Reconstituted amount unavailable. Follow Rx as directed by physician 1 scoop powder = 4.5 g | Protein (13% kcals) - Amino acids (without phenylalanine) Fat (47% kcals) - Vegetable oil (palm olein, soy, coconut, and high oleic sunflower oils) CHO (40% kcals) - Corn syrup solids, modified corn starch, sucrose |

| Product | WIC Issuance | Size | Nutrient Source |
|------------------------------------------------------------------------------------------------------|---------------|------------------------------------|------------------------|
| PHENYL-FREE 2 (Mead Johnson) | Approved with | 16 oz (454 g) can powder | Protein (22% kcals) |
| | prescription. | 6 cans/case | - Amino acids (without |
| USE: A phenylalanine-free <u>medical food</u> (metabolic) for <u>children and adults</u> with | | | phenylalanine) |
| <u>phenylketonuria (PKU).</u> Contains lower levels of fat and fewer total calories than | | Reconstituted amount | |
| Phenyl-free 1. Provides essential and non-essential amino acids, CHO, fat, essential | | unavailable. | Fat (19% kcals) |
| fatty acids, vitamins and minerals. Iron-fortified. Vanilla scent. Gluten-free, | | Follow Rx as directed by physician | - Soy oil |
| lactose-free, galactose-free. | | | |
| | | 1 scoop powder = 14.4 g | CHO (59% kcals) |
| Per 100 g: 410 kcals, 22 g pro, 8.6 g fat, 60 g CHO, 12.2 mg iron | | | - Sucrose, corn syrup |
| | | | solids, modified corn |
| CAUTION: For use only under strict medical supervision. Not intended as a sole | | | starch |
| source of nutrition. Not for parenteral use. | | | |
| PHENYL-FREE 2 HP (Mead Johnson) | Approved with | 16 oz (454 g) can powder | Protein (41% kcals) |
| | prescription. | 6 cans/case | - Amino acids (without |
| USE: A high protein, phenylalanine-free <u>medical food</u> (metabolic) for <u>children</u> , | | | phenylalanine) |
| adults and pregnant women with phenylketonuria (PKU) that require fewer calories | | Reconstituted amount | |
| than provided by Phenyl-free 2. Contains higher levels of protein, vitamins and | | unavailable. | Fat (14% kcals) |
| minerals than Phenyl-free 2. Provides essential and non-essential amino acids, CHO, | | Follow Rx as directed by physician | - Soy oil |
| fat, essential fatty acids, vitamins and minerals. Iron-fortified. Vanilla scent. Gluten- | | | |
| free, lactose-free, galactose-free. | | 1 scoop powder = 15.1 g | CHO (44% kcals) |
| | | | - Sucrose, corn syrup |
| Per 100 g: 390 kcals, 40 g pro, 6.3 g fat, 44 g CHO, 15.7 mg iron. | | | solids, modified corn |
| | | | starch |
| CAUTION: For use only under strict medical supervision. Not intended as a sole | | | |
| source of nutrition. Due to higher levels of amino acids, the taste of amino acids is | | | |
| more prevalent in Phenyl-free 2 HP. Not for parenteral use. | | | |
| | | | |

| Product | WIC Issuance | Size | Nutrient Source |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|--------------------------|---------------------------------------------------------------------------------------------------------------------------------|
| PHLEXY - 10 BAR (Nutricia North America) USE: A phenylalanine-free medical food (metabolic) for children and adults with phenylketonuria (PKU). Contains a balanced mixture of all other essential and non-essential amino acids. Does not contain vitamins, minerals or trace elements. Per 42 g bar: 149 kcals, 8.3 g pro, 3.7 g fat, 20.5 g CHO Note: The Phlexy - 10 system includes bars, capsules, drink mix and tablets. These products can be used independently or in combination with other phenylalanine-free products or protein sources. Phlexy-Vits (not WIC approved) are available to be used as a vitamin/mineral supplement with the Phlexy-10 system. CAUTION: For use only under strict medical supervision. Not intended as a sole source of nutrition. | Aprroved with prescription. | 42 g bar 20 bars/case | Protein (22% kcals) - Amino acids (without phenylalanine) Fat (22% kcals) - Soy & palm oil CHO (55% kcals) - Sucrose, glucose |
| PHLEXY - 10 CAPSULES (Nutricia North America) USE: A phenylalanine-free medical food (metabolic) for children and adults with phenylketonuria (PKU). Contains a balanced mixture of all other essential and nonessential amino acids. Does not contain vitamins, minerals or trace elements. Per capsule: 33 kcals, 8.3 g pro, 0 g fat, 0 g CHO Note: The Phlexy - 10 system includes bars, capsules, drink mix and tablets. These products can be used independently or in combination with other phenylalanine-free products or protein sources. Phlexy-Vits (not WIC approved) are available to be used as a vitamin/mineral supplement with the Phlexy-10 system. CAUTION: For use only under strict medical supervision. Not intended as a sole source of nutrition. | Approved with prescription. | 200 capsules/bottle | Protein (100% kcals) - Amino acids (without phenylalanine) Fat (0 % kcals) - None CHO (0% kcals) - None |

| Product | WIC Issuance | Size | Nutrient Source |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------|
| PHLEXY - 10 DRINK MIX (Nutricia North America) USE: A phenylalanine-free medical food (metabolic) for children and adults with phenylketonuria (PKU). Contains a balanced mixture of all other essential and nonessential amino acids and CHO. Does not contain vitamins, minerals or trace elements. Per 20 g: 69 kcals, 8.3 g pro, 0 g fat, 8.8 g CHO Osmalility (Dilution 1 to 5): 1140-1172 mOsm/kg Flavors: blackcurrant-apple, tropical sunrise Note: The Phlexy - 10 system includes bars, capsules, drink mix and tablets. These products can be used independently or in combination with other phenylalanine-free products or protein sources. Phlexy-Vits (not WIC approved) are available to be used as a vitamin/mineral supplement with the Phlexy-10 system. CAUTION: For use only under strict medical supervision. Not intended as a sole source of nutrition. Not for parenteral use. Not intended for infnats under 1 year of age. | Approved with prescription. | 20 g sachet powder 30 sachets/box Standard dilution = 1 sachet powder to water to yield 3.5 oz drink mix. | Protein (48% kcals) - Amino acids (without phenylalanine) Fat (0% kcals) - None CHO (51% kcals) - Sucrose, corn syrup solids |
| USE: A phenylalanine-free medical food (metabolic) for children and adults with phenylketonuria (PKU). Contains a balanced mixture of all other essential and non-essential amino acids. Does not contain vitamins, minerals or trace elements. Per tablet: 38 kcals, 8.3 g pro, .2 g fat, .65 g CHO. Note: The Phlexy - 10 system includes bars, capsules, drink mix and tablets. These products can be used independently or in combination with other phenylalanine-free products or protein sources. Phlexy-Vits (not WIC approved) are available to be used as a vitamin/mineral supplement with the Phlexy-10 system. CAUTION: For use only under strict medical supervision. Not intended as a sole source of nutrition. | Approved with prescription. | 75 tablets/bottle | Protein (87% kcals) - Amino acids (without phenylalanine) Fat (5% kcals) - Negligible CHO (7 % kcals) - Microcrystalline cellulose |

| Product | WIC Issuance | Size | Nutrient Source |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| PHLEXY – VITS (Nutricia North America) USE: A vitamin, mineral and trace element preparation for older children and adults with restrictive therapeutic diets. One 7 g packet supplies the majority of vitamins and minerals needed to meet the DRI of individuals 11 years and older. Per 7 g: .2 kcals, 0.02 g pro, 0 g fat, 0 g CHO CAUTION: For use only under strict medical supervision. Not intended as a sole source of nutrition. | Not WIC approved. | 7 g packet powder 30 packets/case 1 sachet phlexy-vits to 1 sachet Phlexy drink mix Or 1 sachet phlexy-vits to small amount of lemonade or juice (1.5 fl oz), dilute to 5 fl oz | Protein (0% kcals) - None Fat (0% kcals) - None CHO (0% kcals) - None |
| USE: A very-high calorie and protein medical food (tube feed) for older children and adults who are immunosuppressed, metabolically stressed or have fluid restrictions. Contains FOS (prebiotic that may help maintain gut health) and arginine. Glutenfree, lactose-free, low-residue. Per 8 fl oz: 355 kcals (1.5 kcals/oz), 22.2 g pro, 12 g fat, 40.9 g CHO, 4.3 mg iron, 1.8 g fiber Osmolality: 595 mOsm/kg CAUTION: For use only under strict medical supervision. Not for parenteral use. | Not WIC approved. | 8 fl oz (237 ml) can RTF 24 cans/case 1000 ml container Ready-To-Hang 8 containers/case | Protein (25% kcals) - Partially hydrolyzed sodium caseinate, whey protein hydrolysate, Larginine, L-carnitine Fat (30% kcals) - Structured lipid (interesterified sardine oil and MCT), soy oil, canola oil CHO (45% kcals) - Corn syrup solids, fructooligosaccharides |

| Product | WIC Issuance | Size | Nutrient Source |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------|
| PKU Lophlex LQ (Nutricia North America) USE: A phyenylalanine-free medical food for children 4 years and older including pregnant women with phenylketonuria. Contains a balanced mixture of all other essential and non-essential amino acids, carbohydrate, vitamins, minterals and trace elements. Per 125 mL: 115-116 kcals, 20 g pro, <1 g fat, 8.8 g CHO Osmolality: 2460 mOsm/kg Flavors: Tropical, Berry CAUTION: For use only under strict medical supervision for individuals with proven phenylketonuria. Not intended as a sole source of nutrition. Not for parenteral use. Not intended for infants. | Approved with prescription. | 4.2 fl oz (125ml) pouches 30 pouches/case | Protein (70% kcals) - Amino Acids (without phenylalanie) Fat (0% kcals) - Negible CHO (30% kcals) - Corn syrup solids |
| POLYCOSE (Abbott Nutrition) USE: A medical food (glucose polymer) for infants, children and adults in need of additional calories. Useful in supplying carbohydrate calories for protein-, electrolyte-, and fat-restricted diets. For oral use or tube feeding. Kosher, lactose-free, gluten-free, low-residue. Per 100 g: 380 kcals, 0 g pro, 0 g fat, 94 g CHO, 0 mg iron Osmolality: 900 mOsm/kg CAUTION: For use only under strict medical supervision. Polycose should be fed to infants only as directed by a physician. Not intended as a sole source of nutrition. Not for parenteral use. | Approved with prescription. | 12.3 oz (350 g) can powder 6 cans/case 1 Tbsp powder = 6 g | Protein (0% kcals) - None Fat (0% kcals) - None CHO (100% kcals) - Glucose polymers from hydrolysis of corn starch |

| Product | WIC Issuance | Size | Nutrient Source |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| PORTAGEN (Mead Johnson) USE: A milk-based medical food for children and adults with defects in the intraluminal hydrolysis of fat (decreased pancreatic lipase, decreased bile salts), defective mucosal fat absorption (decreased mucosal permeability, decreased absorptive surface), and/or defective lymphatic transport of fat (intestinal lymphatic obstruction). Gluten-free, lactose-free, low-residue. Per 100 g: 470 kcals, 16.5 g pro, 22 g fat, 54 g CHO, 8.8 mg iron | Approved with prescription. | 16 oz (454 g) can powder 6 cans/case Reconstituted: 70 fl oz Standard dilution = 30 kcals/oz: Add 3 scoops powder (28.2 g) to 4 fl oz water to yield 4.5 fl oz formula | Protein (14% kcals) - Sodium caseinate Fat (40% kcals) - MCT oil, corn oil CHO (46% kcals) - Corn syrup solids, sucrose |
| Osmolality: 350 mOsm/kg CAUTION: For use only under strict medical supervision. Not intended as a sole source of nutrition. If used long-term, supplementation of essential fatty acids and ultra-trace minerals should be considered. Persons should start Portagen beverage slowly and start with one or two small servings per day until they become accustomed to the product, since abdominal discomfort and/or diarrhea may occur. Not for parenteral use. Not for individuals with galactosemia. | | | |
| PREGESTIMIL (Mead Johnson) USE: An infant formula (hypoallergenic) for infants with gastrointestinal problems (fat malabsorption and sensitivity to intact proteins). Docosahexaenoic acid (DHA) and Arachidonic acid (ARA) have been added. Iron-fortified. Gluten-free, lactose-free, galactose-free, sucrose-free. Available in 24 cals in 2 fl oz bottles only. Per 100 kcals: 2.8 g pro, 5.6 g fat, 10.2 g CHO, 1.8 mg iron Osmolality: 290-340 mOsm/kg CAUTION: For use only under medical supervision. Not recommended for routine use in VLBW infants who may be at increased risk of developing gastrointestinal complications. | Approved with prescription. | 16 oz (454 g) can powder 6 cans/case Reconstituted: 112 fl oz Standard dilution = 20 kcals/oz: 1 scoop (8.9 g) powder to 2 fl oz water 2 fl oz bottle RTF 48 bottles/case (available in 20 and 24 kcal) | Protein (11% kcals) - Casein hydrolysate, amino acids Fat (48% kcals) - MCT oil, soy oil, corn oil, high oleic oil (safflower or sunflower), DHA, ARA CHO (41% kcals) - Corn syrup solids, dextrose, modified corn starch |

| Product | WIC Issuance | Size | Nutrient Source |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|-----------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------|
| PRODUCT 3232A (Mead Johnson) USE: A protein hydrolysate infant formula and medical food (hypoallergenic) for infants and children with disaccharidase deficiencies or other disorders of carbohydrate metabolism. To be used with added carbohydrate. Contains tapioca starch. Gluten-free, lactose-free, galactose-free. Per 100 g: 22 g pro, 33 g fat, 33 g CHO, 14.8 mg iron Osmolality: 360-640 mOsm/kg (prepared with 59 g added carbohydrate; varies by source) CAUTION: For use only under strict medical supervision. Not intended as a sole source of nutrition. For long-term use, additional fatty acids should be considered. Not for parenteral use. | Approved with prescription. | 16 oz (454 g) can powder 6 cans/case Standard dilution = 20 kcals/oz 1/2 cup powder = 81 g | Protein (11% kcals) - Casein hydrolysate, amino acids Fat (35% kcals) - MCT, corn oil CHO (54% kcals) - Modified tapioca starch |
| PROMOD LIQUID PROTEIN (Abbott Nutrition) USE: A medical food for children and adults with increased protein needs including wounds, protein-energy malnutrition, involuntary weight loss, pre/post surgery, anorexia, stress, trauma, cancer, and burns. Gluten-free, lactose-free. Per 1 fl oz: 100 kcals (3.3 kcals/ml), 10 g pro, 0 g fat, 14 g CHO, Flavors: Fruit punch CAUTION: Use under medical supervision. Not intended as sole source of nutrition. | Approved with prescription. | 32 fl oz bottle 6 bottles/case | Protein (40% kcals) - Hydrolyzed beef collagen Fat (0% kcals) CHO (60% kcals) - Glycerin |

| Product | WIC Issuance | Size | Nutrient Source |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|-------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| PROMOTE with FIBER (Abbott Nutrition) USE: A nutritionally complete, very-high protein medical food (tube feed/oral supplement) for older children and adults with low caloric needs or at risk for protein-energy malnutrition or pressure ulcers. Kosher, gluten-free, lactose-free, low-residue (without fiber). Per 8 fl oz: 237 kcals (1 kcal/ml), 14.8 g pro, 6.2-6.7 g fat, 30.8-32.8 g CHO, 4.3 mg iron Osmolality: 340-380 mOsm/kg Flavors: vanilla CAUTION: For use only under medical supervision. Not for parenteral use. | Approved with prescription. | 8 fl oz (237 ml) can RTF 24 cans/case 1000 ml Ready-To-Hang 8 containers/case 1500 ml Ready-To-Hang 6 containers/case | Protein (25% kcals) - Sodium and calcium caseinates, soy protein isolate Fat (23-25% kcals) - High oleic safflower oil, canola oil, MCT CHO (50-52% kcals) - Corn maltodextrin, sucrose, oat fiber, soy fiber(with fiber) |
| PRO-PHREE (Abbott Nutrition) USE: A protein-free infant formula and medical food for infants and toddlers in need of extra calories, minerals and vitamins or on a protein restriction. Supplemented with L-carnitine and taurine. Iron-fortified. Per 100 g: 520 kcals, 0 g pro, 28 g fat, 65 g CHO, 11.9 mg iron Osmolality: 205 mOsm/kg at 20 kcal/oz CAUTION: For use only under strict medical supervision. Not intended as a sole source of nutrition. Not for parenteral use. | Approved with prescription. | 14.1 oz (400 g) can powder 6 cans/case Standard dilution = 20 kcals/oz Follow Rx as directed by physician. 1 Tbsp powder = 8 g | Protein (0% kcals) - None Fat (48% kcals) - High oleic safflower oil, coconut oil, soy oil CHO (50% kcals) - Corn syrup solids |

| Product | WIC Issuance | Size | Nutrient Source |
|----------------------------------------------------------------------------------------------------------|---------------|-------------------------------------|---------------------------------------------|
| PROPIMEX - 1 (Abbott Nutrition) | Approved with | 14.1 oz (400 g) can powder | Protein (13% kcals) |
| | prescription. | 6 cans/case | - Amino acids (without |
| USE: A methionine- and valine-free <u>infant formula and medical food</u> (metabolic) for | | | methionine, valine) |
| infants and toddlers with propionic or methylmalonic acidemia. Low in isoleucine, | | Standard dilution = 20 kcals/oz | F-+ (440/ ll-) |
| threonine and tryptophan. Supplemented with taurine. Fortified with L-carnitine and iron. | | Follow Rx as directed by physician. | Fat (41% kcals) - High oleic safflower oil, |
| and from. | | 1 Tbsp powder = 8 g | coconut oil, soy oil |
| Per 100 g: 480 kcals, 15 g pro, 21.7 g fat, 53 g CHO, 9 mg iron | | 1 103p powder – 0 g | coconat on, soy on |
| 1 c 100 g. 100 kouis, 10 g pro) 2117 g tut, 00 g c 110, 0 mg mon | | | CHO (44% kcals) |
| Osmolality: 370 mOsm/kg at 20 kcal/oz | | | - Corn syrup solids |
| | | | , . |
| CAUTION: Must only be given to infants and toddlers with proven propionic or | | | |
| methylmalonic acidemia, under strict medical supervision. Not intended as a sole | | | |
| source of nutrition. Not for parenteral use. | | | |
| PROPIMEX - 2 (Abbott Nutrition) | Approved with | 14.1 oz (400 g) can powder | Protein (29% kcals) |
| THO THE E (ADDOCT MULLION) | prescription. | 6 cans/case | - Amino acids (without |
| USE: A methionine- and valine-free <u>medical food</u> (metabolic) for <u>children and adults</u> | F F | | methionine, valine) |
| with propionic or methylmalonic acidemia. Low in isoleucine, threonine and | | Standard dilution = 30 kcals/oz | . , |
| tryptophan. Supplemented with taurine. Fortified with L-carnitine. | | Follow Rx as directed by physician. | Fat (29% kcals) |
| | | | - High oleic safflower oil, |
| Per 100 g: 410 kcals, 30 g pro, 13 g fat, 35 g CHO, 13 mg iron | | 1 Tbsp powder = 8 g | coconut oil, soy oil |
| Osmolality: 1350 mOsm/kg at 30 kcal/oz | | | CHO (34% kcals) |
| Ostrolanty. 1550 mosnifikg at 50 kcai/02 | | | - Corn syrup solids |
| CAUTION: Must only be given to children and adults with proven propionic or | | | 2011/ 3yrup 3011u3 |
| methylmalonic acidemia, under strict medical supervision. Not intended as a sole | | | |
| source of nutrition. Not for parenteral use. | | | |
| · | | | |

| Product | WIC Issuance | Size | Nutrient Source |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| USE: A protein-vitamin-mineral infant formula and medical food (metabolic) for infants, children and adults with abetalipoproteinemia, hypobetalipoproteinemia, cholestasis, chylothorax, chylous ascites, fatty acid oxidation defects, glutaric aciduria type II, glycogen storage disease types II, III, and IV, hyperlipoproteinemia type I (fasting chylomicronemia), lymphangiectasis, intestinal malabsorption of carbohydrate and/or fat, malonyl coenzyme A decarboxylase deficiency, neurologically handicapped patients with low energy needs, X-linked adrenoleukodystrophy or in need of increased protein, minerals and vitamins. Virtually carbohydrate- and fat-free. Supplemented with L-carnitine and taurine. Iron-fortified. Per 100 g: 313 kcals, 73 g pro, 1.4 g fat, 2.0 g CHO, 40 mg iron CAUTION: For use only under strict medical supervision. Not intended as a sole source of nutrition. Not for parenteral use. | Approved with prescription. | 5.3 oz (150 g) can powder 6 cans/case Standard dilution = 20 kcals/oz To prepare 1000 ml formula, add 30 g ProViMin, 34 g fat and 69 g CHO to 900 ml water. 1 Tbsp powder = 2.9 g | Protein (93% kcals) - Sodium caseinate, amino acids Fat (4% kcals) - Coconut oil CHO (3% kcals) - Negligible |
| PULMOCARE (Abbott Nutrition) USE: A nutritionally complete, low-carbohydrate, high-calorie medical food (pulmonary tube feed/oral supplement) for older children and adults with chronic obstructive pulmonary disease, cystic fibrosis or respiratory failure. Designed to help reduce carbon dioxide production. Fortified with antioxidants. Kosher, gluten-free, lactose-free, low-residue. Per 8 fl oz: 355 kcals (1.5 kcals/oz), 14.8 g pro, 25 g CHO, 22.1 g fat, 4.5 mg iron Osmolality: 475 mOsm/kg Flavor: vanilla CAUTION: For use only under strict medical supervision. Not for parenteral use. | Approved with prescription. | 8 fl oz (237 ml) can RTF 24 cans/case 1000 ml container Ready-To-Hang 8 containers/case | Protein (16.7% kcals) - Sodium and calcium caseinates Fat (55.1% kcals) - Canola oil, MCT, corn oil, high oleic safflower oil CHO (28.2% kcals) - Sucrose, corn maltodextrin |

| Product | WIC Issuance | Size | Nutrient Source |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|-----------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------|
| RCF Ross Carbohydrate Free Formula Base (Abbott Nutrition) USE: A soy-based, carbohydrate-free infant formula (metabolic) for infants with seizure disorders requiring a ketogenic diet or unable to tolerate the type or amount of carbohydrate in milk or conventional infant formulas. Supplemented with L-carnitine and taurine. Iron-fortified. Per 100 kcals (with 52 g CHO and 12 oz H ₂ o mixed with 13 oz RCF): 3 g pro, 5.3 g fat, 10.1 g CHO, 1.8 mg iron Osmolality: 168 mOsm/kg CAUTION: For use only under strict medical supervision. Not for parenteral use. | Approved with prescription. | 13 fl oz can concentrate 12 cans/case Standard dilution = 20 kcals/oz Follow Rx as directed by physician | Protein (20% kcals) - Soy protein isolate Fat (80% kcals) - High oleic safflower oil, soy oil, coconut oil CHO (0% kcals) - None |
| RE/GEN HP/HC RE/GEN HP/HC SF (Nutra/Balance) USE: A high-calorie and protein medical food (renal oral supplement) for older children and adults with phosphorous, potassium or fluid -restricted diets or on dialysis. Kosher, low-lactose. Per 6 oz: 345-375 kcals, 12-14 g pro, 16-17 g fat, 35-47 g CHO, 0 mg iron Flavors: regular – vanilla, strawberry; sf - vanilla | Not WIC Approved. | 6 oz carton RTF 27 cartons/case | Protein (14-15% kcals) Fat (41-42% kcals) CHO (41-50% kcals) |

| Product | WIC Issuance | Size | Nutrient Source |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|--------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| WSE: A very high-calorie, low-protein, low-electrolyte medical food (renal tube feed/oral supplement) for older children and adults with acute renal failure. Supports positive nitrogen balance, helps minimize uremic symptoms. Contains arginine (to reduce potential for hyperammonemia). Kosher, lactose-free, glutenfree, low residue. Nestle flavor packets available. Per 8.5 oz: 500 kcals (2 kcals/ml), 8.6 g pro, 20.6 g fat, 72.6 g CHO, 0 mg iron Osmolality: 600 mOsm/kg CAUTION: For use only under strict medical supervision. Not intended as a sole source of nutrition. Not for individuals with galactosemia. Not for parenteral use. | Approved with prescription. | 8.45 fl oz (250 ml) can RTF 24 cans/case | Protein (7% kcals) - Whey protein concentrate, amino acid blend Fat (35% kcals) (MCT 70%, LCT 30%) - MCT (fractionated coconut and palm kernel oil), canola oil, corn oil CHO (58% kcals) - Maltodextrin, cornstarch |
| RESOURCE 2.0 (Nestle Healthcare Nutrition) USE: A nutritionally complete, high-calorie and protein medical food (oral supplement/tube feed) for older children and adults with anorexia, burn injury, COPD, congestive heart failure, developmental disabilities, malnutrition, pressure ulcers, respiratory disease, shortened feeding schedule or fluid restrictions. Kosher, lactose-free, low-residue, may be suitable for a gluten-free diet. Per 8 oz: 480 kcals (2 kcals/ml), 20 g pro, 20 g fat, 52 g CHO, 4.5 mg iron Osmolality: 790 mOsm/kg Flavors: vanilla crème CAUTION: For use only under medical supervision. Not for individuals with galactosemia. | Approved with prescription. | 8 fl oz (237 ml) brik 27 briks/case 32 fl oz brik 12 briks/case | Protein (16.7% kcals) - Calcium and sodium caseinate (milk) Fat (40% kcals) - Canola oil CHO (43.3% kcals) - Corn syrup solids, sugar, maltodextrin |

| Product | WIC Issuance | Size | Nutrient Source |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|-------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------|
| RESOURCE ARGINAID EXTRA (Nestle Healthcare Nutrition) USE: A medical food for older children and adults (wound healing oral supplement) with burn injuries, pressure ulcers, venuous ulcers or other chronic wounds. Contains supplemental levels of L-Arginine, zinc and vitamins C and E. Kosher, lactose-free, low-residue, may be suitable for gluten-free diets. Per 8 oz: 250 kcals (1.06 kcals/ml), 10.5 g pro, 0 g fat, 52 g CHO, 3.6 mg iron Osmolality: 1340 mOsm/kg Flavors: orange burst, wildberry CAUTION: For use only under medical supervision. High-nitrogen and phosphorous content may not be appropriate for individuals with kidney disease. | Not WIC Approved. | 8 fl oz (237 ml) brik RTF 27 brik/case | Protein (17% kcals) - Whey protein isolate, L-Arginine Fat (0% kcals) - None CHO (83% kcals) - Sugar, phosphoric acid, malic acid |
| RESOURCE BREEZE (Nestle Healthcare Nutrition) USE: A medical food (clear liquid oral supplement) for older children and adults with anorexia, cancer, failure to thrive, fat malabsorption or pancreatic disorders. Kosher, lactose-free, low-residue, may be suitable for a gluten-free diet. Per 8 oz: 250 kcals (1.06 kcals/ml), 9 g pro, 0 g fat, 54 g CHO, 2.7 mg iron Osmolality: 750 mOsm/kg Flavors: orange, peach, wildberry, variety CAUTION: For use under medical supervision. Not for individuals with galactosemia. | Approved with prescription. | 8 fl oz (237 ml) brik 27 briks/case | Protein (14% kcals) - Whey protein isolate Fat (0% kcals) - None CHO (86% kcals) - Sugar, corn syrup |

| Product | WIC Issuance | Size | Nutrient Source |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|-----------------------------------------|--------------------------------------------------------------------------------------------------------------------|
| RESOURCE DAIRY THICK (Nestle Healthcare Nutrition) USE: A medical food (oral supplement) for older children and adults with dysphagia, gluten intolerance, or cerebrovascular accident/stroke. Thickened 2% milk. Lowresidue, gluten-free. Per 8 fl oz: 170-190 kcals, 8 g pro, 5 g fat, 24-28 g CHO (Caloric and carbohydrate content varies with flavor and consistency) Osmolality: 330-400 Flavors: Original, vanilla. Available in honey-like and nectar-like consistencies. CAUTION: For use under medical supervision. Not for parenteral use. | Approved with prescription. | 8 fl oz (237 ml) briks 27 briks/case | Protein (14% kcals) - milk protein concentrate Fat (0% kcals) - 2% milk fat CHO (86% kcals) - Sugar, cornstarch |
| RESOURCE DIABETISHIELD (Nestle Healthcare Nutrition) USE: A medical food (clear liquid diabetic oral supplement) for older children and adults with diabetes, glucose intolerance or stress-induced hyperglycemia. Added arginine, chromium, and vitamins C and E. Kosher, lactose-free, fat-free, may be suitable for a gluten-free diet. Per 8 oz: 150 kcals (0.63 kcals/ml), 7 g pro, 0 g fat, 30 g CHO, 2.7 mg iron Osmolality: 380 mOsm/kg Flavors: orange twist, mixed berry CAUTION: For use under medical supervision. | Not WIC Approved. | 8 fl oz (237 ml) briks 27 briks/case | Protein (19% kcals) - Whey protein isolate (milk), L-arginine Fat (0% kcals) - None CHO (81% kcals) - Corn syrup |

| Product | WIC Issuance | Size | Nutrient Source |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|---------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| RESOURCE NUTRITIOUS JUICE DRINK (Nestle Healthcare Nutrition) USE: A medical food (clear liquid oral supplement) for older children and adults with gluten intolerance, inadequate oral intake, nausea/vomiting, dehydration, failure to thrive, oncology, malnutrition. Kosher, lactose-free, gluten-free, low-residue. Per 6 fl oz: 210 kcals (1.18 kcals/ml), 6 g pro, 0 g fat, 46 g CHO, 3.6 mg iron Osmolality: 700 mOsm/kg Flavors: orange, apple cranberry CAUTION: For use under medical supervision. Not for individuals with galactosemia. Not for parenteral use. | Not WIC approved. | 6 fl oz (177 ml) cartons 50 cartons/case | Protein (12% kcals) - Whey protein concentrate (milk) Fat (0% kcals) - None CHO (88% kcals) - Corn syrup, sugar, maltodextrin, corn syrup solids |
| RESOURCE NUTRITIOUS PUDDING (Nestle Healthcare Nutrition) USE: A high-calorie medical food (oral supplement) for older children and adults with volume intolerance, failure to thrive, dysphagia, gluten intolerance, inadequate oral intake, cerebrovascular accident/stroke, oral surgery, cancer, anorexia, weight loss. Kosher, low-residue. Per 4 fl oz: 250 kcals (2 kcals/ml), 9 g pro, 8 g fat, 35 g CHO, 1.8 mg iron Osmolality: 1820 mOsm/kg Flavors: Vanilla, chocolate CAUTION: For use under medical supervision | Approved with prescription. | 4 fl oz (120 ml) cup 48 cups/case | Protein (15% kcals) - sodium caseinate (milk), skim milk, nonfat dry milk Fat (29% kcals) - canola oil CHO (56% kcals) -corn syrup, sugar, food starch modified (corn), maltodextrin |

| Product | WIC Issuance | Size | Nutrient Source |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|-------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| RESOURCE THICKENED JUICE (Nestle Healthcare Nutrition) USE: A medical food (oral supplement for older children and adults with gluten intolerance, dysphagia, or cerebrovasclar accident/stroke. Lactose-free, gluten-free, Kosher. Per 8 fl oz: 160-190 kcals (0.7-0.8 kcals/ml), 0-1 g pro, 0 g fat, 40-48 g CHO (Nutritional contents vary with flavor and consistency) Flavors: 100% orange juice, 100% apple juice, and 27% cranberry juice cocktail. Available in honey-like and nectar-like consistencies. CAUTION: For use under medical supervision. Not for individuals with galactosemia. | Approved with prescription. | 8 fl oz (240 ml) tetra brik pak 27 briks/case 64 fl oz (1920 ml) bottle 8 bottles/case | Protein (0%) Fat (0%) CHO (100%) Natural sugars, food starch modified (corn) |
| RESOURCE THICKEN-UP (Nestle Healthcare Nutrition) USE: A low caloriemedical food for children over age 3 and adults with dysphagia, Per 6.4 g packet: 15 kcals, 0 g pro, 0 g fat, 4 g CHO CAUTION: For use under medical supervision. Not for individuals with galactosemia. Kosher, lactose-free, gluten-free, low-residue. | Not WIC approved. | 6.4 g packets 75 packets/case 8 oz cans 12 cans/case 25 lb (11.34 kg) box | |
| USE: A high-calorie medical food (oral supplement) for children and adults with malabsorption, cystic fibrosis, cancer or who need to gain or maintain weight. Allows calories to be added to individual servings of food or beverages. Comes in a shaker-top dispenser can. Kosher, gluten-free. Per 6.5 g: 35 kcals, 0 g pro, 2.5 g fat, 4 g CHO, 0 mg iron CAUTION: Not intended as a sole source of nutrition. | Approved with prescription. | 8 oz (227 g) can powder 6 cans/case | Protein (0% kcals) - None Fat (64% kcals) - Partially hydrogenated vegetable oil (coconut or soybean oils), MCT CHO (46% kcals) - Maltodextrin, corn syrup solids |

| Product | WIC Issuance | Size | Nutrient Source |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| SCANDISHAKE SCANDISHAKE SWEETENED with ASPARTAME (Aptalis) USE: A high-calorie medical food (oral supplement) for children and adults with malabsorption, cystic fibrosis, cancer or who need to gain or maintain weight. Can be mixed with a variety of foods and beverages. Kosher, gluten-free. Per 3 oz: 440 kcals, 6-8 g pro, 21 g fat, 53-54 g CHO, 0 mg iron Flavors: vanilla, chocolate, strawberry (without aspartame) CAUTION: Not intended as a sole source of nutrition. | Approved with prescription. | 3 oz (85 g) envelope powder 4 envelopes/box Recommendations to mix 1 envelope powder with 8 fl oz milk. | Protein (5-7% kcals) - Nonfat milk Fat (43% kcals) - Partially hydrogenated vegetable oil (coconut or soybean oils), MCT CHO (49-53% kcals) - Maltodextrin, sugar, nonfat milk, corn syrup solids |
| SCANDISHAKE LACTOSE FREE (Aptalis) USE: A high-calorie medical food for children and adults with malabsorption, cystic fibrosis, cancer or who need to gain or maintain weight. Can be mixed with a variety of foods and beverages. Kosher, lactose-free, gluten-free,. Per 3 oz: 430 kcals, 8 g pro, 20 g fat, 53-54 g CHO, 0 mg iron Flavors: vanilla, chocolate CAUTION: Not intended as a sole source of nutrition. | Not WIC Approved. | 3 oz (85 g) envelope powder 4 envelopes/box Recommendations to mix 1 envelope powder with 8 fl oz soy, lactose free, or rice milk. | Protein (7% kcals) - Calcium sodium caseinate, whey protein isolate Fat (42% kcals) - Partially hydrogenated vegetable oil (coconut or soybean oils), MCT CHO (50% kcals) - Sugar, corn syrup solids, maltodextrin |

| Product | WIC Issuance | Size | Nutrient Source |
|------------------------------------------------------------------------------------------------------|-----------------------|-----------------------------------|-------------------------|
| SIMILAC ADVANCE (Abbott Nutrition) | Standard WIC Contract | 12.4 oz (365 g) can powder | Protein (8% kcals) |
| | Formula (No Rx needed | 6 cans/case | - Nonfat milk, whey |
| USE: A milk-based <u>infant formula</u> for <u>infants</u> with <u>no special nutritional</u> | for infants) | Reconstituted: 90 fl oz | protein concentrate |
| requirements. Contains blend of prebiotics, nucleotides, and antioxidants. DHA, | | | |
| ARA. Iron-fortified. | | 23.2 oz (658 g) can powder | Fat (49% kcals) |
| | | 6 cans/case | - High oleic safflower, |
| Per 100 kcals: 2.07 g pro, 5.6 g fat, 10.71 g CHO, 1.8 mg iron | | Reconstituted: 168 fl oz | soy, and coconut oil, |
| | | | DHA, ARA |
| Osmolality: 310 mOsm/kg | | 2.13 lb (964 g) can powder | |
| | | 6 cans/case | CHO (43% kcals) |
| CAUTION: Evaluate if formula is mixed, used, and stored properly. | | | - Lactose, Galacto- |
| | | Standard dilution = 20 kcals/oz: | Oligosaccharides (GOS) |
| | | 1 scoop (8.7 g) powder to every 2 | |
| | | fl oz water. | |
| | | 13 fl oz can concentrate | |
| | | 12 cans/case | |
| | | Reconstituted: 26 fl oz | |
| | | | |
| | | 32 fl oz bottle RTF | |
| | | 6 bottles/case | |
| | | | |

| Approved with | 2 fl | |
|---------------|----------------------------------|-----------------------------------------------------------------------------------------------------------------------------------|
| | 2 fl oz plastic bottle RTF | Protein (12% kcals) |
| prescription. | 48 bottles/case | - Nonfat milk, whey protein concentrate |
| | Standard dilution = 24 kcals/oz | |
| | | Fat (47% kcals) - soy oil, coconut oil, |
| | | DHA, ARA |
| | | CHO (41% kcals) - Corn syrup solids, |
| | | lactose |
| | | |
| | | |
| | | |
| | | |
| | | |
| Approved with | 16 oz (454 g) can powder | Protein (11% kcals) |
| orescription. | | - Casein hydrolysate, amino acids |
| | | |
| | Standard dilution = 20 kcals/oz: | Fat (48% kcals) |
| | | - Safflower oil, MCT, soy oil, DHA, ARA |
| | ii oz water. | OII, DHA, AKA |
| | 8 fl oz can RTF | CHO (41% kcals) |
| | 6 cans/case | - Sucrose, corn |
| | 32 fl oz bottle RTF | maltodextrin, modified tapioca starch |
| | 6 bottles/case | |
| - | oproved with escription. | Standard dilution = 20 kcals/oz: 1 scoop (8.7 g) powder to every 2 fl oz water. 8 fl oz can RTF 6 cans/case 32 fl oz bottle RTF |

| Product | WIC Issuance | Size | Nutrient Source |
|------------------------------------------------------------------------------------------------------------------|---------------|-----------------------------------|-------------------------|
| SIMILAC EXPERT CARE FOR DIARRHEA (Abbott Nutrition) | Approved with | 8 fl oz can RTF | Protein (11% kcals) |
| | prescription. | 24 cans/case | - Soy protein isolate, |
| USE : A soy-based <u>infant formula</u> (lactose-free) for <u>infants older than 6 months and</u> | | | amino acids |
| toddlers with diarrhea. Iron-fortified. | | 32 fl oz can RTF | |
| | | 6 cans/case | Fat (49% kcals) |
| Per 100 kcals: 2.66 g pro, 5.46 g fat, 10.1 g CHO, 1.8 mg iron, 0.9 g fiber | | | - Soy oil, coconut oil |
| | | Standard dilution = 20 kcals/oz | |
| Osmolality: 240 mOsm/kg | | | CHO (40% kcals) |
| | | | - Corn syrup, sucrose, |
| CAUTION: Must only be used under medical supervision. Should not be fed to | | | soy fiber |
| infants or toddlers with constipation. May not be appropriate for long-term use. | | | |
| SIMILAC EXPERT CARE NEOSURE (Abbott Nutrition) | Approved with | 13.1 oz (371 g) can powder | Protein (11% kcals) |
| | prescription. | 6 cans/case | - Nonfat milk, whey |
| USE: A high-calorie <u>infant formula</u> (premature) for <u>infants</u> in need of <u>extra calories</u> | | Reconstituted: 87 fl oz | protein concentrate |
| and nutrients. For use as a preterm, post discharge formula. Contains higher levels | | | |
| of protein, vitamins, and minerals than standard term formulas to promote greater | | Standard dilution = 22 kcals/oz: | Fat (50% kcals) |
| weight gain and growth. DHA, ARA. Iron-fortified. | | 1 scoop (9.6 g) powder to every 2 | - Soy oil, coconut oil, |
| | | fl oz water. | MCT, DHA, ARA |
| Per 100 kcals: 2.8 g pro, 5.5 g fat, 10.1 g CHO, 1.8 mg iron | | 2 fl an alondia landa DTE | CHO (400(lands) |
| Composite it was 250 mg Composite or | | 2 fl oz plastic bottle RTF | CHO (40% kcals) |
| Osmolality: 250 mOsm/kg | | 48 bottles/case | - Corn syrup solids, |
| CAUTION: For use only under strict medical supervision. The AAP supports the use | | 32 fl oz bottle RTF | lactose |
| of preterm discharge formulas to a postnatal age of 9 months. | | 6 bottles/case | |
| or preterm discharge formulas to a postulatal age of 5 months. | | o sociacs/ case | |
| | | | |
| | | | |

| Product | WIC Issuance | Size | Nutrient Source |
|---------------------------------------------------------------------------------------------------------|---------------------------------|-----------------------------------|-----------------------------|
| SIMILAC GO & GROW – MILK BASED FORMULA (Abbott Nutrition) | Standard WIC Contract | 22 oz (624g) can powder | Protein (8% kcals) |
| | Formula (No Rx needed | 6 cans/case | - Nonfat milk, whey |
| USE : A milk-based <u>infant formula and medical food</u> for <u>older infants and toddlers</u> | for infants 9-12 months) | Reconstituted: 162 fl oz | protein concentrate |
| (9-24 months) with no special nutritional requirements. DHA, ARA. Iron-fortified. | | | |
| | Approved with | Standard dilution = 20 kcals/oz: | Fat (49% kcals) |
| Per 100 kcals: 3 g pro, 5.40 g fat, 10.2 g CHO,2 mg iron | prescription (for | 1 scoop (8.6 g) powder to every 2 | - High oleic safflower oil, |
| | children) | fl oz water. | soy oil, coconut oil, DHA, |
| Osmolality: 300 mOsm/kg | | | ARA |
| | | | |
| CAUTION: Evaluate if formula is mixed, used, and stored properly. | | | CHO (43% kcals) |
| | | | - Lactose |
| SIMILAC GO & GROW - SOY BASED FORMULA (Abbott Nutrition) | Approved with | 22 oz (624g) can powder | Protein (10% kcals) |
| SIMILAC GO & GROW - 301 BASED FORMOLA (ABBUIL NULLILION) | Approved with prescription (for | 6 cans/case | - Soy protein isolate, |
| USE : A soy-based <u>infant formula and medical food</u> (lactose-free) for <u>older infants</u> | children) | Reconstituted: 160 fl oz | amino acids |
| and toddlers (9-24 months) with feeding problems such as fussiness, gas, spit-up or | Ciliaren | Reconstituted. 100 ii 02 | annio acius |
| with IgE-mediated allergy or sensitivity to cow's-milk protein. DHA, ARA. Iron- | | Standard dilution = 20 kcals/oz: | Fat (49% kcals) |
| fortified. | | 1 scoop (8.7 g) powder to every 2 | - High oleic safflower oil, |
| | | fl oz water. | soy oil, coconut oil, DHA, |
| Per 100 kcals: 2.8 g pro, 5.4 g fat, 10.3 g CHO, 2 mg iron | | | ARA |
| | | | |
| Osmolality: 200 mOsm/kg | | | CHO (41% kcals) |
| | | | - Corn syrup solids, |
| CAUTION: Evaluate if formula is mixed, used, and stored properly. | | | sucrose |
| | | | |

| Product | WIC Issuance | Size | Nutrient Source |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| SIMILAC ADVANCE ORGANIC (Abbott Nutrition) USE: A milk-based infant formula (organic) for infants with no special nutritional requirements. DHA, ARA. Iron-fortified. Per 100 kcals: 2.07 g pro, 5.63 g fat, 10.4 g CHO, 1.8 mg iron Osmolality: 225 mOsm/kg CAUTION: Evaluate if formula is mixed, used, and stored properly. | Not WIC Approved. | 1.45 lb (657 g) can powder 6 cans/case 2.12 lb (936 g) can powder 6 cans/case Standard dilution = 20 kcals/oz: 1 scoop (8.6 g) powder to every 2 fl oz water. 2 fl oz plastic bottle RTF 48 bottles/case 32 fl oz bottle RTF 6 bottles/case | Protein (8% kcals) - Organic nonfat milk Fat (49% kcals) - Organic high oleic safflower oil, organic soy oil, organic coconut oil, DHA, ARA CHO (42% kcals) - Organic maltodextrin, organic sugar from evaporated cane juice |
| USE: An infant formula (low iron) for infants with impaired renal function or who would benefit from lower mineral intake. Calcium-to-phosphorus ratio and content designed to treat serum calcium disorders (hypercalcemia and hypocalcemia due to hyperphosphatemia). Per 100 kcals: 2.2 g pro, 5.6 g fat, 10.2 g CHO, .7 mg iron Osmolality: 280 mOsm/kg CAUTION: For use only under strict medical supervision. In conditions where infant is losing abnormal quantities of one or more electrolytes, it may be necessary to supply electrolytes from sources other than the formula. It may be necessary to supply LBW infants weighing less than 1500 g at birth additional calcium, phosphorus, and sodium during periods of rapid growth. | Approved with prescription. | 14.1 oz (400 g) can powder 6 cans/case Reconstituted: 102 fl oz Standard dilution = 20 kcals/oz: 1 scoop (8.7 g) powder to every 2 fl oz water. | Protein (9% kcals) (60% whey, 40% casein) - Whey protein concentrate, sodium caseinate Fat (50% kcals) - High oleic safflower oil, soy oil, coconut oil CHO (41% kcals) - Lactose |

| Product | WIC Issuance | Size | Nutrient Source |
|---------------------------------------------------------------------------------------------------------------|---------------|-----------------------------------|-----------------------------|
| SIMILAC SOY ISOMIL (Abbott Nutrition) | Not Idaho WIC | 12.4 oz (352 g) can powder | Protein (10% kcals) |
| | Approved. | 6 cans/case | - Soy protein isolate, L- |
| USE : A soy-based <u>infant formula</u> (lactose-free) for <u>infants</u> with <u>feeding problems</u> | | Reconstituted: 90 fl oz | methionine |
| such as fussiness, gas, spit-up or with IgE-mediated allergy or sensitivity to cow's- | | | |
| milk protein. DHA, ARA. Iron-fortified. | | 23.2 oz (658 gm) can powder | Fat (49% kcals) |
| | | 6 cans/case | - High oleic safflower oil, |
| Per 100 kcals: 2.45 g pro, 5.46 g fat, 10.4 g CHO, 1.8 mg iron | | Reconstituted: 169 fl oz | soy oil, coconut oil, DHA, |
| | | | ARA |
| Osmolality: 200 mOsm/kg | | 2.13 lb (964 g) can powder | |
| | | 6 cans/case | CHO (41% kcals) |
| CAUTION: Evaluate if formula is mixed, used, and stored properly. | | | - Corn syrup, sucrose, |
| | | Standard dilution = 20 kcals/oz: | fructooligosaccharide |
| | | 1 scoop (8.7 g) powder to every 2 | (FOS) |
| | | fl oz water. | |
| | | 13 fl oz can concentrate | |
| | | 24 cans/case | |
| | | 2 : 33:13, 3333 | |
| | | 2 fl oz bottle RTF | |
| | | 48 bottles/case | |
| | | , | |
| | | 32 fl oz bottle RTF | |
| | | 6 bottles/case | |

| Product | WIC Issuance | Size | Nutrient Source |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| SIMILAC SENSITIVE FOR FUSSINESS & GAS (Abbott Nutrition) USE: A milk-based infant formula (lactose-free) for infants with mild tolerance symptoms such as fussiness and gas due to lactose sensitivity. DHA, ARA. Ironfortified. Per 100 kcals: 2.14 g pro, 5.4 g fat, 10.7 g CHO, 1.8 mg iron Osmolality: 200 mOsm/kg CAUTION: Evaluate if formula is mixed, used, and stored properly. Not for individuals with galactosemia. | Standard WIC Contract Formula (No Rx needed for infants) | 12.6 oz (357 g) can powder 6 cans/case Reconstituted: 90 fl oz 1.41 lb (638 gm) can powder 6 cans/case 2.06 lb (936 g) can powder 6 cans/case Standard dilution = 20 kcals/oz: 1 scoop (8.8 g) powder to every 2 fl oz water. 13 fl oz can concentrate 12 cans/case Reconstituted: 26 fl oz 32 fl oz bottle RTF 6 bottles/case | Protein (9% kcals) - Milk protein isolate Fat (49% kcals) - High oleic safflower oil, soy oil, coconut oil, DHA, ARA CHO (43% kcals) - Corn maltodextrin, sucrose, Galacto-Oligosaccharides (GOS) |
| SIMILAC FOR SPIT UP (Abbott Nutrition) USE: A milk-based infant formula (lactose-free) for infants to reduce spit-up. Contains rice starch. DHA, ARA. Iron-fortified. Per 100 kcals: 2.14 g pro, 5.64 g fat, 10.4 g CHO, 1.8 mg iron Osmolality: 180 mOsm/kg CAUTION: Evaluate if formula is mixed, used, and stored properly. Not for individuals with galactosemia. | Standard WIC Contract Formula (No Rx needed for infants) | 12.3 oz (349 g) can powder 6 cans/case Reconsitituted: 90 fl oz 1.41 lb (638 g) can powder 6 cans/case Reconsituted: 168 fl oz Standard dilution = 20 kcals/oz: 1 scoop (8.7 g) powder to every 2 fl oz water. 32 fl oz bottle RTF 6 bottles/case | Protein (9% kcals) - Milk protein isolate Fat (49% kcals) - High oleic safflower oil, soy oil, coconut oil, DHA, ARA CHO (43% kcals) - Corn syrup, rice starch, sucrose |

| Product | WIC Issuance | Size | Nutrient Source |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|----------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| SIMILAC SPECIAL CARE 20 with IRON (Abbott Nutrition) USE: An infant formula (premature) for premature infants with normal calorie needs. DHA, ARA. Iron-fortified. Per 100 kcals (20 kcals/oz): 3 g pro, 5.43 g fat, 10.3 g CHO, 1.8 mg iron Osmolality: 235 mOsm/kg CAUTION: For use only under strict medical supervision. VLBW infants are particularly susceptible to gastrointestinal complications; therefore, feeding should be initiated cautiously. Tolerance to enteral feedings should be confirmed by initially offerings small volumes. Spitting up, excessive gastric residuals, abdominal distention, abnormal stools or stool patterns, or other signs of intestinal dysfunction have been associated with enteral feeding before the intestinal tract is ready to accommodate the regimen. At the first sign of these problems, enteral feeding should be slowed or discontinued. | Approved with prescription. | 2 fl oz plastic bottle RTF 48 bottles/case Standard dilution = 20 kcals/oz | Protein (12% kcals) - Nonfat milk, whey protein concentrate Fat (47% kcals) - MCT, soy oil, coconut oil, DHA, ARA CHO (41% kcals) - Corn syrup solids, lactose |
| SIMILAC SPECIAL CARE 24 WITH IRON (Abbott Nutrition) USE: A high-calorie infant formula (low iron, premature) for premature infants with high calorie needs. DHA, ARA. Per 100 kcals (24 kcal/oz): 3 g pro, 5.43 g fat, 10.3 g CHO, 1.8 mg iron Osmolality: 280 mOsm/kg CAUTION: For use only under strict medical supervision. Not intended for feeding low-birth-weight infants after they reach a weight of 3600 g or as directed by a doctor. If signs if intolerance develop, slow feeding or discontinue. | Approved with prescription. | 2 fl oz plastic bottle RTF 48 bottles/case Standard dilution = 24 kcals/oz | Protein (12% kcals) - Nonfat milk, whey protein concentrate Fat (47% kcals) - MCT, soy oil, coconut oil, DHA, ARA CHO (41% kcals) - Corn syrup solids, lactose |

| Product | WIC Issuance | Size | Nutrient Source |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|----------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| USE: A high-calorie infant formula (low iron, premature) for premature infants with high calorie needs. DHA, ARA. Per 100 kcals (24 kcal/oz): 3.3 g pro, 5.43 g fat, 10 g CHO, 1.8 mg iron Osmolality: 280 mOsm/kg CAUTION: For use only under strict medical supervision. Not intended for feeding low-birth-weight infants after they reach a weight of 3600 g or as directed by a doctor. If signs if intolerance develop, slow feeding or discontinue. | Not WIC Approved. | 2 fl oz plastic bottle RTF 48 bottles/case Standard dilution = 24 kcals/oz | Protein (12% kcals) - Nonfat milk, whey protein concentrate Fat (47% kcals) - MCT, soy oil, coconut oil, DHA, ARA CHO (41% kcals) - Corn syrup solids, lactose |
| USE: A very high-calorie infant formula (premature) for premature infants with very high calorie needs or fluid restrictions. Can be mixed to a variety of caloric densities (26, 27, 28 calories). Can also be used as a sole-source feeding or a human milk fortifier. DHA, ARA. Iron-fortified. Per 100 kcals (30 kcal/oz): 3 g pro, 6.61 g fat, 7.73 g CHO, 1.8 mg iron Osmolality: 325 mOsm/kg CAUTION: For use only under strict medical supervision. Not intended for feeding low-birth-weight infants after they reach a weight of 3600 g or as directed by a doctor. If signs if intolerance develop, slow feeding or discontinue. | Not WIC Approved. | 2 fl oz plastic bottle RTF 48 bottles/case Standard dilution = 30 kcals/oz | Protein (12% kcals) - Nonfat milk, whey protein concentrate Fat (57% kcals) - MCT, soy oil, coconut oil, DHA, ARA CHO (31% kcals) - Corn syrup solids, lactose |

| Product | WIC Issuance | Size | Nutrient Source |
|--------------------------------------------------------------------------------------------------------------|---------------|--------------------------------------------------------------------------|-------------------------------------------|
| STORE BRAND FORMULAS <u>Milk</u> -Based (PBM Products) | Not Idaho WIC | 14.1 oz (400 g) can powder | Protein (8-10% kcals) |
| | approved. | Reconstituted: ~ 105 fl oz | - Nonfat milk, whey |
| Store Brand formulas are manufactured by PBM Products, in Vermont, and sold | | | protein concentrate, |
| under private brand labels. All PBM manufactured infant formulas are federally WIC | | 24 oz (681 g) can powder | whey |
| eligible. | | Reconstituted: | |
| | | - Gentle: ~ 174 fl oz | Fat (48% kcals) - Palm oil or palm olein, |
| With Iron and Lipids | | - Probiotic: ~ 179 fl oz | high oleic (safflower or |
| USE: A milk-based infant formula for infants with no special nutritional | | - 110510tic. 1751102 | sunflower) oil, coconut |
| requirements. Iron-fortified. DHA, ARA. | | -Added Rice: ~ 172 fl oz | oil, soybean oil |
| requirements. | | Added Mee. 172 H 02 | on, soybean on |
| Gentle | | 23.2 oz (658 g) can powder | CHO (43-44% kcals) |
| USE : A milk-based infant formula (partially hydrolyzed) for infants with fussiness or | | Reconstituted: ~172 fl oz | - Lactose |
| gas. Iron-fortified. DHA, ARA. | | | |
| | | 25.75 oz (730 g) can powder | |
| Lactose Free | | Reconstituted: | |
| USE : A milk-based <u>infant formula</u> (lactose-free) for <u>infants</u> with <u>mild tolerance</u> | | - With iron and lipids: ~ 190 fl oz | |
| symptoms such as fussiness and gas due to lactose sensitivity. Iron-fortified. DHA, | | | |
| ARA. | | - Infant formula 2/Next Step: | |
| | | ~179 fl oz | |
| Lactose Sensitive | | | |
| USE: A milk-based <u>infant formula</u> (lactose-free) for <u>infants</u> with lactose sensitivity or | | - Lactose Free: ~ 187 fl oz | |
| are avoiding lactose in the diet. Iron fortified. DHA, ARA | | | |
| Fallandlia | | - Lactose-Sensititive/Sensitivity:~ 186 fl oz | |
| Follow Up USE: A milk-based infant formula for infants age 4 months and older with no special | | 186 11 02 | |
| nutritional requirements. Iron-fortified. DHA, ARA. | | 13 oz can concentrate | |
| inditional requirements. Itom fortified. Driz, ANA. | | Reconstituted: 26 fl oz | |
| Per 100 kcals: 2.1-2.6 g protein, 5.3 g fat, 10.8-10.9 g CHO, 1.8 mg iron | | neconstituted. 20 ii 02 | |
| - 5. 200 hours. 212 210 g protein, 515 g tat, 1515 g 5116, 116 high from | | 32 oz bottle RTF | |
| Osmolality: 290 mOsm/kg | | 22.00.00 | |
| ,, , | | Standard dilution = 20 kcals/oz | |
| CAUTION: Evaluate if formula is mixed, used, and stored properly. | | | |
| | | | |

| Product | WIC Issuance | Size | Nutrient Source |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|-----------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| STORE BRAND FORMULAS Pediatric Drinks (PBM Products) Store Brand formulas are manufactured by PBM Products, in Vermont, and sold under private brand labels. All PBM manufactured infant formulas are federally WIC eligible. EXAMPLE PRODUCTS: Kroger: Kroger Comforts Pediatric Drink Kroger Comforts Pediatric Drink with Fiber Target: Target Pediatric Drink Walmart: Parent's Choice Pediatric Drink with Fiber USE: A nutritionally complete, milk-based medical food (pediatric oral supplement/tube feed) for children ages 1-10 with malnutrition, severe or chronic illness or recovering from trauma. May also be used as a nutritional supplement with or between meals. Kosher, lactose-free, gluten-free. Per 8 fl oz: 237 kcals (1 kcal/oz), 7.1-7.4 g pro, 11.8 g fat, 25.7-26.9 g CHO, 3.3 mg iron Nutritional content varies with flavor and fiber forms. Flavors: Chocolate, vanilla, strawberry. Fiber form only available in vanilla. | Not Idaho WIC approved. | 8 fl oz (237 ml) can 6 cans/case May also come in bottles | Protein (12% kcals) - Sodium caseinate, calcium caseinate Fat (45% kcals) - High-oleic safflower oil, soy oil, fractionated coconut oil CHO (42-45% kcals) - Sucrose, maltodextrin |

| Product | WIC Issuance | Size | Nutrient Source |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Store Brand formulas are manufactured by PBM Products, in Vermont, and sold under private brand labels. All PBM manufactured infant formulas are federally WIC eligible. With Iron and Lipids USE: A soy-based infant formula (lactose-free) for infants with lactose intolerance, allergy to cow's milk protein or recovering from diarrhea. Iron-fortified. DHA, ARA Per 100 kcals: 2.5 g pro, 5.3 g fat, 10.6 g CHO, 1.8 mg iron Osmolality: 290 mOsm/kg CAUTION: Evaluate if formula is mixed, used, and stored properly. | Not Idaho WIC approved. | 14.1 oz (400 g) can powder Reconstituted: ~ 104 fl oz 25.75 fl oz can powder Reconstituted: ~ 190 fl oz 32 fl oz bottle RTF Standard dilution = 20 kcals/oz | Protein (10% kcals) - Soy protein isolate Fat (48% kcals) - Palm oil, coconut oil, soy oil, high oleic (safflower or sunflower) oil CHO (42% kcals) - Corn syrup solids, sucrose |
| SUPER SOLUBLE DUOCAL (Nutricia North America) USE: A high-calorie, protein-free medical food (metabolic) for children with disorders of protein and amino acid metabolism, protein restricted diets, electrolyte restricted diets or high energy diets. Completely soluble in water, liquids and moist foods. Protein-, lactose- and gluten-free. For oral use or tube feeding. Per 100 g: 492 kcals, 0 g pro, 22.3 g fat, 72.7 g CHO Osmolality: 310 mOsm/kg CAUTION: For use only under strict medical supervision. Not intended as the sole source of nutrition. Not for parenteral use. | Approved with prescription. | 14 oz (400 g) can powder 6 cans/case 1 Tbsp powder = 8.5 g Reconstituted amount unavailable. Intake dependent on age, body weight and medical condition. Follow Rx as directed by physician | Protein (0% kcals) - None Fat (41% kcals) (MCT 35%, LCT 65%) - Blend of refined vegetable oils (corn, coconut,) MCT (fractionated coconut oil, palm kernel oil) CHO (59% kcals) -Hydrolyzed corn starch |

| Product | WIC Issuance | Size | Nutrient Source |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|-----------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| SUPLENA with CARB STEADY (Abbott Nutrition) USE: A nutritionally complete, low-protein, high-calorie medical food (renal oral supplement/tube feed) for older children and adults with chronic or acute kidney failure. Carb steady may help manage glucose response. Kosher, gluten-free, lactose-free, low-residue. Per 8 fl oz: 475 kcals (1.8 kcals/ml), 10.6 g pro, 22.7 g fat, 47.8 g CHO, 4.5 mg iron Osmolality: 600 mOsm/kg Flavors: homemade vanilla CAUTION: For use only under strict medical supervision. Not for parenteral use. | Approved with prescription. | 8 fl oz (237 ml) can RTF 24 cans/case | Protein (10% kcals) - Sodium caseinate, calcium caseinate, amino acids Fat (48% kcals) - High oleic safflower oil, soy oil CHO (42% kcals) - Corn maltodextrin, sucrose |
| USE: A nutritionally complete medical food (elemental tube feed/oral supplement) for older children and adults with abnormal bowel function, fat malabsorption, food allergies, GI impairment, HIV/AIDS, impaired digestion and absorption, limited gut function, malnutrition, pancreatic disorders, radiation therapy or short bowel syndrome. 100% free amino acids. Kosher, lactose-free, low-residue, may be suitable for a gluten-free diet. Per 300 ml formula: 300 kcal (1 kcal/ml), 6.2 g pro, 0.6 g fat, 68 g CHO, 3 mg iron Osmolality: 550 mOsm/kg CAUTION: For use only under medical supervision. | Approved with prescription. | 2.82 oz packet 60 packets/case Standard Dilution: Mix 1 packet powder with 255 ml water to make 300 ml formula. | Protein (8.2% kcals) - Free amino acids Fat (1.3% kcals) - Safflower oil CHO (90.5% kcals) - Maltodextrin, modified cornstarch |

| Product | WIC Issuance | Size | Nutrient Source |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| TWOCAL HN (Abbott Nutrition) USE: A nutritionally complete, high-calorie medical food (oral supplement/tube feed) for older children and adults with elevated energy and protein requirements or on fluid restrictions. Contains FOS (a prebiotic that may help promote gut health). Kosher, gluten-free, lactose-free, low-residue. Per 8 fl oz: 475 kcals (2 kcals/oz), 19.9 g pro, 21.5 g fat, 51.8 g CHO, 4.5 mg iron, 1.2 g fiber Osmolality: 725 mOsm/kg Flavors: unflavored (Ready-To-Hang), vanilla, butter pecan CAUTION: For use only under medical supervision. Not for parenteral use. | Approved with prescription. | 8 fl oz (237 ml) can RTF 24 cans/case 1000 ml container Ready-To-Hang 8 containers/case | Protein (16.7% kcals) - Sodium and calcium caseinates Fat (40.1% kcals) - High oleic safflower oil, MCT, canola oil CHO (43.2% kcals) - Corn syrup solids, corn maltodextrin, sucrose, FOS |
| TYR 1-MIX (Milupa North America) USE: A phenylalanine- and tyrosine-free infant formula (metabolic) for infants with tyrosinemia type I or II. Enriched with vitamins, minerals and trace elements. Per 100 ml: 66 kcals, 1.3 g pro, 3.6 g fat, 7 g CHO, 0.8 mg iron Osmolality: 380-390 mOsm/kg CAUTION: For use only under strict medical supervision for individuals with tyrosinemia type I or II. Not intended as a sole source of nutrition. Not for parenteral use. | Not WIC Approved. | 470 g can powder 6 cans/case 1 scoop powder = 4.6 g Intake dependent on age, body weight and medical condition. Follow Rx as directed by physician | Protein (8% kcals) - Amino acids (without phenylalanine, tyrosine) Fat (49% kcals) - vegetable fats & oils (egg lipid, fish) CHO (42% kcals) - lactose, dietary fiber |

| Product | WIC Issuance | Size | Nutrient Source |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|----------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------|
| TYR 1 (Milupa North America) USE: A phenylalanine- and tyrosine-free medical food (metabolic) for infants with tyrosinemia type I or II. Enriched with vitamins, minerals and trace elements. Per 100 g: 290 kcals, 50 g pro, 0 g fat, 22.4 g CHO, 29 mg iron CAUTION: For use only under strict medical supervision for individuals with tyrosinemia type I or II. Not intended as a sole source of nutrition. Not for parenteral use. | Not WIC Approved. | 17.5 oz (500 g) can powder 1 cans/case Intake dependent on age, body weight and medical condition. Follow Rx as directed by physician | Protein (69% kcals) - Amino acids (without phenylalanine, tyrosine) Fat (0% kcals) CHO (31% kcals) - Sugar |
| TYR 2-PRIMA (Milupa North America) USE: A phenylalanine- and tyrosine-free medical food (metabolic) for toddlers and children over 1 year with tyrosinemia type I or II. Enriched with vitamins, minerals and trace elements. Per 100 g: 289 kcals, 60 g pro, 0 g fat, 12.2 g CHO, 26.4 mg iron CAUTION: For use only under strict medical supervision for individuals with tyrosinemia type I or II. Not intended as a sole source of nutrition. Not for parenteral use. | Not WIC Approved. | 17.5 oz (500 g) can powder 2 can/case Intake dependent on age, body weight and medical condition. Follow Rx as directed by physician | Protein (83% kcals) - Amino acids (without phenylalanine, tyrosine) Fat (0% kcals) CHO (17% kcals) - Sugar |
| TYR 2-SECUNDA (Milupa North America) USE: A phenylalanine- and tyrosine-free medical food (metabolic) for children and adolescents over 9 years with tyrosinemia type I or II. Enriched with vitamins, minerals and trace elements. Per 100 g: 291 kcals, 70 g pro, 0 g fat, 2.8 g CHO, 20 mg iron CAUTION: For use only under strict medical supervision for individuals with tyrosinemia type I or II. Not intended as a sole source of nutrition. Not for parenteral use. | Not WIC Approved. | 17.5 oz (500 g) can powder 2 cans/case Intake dependent on age, body weight and medical condition. Follow Rx as directed by physician | Protein (97% kcals) - Amino acids (without phenylalanine, tyrosine) Fat (0% kcals) CHO (3% kcals) - Sugar |

| Product | WIC Issuance | Size | Nutrient Source |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|----------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| TYR 2 (Milupa North America) USE: A phenylalanine- and tyrosine-free medical food (metabolic) for children, adolescents and adults over 1 year with tyrosinemia type I or II. Enriched with vitamins, minerals and trace elements. Per 100 g: 303 kcals, 63 g pro, 0 g fat, 12.7 g CHO, 15 mg iron CAUTION: For use only under strict medical supervision for individuals with tyrosinemia type I or II. Not intended as a sole source of nutrition. Not for parenteral use. | Approved with prescription. | 17.5 oz (500 g) can powder 2 cans/case Intake dependent on age, body weight and medical condition. Follow Rx as directed by physician | Protein (83% kcals) - Amino acids (without phenylalanine, tyrosine) Fat (0% kcals) CHO (17% kcals) - Sugar |
| TYR 3 - ADVANTA (Milupa North America) USE: A phenylalanine- and tyrosine-free medical food (metabolic) for adolescents and adults over 15 years with tyrosinemia type I or II. Enriched with vitamins, minerals and trace elements. Per 100 g: 297 kcals, 70 g pro, 0 g fat, 4.2 g CHO, 13.4 mg iron CAUTION: For use only under strict medical supervision for individuals with tyrosinemia type I or II. Not intended as a sole source of nutrition. Not for parenteral use. | Not WIC Approved. | 17.5 oz (500 g) can powder 2 cans/case Intake dependent on age, body weight and medical condition. Follow Rx as directed by physician | Protein (94% kcals) - Amino acids (without phenylalanine, tyrosine) Fat (0% kcals) CHO (6% kcals) - Sugar |
| TYREX-1 (Abbott Nutrition) USE: A phenylaline- and tyrosine-free infant formula and medical food (metabolic) for infants and toddlers with tyrosinemia type I, II or III. Supplemented with L-carnitine and taurine. Iron-fortified. Per 100 g: 480 kcals, 15 g pro, 21.7 g fat, 53 g CHO, 9 mg iron Osmolality: 380 mOsm/kg at 20 kcals/oz CAUTION: Must only be given only to infants and toddlers with proven tyrosinemia type I, II, or III, under strict medical supervision. Not intended as a sole source of nutrition. Not for parenteral use. | Approved with prescription. | 14.1 oz (400 g) can powder 6 cans/case Standard dilution = 20 kcals/oz Follow Rx as directed by physician 1 Tbsp powder = 8 g | Protein (13% kcals) - Amino acids (without phenylalanine, tyrosine) Fat (41% kcals) - High oleic safflower oil, coconut oil, soy oil CHO (44% kcals) - Corn syrup solids |

| Product | WIC Issuance | Size | Nutrient Source |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|-------------------------------------------------------------------|----------------------------------------------------------------------------------------------|
| TYREX - 2 (Abbott Nutrition) | Approved with | 14.1 oz (400 g) can powder | Protein (13% kcals) |
| USE: A phenylaline- and tyrosine-free <u>medical food</u> (metabolic) for <u>children and adults</u> (metabolic) with <u>tyrosinemia type I, II or III.</u> Supplemented with L-carnitine and taurine. | prescription. | 6 cans/case Standard dilution = 30 kcals/oz 1 Tbsp powder = 8 g | - Amino acids (without phenylalanine, tyrosine) Fat (31% kcals) - High oleic safflower oil, |
| Per 100 g: 410 kcals, 30 g pro, 14 g fat, 35 g CHO, 9 mg iron | | | coconut oil, soy oil |
| Osmolality: 1330 mOsm/kg at 30 kcals/oz | | | CHO (44% kcals) - Corn syrup solids |
| CAUTION : Must only be given only to children and adults with proven tyrosinemia type I, II, or III, under strict medical supervision. Not intended as a sole source of nutrition. Not for parenteral use. | | | |
| TYROS 1 (Mead Johnson) | Approved with prescription. | 16 oz (454 g) can powder 6 cans/case | Protein (13% kcals) - Amino acids (without |
| USE: A phenylalanine- and tyrosine-free infant formula and medical food | preseription: | o cans, case | tyrosine, phenylalanine) |
| (metabolic) for <u>infants and toddlers</u> with <u>tyrosinemia</u> . Contains increased levels of B | | Reconstituted amount | |
| vitamins for cofactor production. Gluten-free, lactose-free, galactose-free. Vanilla scent. | | unavailable. Follow Rx as directed by physician. | Fat (47% kcals) - Vegetable oil (palm olein, soy, coconut, and |
| Per 100 g: 500 kcals, 16.7 pro, 26 g fat, 51 g CHO, 9.6 mg iron | | 1 scoop powder = 4.5 g | high oleic sunflower oils) |
| Osmolaltiy: 360 mOsm/kg | | | CHO (40% kcals) - Corn syrup solids, |
| CAUTION: For use only under strict medical supervision. Not intended as a sole source of nutrition. Not for parenteral use. | | | modified corn starch, sucrose, maltodextrin |

| Product | WIC Issuance | Size | Nutrient Source |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|----------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| TYROS 2 (Mead Johnson) USE: A phenylalanine- and tyrosine-free medical food (metabolic) for children and adults with inborn errors of tyrosine metabolism. Provides essential and non-essential amino acids, CHO, fat, vitamins and minerals. Contains higher levels of protein than found in Tyros 1. Gluten-free, lactose-free, galactose-free. Vanilla scent. Per 100 g: 410 kcals, 22 g pro, 8.5 g fat, 60 g CHO, 12.2 mg iron CAUTION: For use only under strict medical supervision. Not intended as a sole source of nutrition. Not for parenteral use. | Approved with prescription. | 16 oz (454 g) can powder 6 cans/case Reconstituted amount unavailable. Follow Rx as directed by physician. 1 scoop powder = 14.5 g | Protein (22% kcals) - Amino acids (without tyrosine, phenylalanine) Fat (19% kcals) - Soy oil CHO (59% kcals) - Corn syrup solids, sucrose, modified corn starch |
| USE: An essential L-amino acid medical food (metabolic) for infants with Urea Cycle disorders. Enriched with vitamins, minerals and trace elements. Per 100 g: 252 kcals, 56.4 g pro, 0 g fat, 6.5 g CHO, 51 mg iron CAUTION: For use only under strict medical supervision for individuals with tyrosinemia type I or II. Not intended as a sole source of nutrition. Not for parenteral use. | Not WIC Approved. | 17.5 oz (500 g) can powder 1 cans/case Intake dependent on age, body weight and medical condition. Follow Rx as directed by physician | Protein (90% kcals) - mixture essential L- amino acids Fat (0% kcals) CHO (10% kcals) - maltodextrin |
| USE: An essential L-amino acid medical food (metabolic) for children, adolescents and adults over 1 year with Urea Cycle disorders. Enriched with vitamins, minerals and trace elements. Per 100 g: 271 kcals, 66.7 g pro, 0 g fat, 1.1 g CHO, 35 mg iron CAUTION: For use only under strict medical supervision for individuals with tyrosinemia type I or II. Not intended as a sole source of nutrition. Not for parenteral use. | Approved with prescription. | 17.5 oz (500 g) can powder 2 cans/case Intake dependent on age, body weight and medical condition. Follow Rx as directed by physician | Protein (98% kcals) - essential L-amino acids Fat (0% kcals) CHO (2% kcals) -maltodextrin |

| Product | WIC Issuance | Size | Nutrient Source |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|------------------------------------------|------------------------------------------------------------------------|
| VITAFLO USA LLC – Vitaflo has 30+ products that are WIC eligible. Please call the State Office for clarification if a prescription is received for any of these products. | | | |
| Citrulline 1000 Amino Acid Supplement, EAA Supplement, HCU Cooler, HCU Epxress Powder, HCU Gel, Isoleucine 1000 Amino Acid Supplement, Isoleucine Amino Acid Supplement, Lipistart, MCT Pro-Cal, MMA/PA Express Powder, MMA/PA Gel, MSUD Cooler, MSUD Express Powder, MSUD Gel, Phenylalanine Amino Acid Supplement, PKU Cooler 10, PKU Cooler 15, PKU Cooler 20, PKU Gel, PKU Express, TYR Cooler, TYR Epress Powder, TYR Gel, Valine 1000 Amino Acid Supplement, Valine Amino Acid Supplement, DOC Omega, Key Omega, Methionine Amino Acid Supplement, Pro-Cal, Renastart, Solvel, S.O.S | | | |
| VITAL 1.0 CAL (Abbott Nutrition) | Not WIC Approved | 8 fl oz (237 ml) can RTF 24 cans/case | Protein (16% kcals) - Whey protein |
| USE: A <u>medical food</u> (peptide-based elemental oral supplement/tube feed) for older children and adults with <u>malabsorption</u> , maldigestion and other GI conditions | | 24 carrs, case | hydrolysate, sodium caseinate |
| when hydrolyzed protein is indicated. Contains FOS (a prebiotic that may help | | | Casemate |
| promote gut health). Kosher, gluten-free, lactose-free. | | | Fat (33% kcals) |
| Per 8 fl oz: 237 kcals (1 kcal/ml), 9.5 g pro, 9 g fat, 30.7 g CHO, 3 mg iron | | | - Structured lipid (interesterified canola and MCT), MCT, canola |
| Osmolality: 390 mOsm/kg | | | oil, FOS |
| CAUTION: For use only under strict medical supervision. Not for individuals with galactosemia. Not for parenteral use. | | | CHO (51% kcals) - Corn maltodextrin, sucrose |

| Product | WIC Issuance | Size | Nutrient Source |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| VITAL 1.5 CAL (Abbott Nutrition) USE: A medical food (peptide-based elemental oral supplement/tube feed) for older children and adults with malabsorption, maldigestion and other GI conditions when hydrolyzed protein is indicated. Contains FOS (a prebiotic that may help promote gut health). Kosher, gluten-free, lactose-free. Per 8 fl oz: 237 kcals (1 kcal/ml), 16 g pro, 13.5 g fat, 44.2 g CHO, 4.3 mg iron Osmolality: 610 mOsm/kg CAUTION: For use only under strict medical supervision. Not for individuals with galactosemia. Not for parenteral use. | Not WIC Approved | 8 fl oz (237 ml) can RTF 24 cans/case | Protein (18% kcals) - Whey protein hydrolysate, sodium caseinate Fat (33% kcals) - Structured lipid (interesterified canola and MCT), MCT, canola oil, FOS CHO (49% kcals) - Corn maltodextrin, sucrose |
| VITAL AF 1.2 CAL (Abbott Nutrition) USE: A medical food (partially hydrolyzed oral supplement/tube feed) for older children and adults with chronically impaired gastrointestinal function (maldigestion, malabsorption). Contains peptides and free amino acids to use the dual protein absorption system of the gut. Gluten-free, low-lactose, low-residue, low fat. Per 8fl oz: 284 kcals (1.2 kcal/ml), 17.8 g pro, 12.8 g fat, 26.2 g CHO, 3.6 mg iron Osmolality: 424 mOsm/kg Flavors: vanilla CAUTION: For use only under strict medical supervision. Not for parenteral use. Not for individuals with galactosemia. | Not WIC approved. | 8 fl oz can RTF 24 cans/case | Protein (16.7% kcals) - Partially hydrolyzed soy/collagen, whey protein concentrate, whey protein hydrolysate, amino acids Fat (9.5% kcals) - Safflower oil, MCT CHO (73.8% kcals) - Corn maltodextrin, sucrose |

| Product | WIC Issuance | Size | Nutrient Source |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| VITAL HN (Abbott Nutrition) USE: A medical food (partially hydrolyzed oral supplement/tube feed) for older children and adults with chronically impaired gastrointestinal function (maldigestion, malabsorption). Contains peptides and free amino acids to use the dual protein absorption system of the gut. Gluten-free, low-lactose, low-residue, low fat. Per 1 packet: 300 kcals (1 kcal/ml), 12.5 g pro, 3.3 g fat, 55.4 g CHO, 3.6 mg iron Osmolality: 500 mOsm/kg Flavors: vanilla CAUTION: For use only under strict medical supervision. Not for parenteral use. Not for individuals with galactosemia. | Approved with prescription. | 2.79 oz (79 g) packet powder 24 packets/case Standard dilution: 1 packet powder to 255 ml (8.6 fl oz) water yields 300 ml formula. | Protein (16.7% kcals) - Partially hydrolyzed soy/collagen, whey protein concentrate, whey protein hydrolysate, amino acids Fat (9.5% kcals) - Safflower oil, MCT CHO (73.8% kcals) - Corn maltodextrin, sucrose |
| USE: A nutritionally complete medical food (pediatric elemental tube feed/oral supplement) for children ages 1-13 with abnormal bowel function, bowel resection, Crohn's disease, fat malabsorption, GI impairment, GI fistula, HIV/AIDS, impaired digestion and absorption, limited gut function, malabsorption syndrome, malnutrition, pancreatic disorders, radiation therapy or short bowel syndrome. Kosher, lactose-free, low-residue, gluten-free. Per 250 ml formula (1 pkt): 200 kcals (0.8 kcal/ml), 6 g pro, 5.8 g fat, 31.5 g CHO, 2.5 mg iron Osmolality: 360 mOsm/kg CAUTION: For use only under medical supervision. Not for parenteral use. Not for individuals with galactosemia. | Approved with prescription. | 1.7 oz (48.5 g) packet powder 36 packets/case Standard dilution: Mix 1 packet powder with 220 ml water to yield 250 ml formula. | Protein (12% kcals) - Free amino acids Fat (25% kcals) - MCT oil, soybean oil CHO (63% kcals) - Maltodextrin, modified cornstarch |

| Product | WIC Issuance | Size | Nutrient Source |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|---------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------|
| VIVONEX PLUS (Nestle Healthcare Nutrition) USE: A nutritionally complete, high-protein, low-fat medical food (elemental tube feed) for older children and adults with abnormal bowel function, bowel resection, Crohn's disease, fat malabsorption, GI impairment, GI fistula, HIV/AIDS, impaired digestion and absorption, limited gut function, malabsorption syndrome, malnutrition, pancreatic disorders, radiation therapy or short bowel syndrome. Kosher, lactose-free, low-residue, gluten-free. Per 300 ml formula (1 pkt): 300 kcals (1 kcal/ml), 13.5 g pro, 2 g fat, 57 g CHO, 3 mg iron Osmolality: 650 mOsm/kg CAUTION: For use only under medical supervision. Not for parenteral use. Not appropriate for use in individuals 0-3 years old. | Approved with prescription. | 2.8 oz (79.5 g) packet powder 36 packets/case Standard dilution: Mix 1 packet powder with 250 ml water to yield 300 ml formula. | Protein (18% kcals) (30% from BCAA) - Free amino acids Fat (6% kcals) - Soybean oil CHO (76% kcals) - Maltodextrin, modified cornstarch |
| VIVONEX RTF (Nestle Healthcare Nutrition) USE: A nutritionally complete, high-protein, low-fat medical food (elemental tube feed) for older children and adults with abnormal bowel function, bowel resection, Crohn's disease, fat malabsorption, GI fistula, HIV/AIDS, impaired digestion and absorption, malabsorption syndrome, malnutrition, pancreatic disorders, radiation therapy or trauma. Kosher, lactose-free, low-residue, gluten-free. Per 250 ml: 250 kcals (1 kcal/ml), 12.5 g pro, 2.9 g fat, 43.8 g CHO, 3 mg iron Osmolality: 630 mOsm/kg CAUTION: For use only under medical supervision. Not for parenteral use. Not for individuals with galactosemia. | Approved with prescription. | 8.45 oz (250 ml) can RTF 24 cans/case 1000 ml closed system container 6 containers/case 1500 ml closed system container 4 containers/case | Protein (20% kcals) (28% from BCAA) - Free amino acids Fat (10% kcals) - Soybean oil, MCT oil CHO (70% kcals) - Maltodextrin, modified cornstarch |

| Product | WIC Issuance | Size | Nutrient Source |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|---------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| VIVONEX T.E.N. (Nestle Clinical Nutrition) USE: A nutritionally complete, high-nitrogen, low-fat medical food (elemental tube feed or oral) for older children and adults with abnormal bowel function, bowel resection, Crohn's disease, fat malabsorption, GI impairment, GI fistula, HIV/AIDS, impaired digestion and absorption, limited gut function, malabsorption syndrome, malnutrition, pancreatic disorders, radiation therapy or short bowel syndrome. Enriched with glutamine. Kosher, lactose-free, low-residue, gluten-free. Per 300 ml (1 pkt): 300 kcals (1 kcal/ml), 11.5 g pro, 0.8 g fat, 61.7 g CHO, 2.7 mg iron Osmolality: 630 mOsm/kg CAUTION: For use only under medical supervision. Not appropriate for use in individuals 0-3 years old. Not for parenteral use. | Approved with prescription. | 2.84 oz packet powder 10 packets/ box 6 boxes/case Standard dilution: Mix 1 packet powder with 250 ml water to yield 300 ml formula. | Protein (15% kcals) - Free amino acids Fat (3% kcals) - Safflower oil CHO (82% kcals) - Maltodextrin, modified cornstarch |
| WND 1 (Mead Johnson) USE: A non-essential amino-acid free infant formula (metabolic) for infants and toddlers with urea cycle disorders. Contains increased levels of B vitamins for cofactor production. Gluten-free, lactose-free, galactose-free. Vanilla scent. Per 100 g: 500 kcals, 6.5 g pro, 26 g fat, 60 g CHO, 9.6 mg iron Osmolality: 280 mOsm/kg CAUTION: For use only under strict medical supervision. Not intended as a sole source of nutrition. Not for parenteral use. | Approved with prescription. | 16 oz (454 g) can powder 6 cans/case Reconstituted amount unavailable. Follow Rx as directed by physician. 1 scoop powder = 4.5 g | Protein (5% kcals) - Essential amino acids Fat (47% kcals) - Vegetable oil (palm olein, soy, coconut, and high oleic sunflower oils) CHO (48% kcals) - Corn syrup solids, sucrose, modified corn starch |

| Product | WIC Issuance | Size | Nutrient Source |
|-----------------------------------------------------------------------------------------------------------------|---------------|-------------------------------------|-----------------------------|
| WND 2 (Mead Johnson) | Approved with | 16 oz (454 g) can powder | Protein (8% kcals) |
| | prescription. | 6 cans/case | - Essential amino acids |
| USE: A non-essential amino-acid free <u>medical food</u> (metabolic) for <u>children and</u> | | | |
| <u>adults</u> with <u>urea cycle disorders.</u> Provides essential amino acids, CHO, fats, essential | | Reconstituted amount | Fat (23% kcals) |
| fatty acids, vitamins and minerals. Gluten-free, lactose-free, galactose-free. Vanilla | | unavailable. | - Soy oil |
| scent. | | Follow Rx as directed by physician. | |
| Per 100 g: 410 kcals, 8.2 g pro, 10.2 g fat, 71 g CHO, 14.3 mg iron | | 1 scoop powder = 14.5 g | CHO (69% kcals) |
| | | | - Corn syrup solids, |
| CAUTION: For use only under strict medical supervision. Not intended as a sole | | | sugar, modified corn |
| source of nutrition. Not for parenteral use. | | | starch |
| XLEU ANALOG (Nutricia North America) | Approved with | 14 oz (400 g) can powder | Protein (11% kcals) |
| | prescription. | 6 cans/case | - Amino acids (without |
| USE: A leucine-free <u>infant formula</u> (metabolic) for <u>infants</u> with <u>isovaleric acidemia</u> | | | leucine) |
| and other proven disorders of leucine metabolism. Contains a balanced mixture of | | Recommened dilution = | |
| all other essential and non-essential amino acids, CHO, fat vitamins, minerals and | | 21kcals/oz: 1 scoop (5 g) powder | Fat (40% kcals) |
| trace elements. The diet should include an additional prescribed amount of | | to every | - High oleic safflower oil, |
| breastmilk or standard infant formula to meet the complete protein requirements | | 1 fl oz water | refined vegetable oil |
| of the infant. For oral use or tube feeding. | | | (coconut, soy) |
| | | 1 Tbsp powder = 8 g | |
| Per 100 g: 475 kcals, 13 g pro, 20.9 g fat, 59 g CHO, 10 mg iron | | | CHO (50% kcals) |
| | | Reconstituted amount | - Corn syrup solids, |
| Osmolality: 377 mOsm/kg | | unavailable. | galactose |
| | | Intake dependent on age, body | |
| CAUTION: Must only be given to infants with proven isovaleric acidemia and other | | weight and medical condition. | |
| disorders of leucine metabolism under strict medical supervision. Not intended as a | | | |
| sole source of nutrition. Not for parenteral use. | | | |
| | | | |

| Product | WIC Issuance | Size | Nutrient Source |
|--------------------------------------------------------------------------------------------------------|---------------|------------------------------------|----------------------------|
| XLEU MAXAMAID (Nutricia North America) | Approved with | 16 oz (454 g) can powder | Protein (31% kcals) |
| | prescription. | 6 cans/case | - Amino acids (without |
| USE: A leucine-free <u>medical food</u> (metabolic) for <u>toddlers and young children ages</u> | | | leucine) |
| 1-8 with isovaleric acidemia and other proven disorders of leucine metabolism. | | Recommended dilution (1 to 7) is | |
| Contains a balanced mixture of all other essential and non-essential amino acids, | | 100 g powder 100 ml fluid. | Fat (<1% kcals) |
| CHO, vitamins, minerals and trace elements. Does not contain fat, allowing for | | | - Negligible |
| flexibility in modifying energy intake. | | 1 Tbsp powder = 9 g | |
| | | | CHO (69% kcals) |
| Per 100 g: 324 kcals, 25 g pro, <0.1 g fat, 56 g CHO, 14 mg iron | | Reconstituted amount | - Sugar, corn syrup solids |
| | | unavailable. | |
| Osmolality: | | Intake dependent on age, body | |
| 1 to 7 dilution - 680 mOsm/kg | | weight and medical condition. | |
| 1 to 5 dilution - 940 mOsm/kg | | Follow Rx as directed by physician | |
| | | | |
| Flavors: orange | | | |
| | | | |
| CAUTION: Must only be given to children with proven isovaleric acidemia and other | | | |
| disorders of leucine metabolism under strict medical supervision. Not intended as a | | | |
| sole source of nutrition. Not for parenteral use. | | | |
| | | | |

| Product | WIC Issuance | Size | Nutrient Source |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| WSE: A leucine-free medical food (metabolic) for older children and adults (including pregnant women) with isovaleric acidemia and other proven disorders of leucine metabolism. Contains a balanced mixture of all other essential and nonessential amino acids, CHO, vitamins, minerals and trace elements. Does not contain fat, allowing for flexibility in modifying energy intake. Per 100 g: 305 kcals, 40 g pro, <1 g fat, 34 g CHO, 14.7 mg iron. Osmolality: 1 to 7 dilution - 800 mOsm/kg 1 to 5 dilution - 1130 mOsm/kg Flavors: orange CAUTION: Must only be given to individuals with proven isovaleric acidemia and other disorders of leucine metabolism under strict medical supervision. Not intended as a sole source of nutrition. Not for parenteral use. | Approved with prescription. | 16 oz (454 g) can powder 6 cans/case Recommended dilution (1 to 7) is ¼ cup (35 g) powder to 8 fl oz water. 1 Tbsp powder = 9 g Reconstituted amount unavailable. Intake dependent on age, body weight and medical condition. Follow Rx as directed by physician | Protein (52% kcals) - Amino acids (without leucine) Fat (<3% kcals) - Negligible CHO (45% kcals) - Sugar, corn syrup solids |
| USE: A lysine- and tryptophan-free infant formula (metabolic) for infants with glutaric acidemia type I. Contains a balanced mixture of all other essential and non-essential amino acids, CHO, fat, vitamins, minerals and trace elements. The diet should include an additional prescribed amount of breastmilk or standard infant formula to meet the complete protein requirements of the infant. For oral use or tube feeding. Per 100 g: 475 kcals, 13 g pro, 20.9 g fat, 59 g CHO, 10 mg iron Osmolality: 377 mOsm/kg CAUTION: Must only be given to infants with proven glutaric academia type I under strict medical supervision. Not intended as a sole source of nutrition. Not for parenteral use. | Approved with prescription. | 14 oz (400 g) can powder 6 cans / case Recommened dilution = 21kcals/oz: 1 scoop (5 g) powder to every 1 fl oz water 1 Tbsp powder = 8 g Reconstituted amount unavailable. Intake dependent on age, body weight and medical condition. Follow Rx as directed by physician | Protein (11% kcals) - Amino acids (without lysine and tryptophan) Fat (40% kcals) - High oleic safflower oil, refined vegetable oil (coconut, soy) CHO (50% kcals) - Corn syrup solids, galactose |

| Product | WIC Issuance | Size | Nutrient Source |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------|
| USE: A lysine- and tryptophan-free medical food (metabolic) for toddlers and young children ages 1-8 with glutaric acidemia type I. Contains a balanced mixture of all other essential and non-essential amino acids, CHO, vitamins, minerals and trace elements. Does not contain fat, allowing for flexibility in modifying energy intake. Per 100 g: 324 kcals, 25 g pro, <.1 g fat, 56 g CHO, 14 mg iron Osmolality: 1 to 7 dilution - 680 mOsm/kg 1 to 5 dilution - 940 mOsm/kg Flavors: orange CAUTION: Must only be given to infants with proven glutaric acidemia type I under strict medical supervision. Not intended as a sole source of nutrition. Not for parenteral use. | Approved with prescription. | 16 oz (454 g) can powder 6 cans/case Recommended dilution (1 to 7) is 100 g powder 100 ml fluid. 1 Tbsp powder = 9 g Reconstituted amount unavailable. Intake dependent on age, body weight and medical condition. Follow Rx as directed by physician | Protein (31% kcals) -Amino acids (without lysine and tryptophan) Fat (<1% kcals) - Negligible CHO (69% kcals) - Sugar, corn syrup solids |
| XLYS, XTRP MAXAMUM (Nutricia North America) USE: A lysine- and tryptophan-free medical food (metabolic) for children over age 8 and adults (including pregnant women) with glutaric acidemia type I. Contains a balanced mixture of all other essential and non-essential amino acids, CHO, vitamins, minerals and trace elements. Does not contain fat, allowing for flexibility in modifying energy intake. Per 100 g: 305 kcals, 40 g pro, <1 g fat, 34 g CHO, 14.7 mg iron Osmolality: 1 to 7 dilution - 800 mOsm/kg 1 to 5 dilution - 1130 mOsm/kg Flavors: orange CAUTION: Must only be given to individuals with proven glutaric academia type I under strict medical supervision. Not intended as a sole source of nutrition. Not for parenteral use. | Approved with prescription. | 16 oz (454 g) can powder 6 cans/case Recommended dilution (1 to 7) is ¼ cup (35 g) powder to 8 fl oz water. 1 Tbsp powder = 9 g Reconstituted amount unavailable. Intake dependent on age, body weight and medical condition. Follow Rx as directed by physician | Protein (52% kcals) -Amino acids (without lysine and tryptophan) Fat (<3% kcals) - Negligible CHO (45% kcals) - Sugar, corn syrup solids |

| Product | WIC Issuance | Size | Nutrient Source |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| USE: A methionine-free infant formula (metabolic) for infants with vitamin B ₆ non-responsive homocystinuria or hypermethioninemia. Contains a balanced mixture of all other essential and non-essential amino acids, CHO, fat, vitamins, minerals and trace elements. The diet should include an additional prescribed amount of breastmilk or standard infant formula to meet the complete protein requirements of the infant. For oral use or tube feeding. Per 100 g: 475 kcals, 13 g pro, 20.9 g fat, 59 g CHO, 10 mg iron Osmolality: 377 mOsm/kg CAUTION: Must only be given to infants with proven vitamin B ₆ non-responsive homocystinuria or hypermethioninemia under strict medical supervision. This product is not intended as a sole source of nutrition. Not for parenteral use. | Approved with prescription. | 14 oz (400 g) can powder 6 cans/case Recommened dilution = 21kcals/oz: 1 scoop (5 g) powder to every 1 fl oz water 1 Tbsp powder = 8 g Reconstituted amount unavailable. Intake dependent on age, body weight and medical condition. Follow Rx as directed by physician | Protein (11% kcals) - Amino acids (without methionine) Fat (40% kcals) - High oleic safflower oil, refined vegetable oil (coconut, soy) CHO (50% kcals) - Corn syrup solids, galactose |
| WSE: A methionine-free medical food (metabolic) for toddlers and young children ages 1-8 with vitamin B ₆ non-responsive homocystinuria or hypermethioninemia. Contains a balanced mixture of all other essential and non-essential amino acids, CHO, vitamins, minerals and trace elements. Does not contain fat, allowing for flexibility in modifying energy intake. Per 100 g: 324 kcals, 25 g pro, <0.1g fat, 56 g CHO, 14 mg iron Osmolality: 1 to 7 dilution - 680 mOsm/kg 1 to 5 dilution - 940 mOsm/kg Flavors: orange CAUTION: Must only be given to children with proven vitamin B ₆ non-responsive homocystinuria or hypermethioninemia under strict medical supervision. This product is not intended as a sole source of nutrition. Not for parenteral use. | Approved with prescription. | 16 oz (454 g) can powder 6 cans/case Recommended dilution (1 to 7) is 100 g powder 100 ml fluid. 1 Tbsp powder = 9 g Reconstituted amount unavailable. Intake dependent on age, body weight and medical condition. Follow Rx as directed by physician | Protein (31% kcals) - Amino acids (without methionine) Fat (<1% kcals) - Negligible CHO (69% kcals) - Sugar, corn syrup solids |

| Product | WIC Issuance | Size | Nutrient Source |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| WSE: A methionine-free medical food (metabolic) for children over 8 and adults (including pregnant women) with vitamin B ₆ non-responsive homocystinuria or hypermethioninemia. Contains a balanced mixture of all other essential and non-essential amino acids, CHO, vitamins, minerals and trace elements. Does not contain fat, allowing for flexibility in modifying energy intake. Per 100 g: 305 kcals, 40 g pro, <1 g fat, 34 g CHO, 14.7 mg iron Osmolality: 1 to 7 dilution - 800 mOsm/kg 1 to 5 dilution - 1130 mOsm/kg Flavors: orange CAUTION: Must only be given to individuals with proven vitamin B ₆ non-responsive homocystinuria or hypermethioninemia under strict medical supervision. This product is not intended as a sole source of nutrition. Not for parenteral use. | Approved with prescription. | 16 oz (454 g) can powder 6 cans/case Recommended dilution (1 to 7) is ¼ cup (35 g) powder to 8 fl oz water. 1 Tbsp powder = 9 g Reconstituted amount unavailable. Intake dependent on age, body weight and medical condition. Follow Rx as directed by physician | Protein (52% kcals) - Amino acids (without methionine) Fat (<3% kcals) - Negligible CHO (45% kcals) - Sugar, corn syrup solids |
| WSE: A methionine- and cysteine free medical food (metabolic) for infants with sulphite oxidase deficiency or other conditions requiring restriction of methionine and cystine. Contains a balanced mixture of all other essential and non-essential amino acids, CHO, vitamins, minerals and trace elements. Flavorless Per 100 g: 475 kcals, 13 g pro, 23 g fat, 54 g CHO, 7 mg iron Osmolality: 353 mOsm/kg CAUTION: Must only be given under strict medical supervision. This product is not intended as a sole source of nutrition. Not for parenteral use. | Not WIC approved. | 14 oz (400 g) can powder 2 cans/case Recommended dilution: 1 scoop (5 g) powder to 1 fl oz water. 1 Tbsp powder = 8 g Reconstituted amount unavailable. Intake dependent on age, body weight and medical condition. Follow Rx as directed by physician | Protein (11% kcals) - Amino acids (without methionine or cysteine) Fat (44% kcals) - Coconut, soy oil, high oleic safflower oil CHO (45% kcals) - Ccorn syrup solids |

| Product | WIC Issuance | Size | Nutrient Source |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| USE: A methionine- and cysteine free medical food (metabolic) for individuals over age one with sulphite oxidase deficiency or other conditions requiring restriction of methionine and cystine. Contains a balanced mixture of all other essential and non-essential amino acids, CHO, vitamins, minerals and trace elements. Flavorless. Does not contain fat therby allowing greater flexibility in modifying energy intake. Per 100 g: 309 kcals, 25 g pro, <0.5 g fat, 51 g CHO, 12 mg iron Osmolality: 1 to 7 dilution - 490 mOsm/kg 1 to 5 dilution - 690 mOsm/kg CAUTION: Must only be given under strict medical supervision. This product is not intended as a sole source of nutrition. Not for parenteral use. | Not WIC approved. | 17.6 oz (500 g) can powder 2 cans/case Recommended dilution (1 to 7) is ¼ cup (35 g) powder to 8 fl oz water. 1 Tbsp powder = 9 g Reconstituted amount unavailable. Intake dependent on age, body weight and medical condition. Follow Rx as directed by physician | Protein (32% kcals) - Amino acids (without methionine or cysteine) Fat (0% kcals) - negligible CHO (66% kcals) - Ccorn syrup solids |
| USE: A methionine-, threonine-, valine-free and low-isoleucine infant formula (metabolic) for infants with vitamin B ₁₂ non-responsive methylmalonic acidemia or propionic acidemia. Contains a balanced mixture of all other essential and non-essential amino acids, CHO, fat, vitamins, minerals and trace elements. The diet should include an additional prescribed amount of breastmilk or standard infant formula to meet the complete protein requirements of the infant. For oral use or tube feeding. Per 100 g: 475 kcals, 13 g pro, 20.9 g fat, 59 g CHO, 10 mg iron Osmolality: 377 mOsm/kg CAUTION: Must only be given to infants with proven vitamin B ₁₂ non-responsive methylmalonic acidemia or propionic acidemia under strict medical supervision. This product is not intended as a sole source of nutrition. Not for parenteral use. | Approved with prescription. | 14 oz (400 g) can powder 6 cans/case Recommened dilution = 21kcals/oz: 1 scoop (5 g) powder to every 1 fl oz water 1 Tbsp powder = 8 g Reconstituted amount unavailable. Intake dependent on age, body weight and medical condition. Follow Rx as directed by physician | Protein (11% kcals) - Amino acids (without methionine, threonine or valine; low-isoleucine) Fat (40% kcals) - High oleic safflower oil, refined vegetable oil (coconut, soy) CHO (50% kcals) - Corn syrup solids, galactose |

| Product | WIC Issuance | Size | Nutrient Source |
|---------------------------------------------------------------------------------------------------|---------------|------------------------------------|----------------------------|
| XMTVI MAXAMAID (Nutricia North America) | Approved with | 16 oz (454 g) can powder | Protein (31% kcals) |
| | prescription. | 6 cans/case | - Amino acids (without |
| USE: A methionine-, threonine-, valine-free and low-isoleucine <u>medical food</u> | | | methionine, threonine, |
| (metabolic) for toddlers and young children ages 1-8 with vitamin B ₁₂ non- | | Recommended dilution (1 to 7) is | valine; low-isoleucine) |
| responsive methylmalonic acidemia or propionic acidemia. Contains a balanced | | 100 g powder to 700 ml fluid. | |
| mixture of other essential and non-essential amino acids, CHO, vitamins, minerals | | | Fat (<1% kcals) |
| and trace elements. Does not contain fat, allowing for flexibility in modifying energy | | 1 Tbsp powder = 9 g | - Negligible |
| intake. | | | |
| | | Reconstituted amount | CHO (69% kcals) |
| Per 100 g: 324 kcals, 25 g pro, <0.1 g fat, 56 g CHO, 14 mg iron | | unavailable. | - Sugar, corn syrup solids |
| 0 15 | | Intake dependent on age, body | |
| Osmolality: | | weight and medical condition. | |
| 1 to 7 dilution - 680 mOsm/kg | | Follow Rx as directed by physician | |
| 1 to 5 dilution - 940 mOsm/kg | | | |
| Flavors: orange | | | |
| | | | |
| CAUTION: Must only be given to children with proven vitamin B ₁₂ non-responsive | | | |
| methylmalonic acidemia or propionic acidemia under strict medical supervision. | | | |
| This product is not intended as a sole source of nutrition. Not for parenteral use. | | | |
| | | | |

| Product | WIC Issuance | Size | Nutrient Source |
|------------------------------------------------------------------------------------------------------|---------------|------------------------------------|----------------------------|
| XMTVI MAXAMUM (Nutricia North America) | Approved with | 16 oz (454 g) can powder | Protein (52% kcals) |
| | prescription. | 6 cans/case | - Amino acids (without |
| USE: A methionine-, threonine-, valine-free and low-isoleucine <u>medical food</u> | | | methionine, threonine, |
| (metabolic) for children over 8 and adults (including pregnant women) with vitamin | | Recommended dilution (1 to 7) is | valine; low-isoleucine) |
| \underline{B}_{12} non-responsive methylmalonic acidemia or propionic acidemia. Contains a | | ¼ cup (35 g) powder to 8 fl oz | |
| balanced mixture of other essential and non-essential amino acids, CHO, vitamins, | | water. | Fat (<3% kcals) |
| minerals and trace elements. Does not contain fat, allowing for flexibility in | | | - Negligible |
| modifying energy intake. | | 1 Tbsp powder = 9 g | |
| | | | CHO (45% kcals) |
| Per 100 g: 305 kcals, 40 g pro, <1 g fat, 34 g CHO, 14.7 mg iron | | Reconstituted amount | - Sugar, corn syrup solids |
| | | unavailable. | |
| Osmolality: | | Intake dependent on age, body | |
| 1 to 7 dilution - 800 mOsm/kg | | weight and medical condition. | |
| 1 to 5 dilution - 1130 mOsm/kg | | Follow Rx as directed by physician | |
| Flavors: orange | | | |
| Travors. Grange | | | |
| CAUTION: Must only be given to individuals with proven vitamin B ₁₂ non-responsive | | | |
| methylmalonic acidemia or propionic acidemia under strict medical supervision. | | | |
| This product is not intended as a sole source of nutrition. Not for parenteral use. | | | |
| | | | |

| Product | WIC Issuance | Size | Nutrient Source |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------|
| XPHE MAXAMAID (Nutricia North America) | Approved with prescription. | 16 oz (454 g) can powder 6 cans/case | Protein (31% kcals) - Amino acids (without |
| USE: A phenylalanine-free medical food (metabolic) for toddlers and young children with phenylketonuria (PKU). Contains a balanced mixture of all other essential and non-essential amino acids, CHO, vitamins, minerals and trace elements. Does not contain fat, allowing for flexibility in modifying energy intake. Per 100 g: 324 kcals, 25 g pro, <0.1 g fat, 56 g CHO, 14 mg iron Osmalility: Dilution (1 to 7) - unflavored: 510 mOsm/kg, strawberry/orange: 680 mOsm/kg Dilution (1 to 5) - unflavored: 730 mOsm/kg, strawberry/orange: 940 mOsm/kg Flavors: unflavored, strawberry, orange CAUTION: Must only be given to children with proven phenylketonuria under strict medical supervision. Not intended as a sole source of nutrition. Not for parenteral use. | prescription. | Recommended dilution (1 to 7) is 100 g powder 700 ml fluid. 1 Tbsp powder = 9 g Reconstituted amount unavailable. Intake dependent on age, body weight and medical condition. Follow Rx as directed by physician | - Amino acids (without phenylalanine) Fat (<1% kcals) - Negligible CHO (69% kcals) - Corn syrup solids |
| XPHE MAXAMUM (Nutricia North America) USE: A phenylalanine-free medical food (metabolic) for older children and adults (including pregnant women) with phenylketonuria (PKU.) Contains a balanced mixture of all other essential and non-essential amino acids, CHO, vitamins, minerals and trace elements. Does not contain fat, allowing for flexibility in modifying energy intake. Per 100 g: 305 kcals, 40 g pro, <1 g fat, 34 g CHO, 14.7 mg iron Osmalility: 1 to 7 dilution – unflavored: 700 mOsm/kg, orange: 800 mOsm/kg 1 to 5 dilution – unflavored: 990 mOsm/kg, orange: 1130 mOsm/kg Flavors: unflavored, orange CAUTION: Must only be given to individuals with proven phenylketonuria under strict medical supervision. Not intended as a sole source of nutrition. Not for parenteral use. | Approved with prescription. | 16 oz (454 g) can powder 6 cans/case Recommended dilution (1 to 7) is ¼ cup (35 g) powder to 8 fl oz water. 1.8 oz (50 g) sachet 30 sachets/case 1 Tbsp powder = 9 g Reconstituted amount unavailable. Intake dependent on age, body weight and medical condition. Follow Rx as directed by physician | Protein (52% kcals) - Amino acids (without phenylalanine) Fat (<3% kcals) - Negligible CHO (45% kcals) - Corn syrup solids |

| Product | WIC Issuance | Size | Nutrient Source |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| WSE: A phenylalanine-free medical food (metabolic) for children and adults (including pregnant women) with phenylketonuria (PKU). Contains a balanced mixture of all other essential and non-essential amino acids, CHO, vitamins, minerals and trace elements. Per 250 ml: 160 kcals, 15 g pro, 5 g fat, 13.8 g CHO, 5.5 mg iron Osmalility: Orange – 1080 mOsm/kg Forest berries – 1030 mOsm/kg Flavors: orange, forest berries CAUTION: Must only be given to individuals with proven phenylketonuria under strict medical supervision. Not intended as a sole source of nutrition. | Approved with prescription. | 8.5 fl oz (250 ml) tetra pak RTF 18 paks/case Intake dependent on age, body weight and medical condition. Follow Rx as directed by physician | Protein (38% kcals) - Amino acids (without phenylalanine) Fat (28% kcals) - High oleic sunflower oil, canola oil, soybean oil CHO (35% kcals) - Sugar |
| XPHE, XTYR ANALOG (Nutricia North America) USE: A phenylalanine- and tyrosine-free infant formula (metabolic) for infants with tyrosinemia (when plasma methionine levels are normal). Contains a balanced mixture of all other essential and non-essential amino acids, CHO, fat, vitamins, minerals and trace elements. The diet should include an additional prescribed amount of breastmilk or standard infant formula to meet the complete protein requirements of the infant. Can be used for oral or tube feeding. Per 100 g: 475 kcals, 13 g pro, 20.9 g fat, 59 g CHO, 10 mg iron Osmolality: 377 mOsm/kg CAUTION: Must only be given to infants with proven tyrosinemia, when plasma methionine levels are normal, under strict medical supervision. Not intended as a sole source of nutrition. Not for parenteral use. | Approved with prescription. | 14 oz (400 g) can powder 6 cans/case Recommened dilution = 21kcals/oz: 1 scoop (5 g) powder to every 1 fl oz water 1 Tbsp powder = 8 g Reconstituted amount unavailable. Intake dependent on age, body weight and medical condition. Follow Rx as directed by physician | Protein (11% kcals) - Amino acids (without phenylalanine, tyrosine) Fat (40% kcals) - High oleic safflower oil, refined vegetable oil (coconut, soy) CHO (50% kcals) - Corn syrup solids, galactose |

| Product | WIC Issuance | Size | Nutrient Source |
|--------------------------------------------------------------------------------------------------------------------------------------------------|---------------|------------------------------------|-----------------------------|
| XPHE, XTYR MAXAMAID (Nutricia North America) | Approved with | 16 oz (454 g) can powder | Protein (31% kcals) |
| | prescription. | 6 cans/case | - Amino acids (without |
| USE: A phenylalanine- and tyrosine-free <u>medical food</u> (metabolic) for <u>toddlers and</u> | | | phenylalanine, tyrosine) |
| young children ages 1-8 with tyrosinemia. Contains a balanced mixture of all other | | Recommended dilution (1 to 7) is | |
| essential and non-essential amino acids, CHO, vitamins, minerals and trace | | 100 g powder 100 ml fluid. | Fat (<1% kcals) |
| elements. Does not contain fat, allowing for flexibility in modifying energy intake. | | | - Negligible |
| | | 1 Tbsp powder = 9 g | |
| Per 100 g: 324 kcals, 25 g pro, <0.1 g fat, 56 g CHO, 14 mg iron | | | CHO (69% kcals) |
| | | Reconstituted amount | - Sugar, corn syrup solids |
| Osmolality: | | unavailable. | |
| 1 to 7 dilution - 680 mOsm/kg | | Intake dependent on age, body | |
| 1 to 5 dilution - 940 mOsm/kg | | weight and medical condition. | |
| | | Follow Rx as directed by physician | |
| Flavor: orange | | | |
| CAUTION: Must only be given to children with proven tyrosinemia under strict | | | |
| medical supervision. Not intended as a sole source of nutrition. Not for parenteral | | | |
| use. | | | |
| XPTM ANALOG (Nutricia North America) | Approved with | 14 oz (400 g) can powder | Protein (11% kcals) |
| | prescription. | 6 cans/case | - Amino acids (without |
| USE: A phenylalanine-, tyrosine- and methionine-free <u>infant formula</u> (metabolic) for | | | phenylalanine, tyrosine, |
| infants with tyrosinemia type I (when plasma methionine levels are above normal). | | Recommened dilution = | methionine) |
| Contains a balanced mixture of all other essential and non-essential amino acids, | | 21kcals/oz: 1 scoop (5 g) powder | |
| CHO, fat, vitamins, minerals and trace elements. The diet should include an | | to every | Fat (40% kcals) |
| additional prescribed amount of breastmilk or standard infant formula to meet the | | 1 fl oz water | - High oleic safflower oil, |
| complete protein requirements of the infant. For oral use or tube feeding. | | | refined vegetable oil |
| | | 1 Tbsp powder = 8 g | (coconut, soy) |
| Per 100 g: 475 kcals, 13 g pro, 20.9 g fat, 59 g CHO, 10 mg iron | | | |
| | | Reconstituted amount | CHO (50% kcals) |
| Osmolality: 377 mOsm/kg | | unavailable. | - Corn syrup solids, |
| | | Intake dependent on age, body | galactose |
| CAUTION: Must only be given to children with proven tyrosinemia type I, when | | weight and medical condition. | |
| plasma methionine levels are above normal, under strict medical supervision. Not intended as a sole source of nutrition. Not for parenteral use. | | Follow Rx as directed by physician | |

| Product | WIC Issuance | Size | Nutrient Source |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|------|------------------------|
| ZONEPERFECT Products (Abbott Nutrition) | Not WIC approved. | | |
| Fruitified ZonePerfect Nutrition Bars Perfectly Simple by ZonePerfect ZonePerfect Classic Nutrition Bars ZonePerfect Cookie Dough Bars ZonePerfect Dark Chocolate Nutrition Bars ZonePErfect Sweet and Salty | | | |